R 3850-1.11

Length of Stay in PAS Hospitals,

by Diagnosis,

Canada,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    Definition of Multiple Dx Patients 7
    Definition of Operated Patients 8
  Explanation of Statistics 8
  Exclusions 9
  Defining the Extended Stay Case 10
Length of Stay Tables 21
  Summary of All Patients 22
  Summary of All Patients Except Newborn 23
  Diagnosis Groups 1-398 24
Distribution Tables 223
  Table 1: Distribution of Canadian Patients and Days of Care
    by *ICD-9-CM* List A Hospital Diagnosis Groups 225
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Live Separations 244
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Days of Care 258
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 273
Index to Length of Stay Tables 277

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.



PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on separations plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,085,400 separations during 1979 from 242 nonfederal, short-term* Canadian hospitals participating in PAS. Short-term psychiatric hospitals participating in PAS were excluded. Patients studied were selected from a total of 1,186,998 separations.

Characteristics of all Canadian hospitals that participated in PAS during 1979 are shown in Table A. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

---

*Short-term hospitals are defined as those in which the median stay is shorter than 45 days.

Table A

Bed Size and Province: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1979

	Short-Term Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
CANADA						
Bed Size						
1. Less than 25 beds	255	28	11.0%	3,765	550	14.6%
2. 25-49	204	75	36.8	7,012	2,618	37.3
3. 50-99	155	50	32.3	10,317	3,443	33.4
4. 100-199	133	38	28.6	17,915	5,158	28.8
5. 200-299	68	24	35.3	16,420	5,715	34.8
6. 300-399	51	17	33.3	16,778	5,967	35.6
7. 400-499	34	8	23.5	14,643	3,553	24.3
8. 500 or more	53	14	26.4	39,831	10,229	25.7
Total	953	254	26.7%	126,681	37,233	29.4%
Province or Territory						
Alberta	118	115	97.5%	13,186	10,978	83.3%
British Columbia	102	71	69.6	14,878	11,578	77.8
Manitoba	83	1	1.2	6,024	234	3.9
New Brunswick	35	16	45.7	4,405	3,287	74.6
Newfoundland	50	8	16.0	3.059	1,964	64.2
Nova Scotia	45	16	35.6	4,832	3,094	64.0
Ontario	229	0	0	42,702	0	0
Prince Edward Island	8	0	0	659	0	0
Quebec	147	5	3.4	30,013	2,222	7.4
Saskatchewan	133	20	15.0	6,761	3,764	55.7
Northwest Territories	3	2	66.7	162	112	69.1
Yukon	0	0	–	0	0	–
Total	953	254	26.7%	126,681	37,233	29.4%

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals

[2] Source: *Canadian Hospital Directory,* 1978

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all separations from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and separation dates entered on the PAS Case Abstract, counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell left on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude:

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients transferred to other short-term hospitals
(4) patients who left against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded separation status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of the Medicare and PSRO programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions which follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979* or *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the completed operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] **Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."**

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a Canadian hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

282

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979.*



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	7	<1	1	3	4	6	8	16
20-34	280	3.1	12	1	1	2	4	5	7	20
35-49	187	3.5	7	1	1	3	5	7	9	14
50-64	219	4.3	11	1	1	3	6	9	11	17
65+	167	7.4	41	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	209	7.5	7	4	5	7	9	11	13	15
20-34	2045	7.7	9	5	5	7	9	11	13	17
35-49	1638	8.1	8	5	5	8	9	11	13	19
50-64	1685	9.0	14	5	6	8	10	13	16	23
65+	699	10.8	24	6	7	9	12	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	8	<1	1	2	4	7	10	11
20-34	163	3.4	9	<1	1	2	4	7	9	15
35-49	124	4.7	14	1	1	4	7	10	13	18
50-64	241	5.4	22	1	1	4	7	10	13	23
65+	389	9.4	66	2	3	8	11	17	23	41
B. *Operated*										
0-19 YRS	111	10.0	30	5	6	8	12	16	19	35
20-34	1301	9.1	19	5	6	8	10	14	17	25
35-49	1434	10.1	28	5	6	8	11	16	21	34
50-64	2147	11.6	44	6	7	10	13	19	25	37
65+	1798	16.1	98	7	8	13	20	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	4.3	18	1	1	3	5	9	12	23
B. *Operated*	6276	8.5	13	5	5	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	942	6.6	43	1	1	5	9	13	17	32
B. *Operated*	6791	12.0	57	6	6	9	14	21	27	44
1. SINGLE DX	7183	7.9	15	2	4	7	9	12	14	23
2. MULTIPLE DX	7733	11.3	58	4	5	9	13	20	26	43
A. NOT OPERATED	1849	5.4	32	1	1	4	7	11	14	28
B. OPERATED	13067	10.3	39	5	6	9	11	17	22	37
TOTAL 0-19 YRS	399	7.3	19	1	2	7	9	12	14	21
20-34	3789	7.7	16	2	4	7	9	11	14	22
35-49	3383	8.6	20	3	5	8	10	13	16	26
50-64	4292	9.9	34	3	5	9	11	16	20	32
65+	3053	13.6	84	4	6	11	16	24	31	50
GRAND TOTAL	**14916**	**9.7**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**36**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



242 PAS Hospitals, Canada, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



242 PAS Hospitals, Canada, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



242 PAS Hospitals, Canada, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	9 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



242 PAS Hospitals, Canada, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	9 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137001	4.6	18	1	1	4	5	8	10	21
20-34	77527	4.7	30	1	1	4	5	8	11	30
35-49	24483	6.4	57	1	1	4	8	14	20	40
50-64	23895	7.8	66	1	1	5	10	16	22	42
65+	24262	9.4	97	1	2	7	12	20	28	64
B. *Operated*										
0-19 YRS	57619	3.7	20	<1	1	2	4	7	10	22
20-34	88634	4.5	16	<1	1	4	6	8	10	20
35-49	37194	5.5	30	1	1	4	7	11	15	27
50-64	31659	6.9	45	1	2	5	9	14	19	34
65+	22508	8.7	75	1	2	6	11	18	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106708	6.2	39	1	2	5	7	11	16	34
20-34	41069	6.3	65	1	1	4	7	13	21	47
35-49	29675	8.3	84	1	1	6	10	18	25	51
50-64	47925	10.0	100	1	2	7	13	21	29	62
65+	84455	13.1	175	2	3	9	16	29	46	99+
B. *Operated*										
0-19 YRS	31906	6.5	92	1	1	3	7	14	24	64
20-34	78180	6.7	50	1	2	5	8	12	17	43
35-49	42991	8.8	83	1	2	7	10	17	25	57
50-64	46978	11.7	139	1	2	8	15	25	36	79
65+	50731	15.7	225	2	3	11	21	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287168	5.5	38	1	1	4	6	10	15	33
B. *Operated*	237614	5.2	31	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	309832	8.9	102	1	2	6	11	19	28	73
B. *Operated*	250786	9.8	125	1	2	7	12	22	33	81
1. SINGLE DX	524782	5.3	35	1	1	4	6	10	15	31
2. MULTIPLE DX	560618	9.3	112	1	2	6	11	20	30	76
A. NOT OPERATED	597000	7.2	74	1	1	5	8	15	23	54
B. OPERATED	488400	7.5	85	1	1	5	9	16	24	58
TOTAL 0-19 YRS	333234	5.2	33	1	1	4	6	9	13	31
20-34	285410	5.4	37	1	1	4	6	10	14	34
35-49	134343	7.3	66	1	1	5	9	15	21	45
50-64	150457	9.5	99	1	2	7	12	20	28	60
65+	181956	12.8	172	2	3	9	16	29	44	99+
GRAND TOTAL	**1085400**	**7.4**	**79**	**1**	**1**	**5**	**8**	**16**	**23**	**56**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81312	4.6	28	1	1	3	5	9	12	27
20-34	77527	4.7	30	1	1	4	5	8	11	30
35-49	24483	6.4	57	1	1	4	8	14	20	40
50-64	23895	7.8	66	1	1	5	10	16	22	42
65+	24262	9.4	97	1	2	7	12	20	28	64
B. *Operated*										
0-19 YRS	57606	3.7	20	<1	1	2	4	7	10	22
20-34	88634	4.5	16	<1	1	4	6	8	10	20
35-49	37194	5.5	30	1	1	4	7	11	15	27
50-64	31659	6.9	45	1	2	5	9	14	19	34
65+	22508	8.7	75	1	2	6	11	18	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56900	6.2	51	1	1	4	7	13	18	39
20-34	41069	6.3	65	1	1	4	7	13	21	47
35-49	29675	8.3	84	1	1	6	10	18	25	51
50-64	47925	10.0	100	1	2	7	13	21	29	62
65+	84455	13.1	175	2	3	9	16	29	46	99+
B. *Operated*										
0-19 YRS	31137	6.1	77	1	1	3	7	13	21	54
20-34	78180	6.7	50	1	2	5	8	12	17	43
35-49	42991	8.8	83	1	2	7	10	17	25	57
50-64	46978	11.7	139	1	2	8	15	25	36	79
65+	50731	15.7	225	2	3	11	21	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231479	5.6	46	1	1	4	6	11	17	36
B. *Operated*	237601	5.2	31	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	260024	9.4	115	1	2	6	12	21	31	81
B. *Operated*	250017	9.8	124	1	2	7	12	22	33	80
1. SINGLE DX	469080	5.4	38	1	1	4	6	11	15	32
2. MULTIPLE DX	510041	9.6	119	1	2	6	12	21	32	80
A. NOT OPERATED	491503	7.6	86	1	1	5	9	17	25	61
B. OPERATED	487618	7.5	84	1	1	5	9	16	24	58
TOTAL 0-19 YRS	226955	5.0	39	1	1	3	6	10	14	33
20-34	285410	5.4	37	1	1	4	6	10	14	34
35-49	134343	7.3	66	1	1	5	9	15	21	45
50-64	150457	9.5	99	1	2	7	12	20	28	60
65+	181956	12.8	172	2	3	9	16	29	44	99+
GRAND TOTAL	**979121**	**7.6**	**85**	**1**	**1**	**5**	**9**	**16**	**24**	**59**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2572	4.7	16	1	1	4	6	9	12	20
20-34	509	3.3	9	1	1	2	4	7	9	15
35-49	173	3.6	9	<1	1	3	5	7	12	14
50-64	144	4.2	17	1	1	3	5	9	12	22
65+	137	4.9	18	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	33	7.2	18	2	3	6	9	13	17	19
20-34	24	8.0	71	3	3	6	8	13	23	45
35-49	7	9.3	16	5	5	10	13	14	14	14
50-64	4	3.8	4	1	1	4	5	5	5	5
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1511	7.3	54	1	2	5	9	15	20	39
20-34	262	4.4	19	1	1	3	6	9	12	21
35-49	137	4.9	19	1	1	3	6	11	13	22
50-64	167	5.9	31	1	2	4	7	12	14	22
65+	328	9.3	127	2	2	6	10	20	28	88
B. *Operated*										
0-19 YRS	31	17.0	227	2	3	12	25	46	54	99+
20-34	22	11.6	76	2	2	11	16	21	31	38
35-49	12	12.9	73	<1	3	13	20	25	26	26
50-64	18	13.8	66	5	6	11	17	27	30	32
65+	30	15.9	322	3	4	10	20	48	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	4.4	15	1	1	3	6	9	12	19
B. *Operated*	70	7.5	35	2	3	6	9	13	14	40
2. MULTIPLE DX										
A. *Not Operated*	2405	7.0	58	1	2	5	6	14	20	40
B. *Operated*	113	14.7	180	2	3	11	20	32	47	99+
1. SINGLE DX	3605	4.5	16	1	1	3	6	9	12	19
2. MULTIPLE DX	2518	7.3	66	1	2	5	9	15	21	44
A. NOT OPERATED	5940	5.5	34	1	1	4	7	11	15	29
B. OPERATED	183	12.0	136	2	3	9	14	25	42	96
TOTAL 0-19 YRS	4147	5.7	34	1	2	4	7	11	16	30
20-34	817	4.0	18	1	1	3	5	8	12	19
35-49	329	4.6	19	1	1	3	5	11	14	22
50-64	333	5.6	31	1	1	4	7	12	16	26
65+	497	8.5	115	2	2	5	10	17	26	87
GRAND TOTAL	**6123**	**5.7**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	20.8	355	3	3	18	31	68	99+	99+
20-34	36	25.0	605	2	3	20	52	96	99+	99+
35-49	36	23.0	669	3	4	12	42	92	99+	99+
50-64	27	22.1	366	4	4	18	34	60	74	99+
65+	24	23.8	518	3	4	22	53	99+	99+	99+
B. *Operated*										
0-19 YRS	2	63.5	13	61	61	63	66	66	66	66
20-34	13	16.6	67	3	6	16	23	26	30	31
35-49	16	12.2	110	1	1	9	19	26	35	39
50-64	8	33.0	1377	7	8	14	56	94	96	96
65+	9	24.2	707	8	8	14	24	69	91	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	24.2	324	3	5	41	99+	99+	99+	99+
20-34	28	23.1	493	2	3	20	30	64	93	99+
35-49	24	22.3	683	2	4	20	80	99+	99+	99+
50-64	41	25.6	575	3	5	19	37	84	99+	99+
65+	48	23.4	439	3	4	17	35	62	89	99+
B. *Operated*										
0-19 YRS	3	57.0	1119	19	19	82	99+	99+	99+	99+
20-34	12	31.6	579	6	8	28	56	82	97	99+
35-49	11	16.5	168	3	3	15	36	99+	99+	99+
50-64	27	28.0	397	9	9	24	54	99+	99+	99+
65+	21	39.1	455	12	16	35	51	62	86	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	23.0	506	3	4	18	39	92	99+	99+
B. *Operated*	48	21.3	513	2	5	14	23	54	89	96
2. MULTIPLE DX										
A. *Not Operated*	161	23.8	494	3	4	20	45	99+	99+	99+
B. *Operated*	74	31.2	489	6	9	28	53	99+	99+	99+
1. SINGLE DX	199	22.6	506	3	4	17	33	85	99+	99+
2. MULTIPLE DX	235	26.2	502	3	4	23	51	99+	99+	99+
A. NOT OPERATED	312	23.5	498	3	4	19	43	99+	99+	99+
B. OPERATED	122	27.3	518	3	7	22	44	87	99+	99+
TOTAL 0-19 YRS	53	25.7	471	3	4	24	68	99+	99+	99+
20-34	89	24.1	490	2	4	20	34	78	99+	99+
35-49	87	20.0	512	2	3	12	36	99	99+	99+
50-64	103	25.9	523	4	7	19	44	86	99+	99+
65+	102	26.8	508	4	5	23	43	88	99+	99+
GRAND TOTAL	**434**	**24.5**	**506**	**3**	**4**	**19**	**43**	**95**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	40	3	3	14	16	17	17	17
20-34	6	5.5	20	1	1	4	6	13	14	14
35-49	2	13.5	1	13	13	13	14	14	14	14
50-64	3	8.0	13	4	4	9	10	11	11	11
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	11	6.1	28	2	2	4	7	16	18	18
20-34	11	5.4	48	<1	1	2	6	15	24	25
35-49	8	8.4	11	3	4	8	11	13	13	13
50-64	10	17.4	750	1	2	8	14	56	94	94
65+	4	7.5	22	2	2	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	8.0	20	1	2	8	11	14	15	15
35-49	8	5.3	13	1	1	4	7	11	12	12
50-64	9	9.8	51	3	3	10	63	99+	99+	99+
65+	10	16.1	97	6	7	16	22	64	97	99+
B. *Operated*										
0-19 YRS	5	11.4	197	3	3	7	36	94	99+	99+
20-34	12	9.7	140	<1	1	7	14	55	92	99+
35-49	15	14.0	59	3	4	17	21	86	99+	99+
50-64	17	24.5	602	2	3	17	41	98	99+	99+
65+	14	27.6	572	5	6	19	54	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.7	28	2	3	8	14	15	16	17
B. *Operated*	44	9.0	200	1	2	6	10	15	21	94
2. MULTIPLE DX										
A. *Not Operated*	37	10.1	59	2	3	9	15	64	99+	99+
B. *Operated*	63	18.8	379	2	3	14	36	84	99+	99+
1. SINGLE DX	60	8.9	153	1	2	6	12	15	18	87
2. MULTIPLE DX	100	15.6	277	2	3	11	24	82	99+	99+
A. NOT OPERATED	53	9.7	49	2	3	9	14	26	99+	99+
B. OPERATED	107	14.8	326	2	2	9	18	56	99	99+
TOTAL 0-19 YRS	21	8.8	68	2	2	6	14	23	62	99+
20-34	38	7.4	65	<1	1	5	9	16	35	99+
35-49	33	10.5	46	2	3	10	17	23	82	99+
50-64	39	18.0	486	2	3	11	37	99+	99+	99+
65+	29	20.1	363	5	6	13	26	63	67	99+
GRAND TOTAL	**160**	**13.1**	**240**	**2**	**2**	**9**	**17**	**49**	**99+**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	4.0	8	1	2	3	5	7	9	16
20-34	68	3.4	3	1	1	3	4	5	6	12
35-49	10	3.0	1	1	1	3	4	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	5.0	18	1	2	4	6	9	12	26
20-34	31	3.2	5	1	1	2	5	6	7	10
35-49	9	3.9	3	2	2	3	5	7	7	7
50-64	8	6.5	29	2	2	5	7	16	19	19
65+	11	10.4	59	1	2	7	15	23	23	23
B. *Operated*										
0-19 YRS	5	18.6	364	2	2	9	35	46	46	46
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.8	7	1	2	3	4	7	9	15
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	363	5.0	19	1	2	4	6	9	13	25
B. *Operated*	8	14.1	255	2	2	7	22	41	46	46
1. SINGLE DX	348	3.8	7	1	2	3	4	7	9	15
2. MULTIPLE DX	371	5.2	25	1	2	4	6	9	14	30
A. NOT OPERATED	709	4.4	14	1	2	3	5	8	11	20
B. OPERATED	10	11.8	222	2	2	4	13	38	46	46
TOTAL 0-19 YRS	576	4.6	18	1	2	3	5	8	11	24
20-34	101	3.3	4	1	1	3	4	6	7	11
35-49	19	3.4	2	1	2	3	4	6	7	7
50-64	11	5.4	24	2	2	3	6	12	18	19
65+	12	10.6	54	1	2	10	14	23	23	23
GRAND TOTAL	**719**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.4	14	2	2	6	9	11	12	16
20-34	16	6.6	38	2	2	4	9	15	22	25
35-49	5	5.8	6	3	3	6	7	9	9	9
50-64	6	7.7	40	2	2	6	10	18	19	19
65+	16	11.3	49	5	6	8	15	24	27	28
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	3	26.7	324	9	9	26	40	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	9.6	110	2	3	6	12	18	22	71
20-34	27	8.7	46	2	3	5	12	20	24	25
35-49	26	12.7	146	3	4	7	15	26	44	47
50-64	64	15.5	153	4	5	12	20	36	43	56
65+	128	17.6	237	4	5	13	23	39	67	99+
B. *Operated*										
0-19 YRS	7	18.9	246	2	3	15	28	44	47	47
20-34	11	14.0	39	3	5	15	18	22	24	24
35-49	4	17.5	50	13	13	14	21	28	28	28
50-64	30	24.4	263	4	7	22	33	54	70	99+
65+	30	35.3	604	11	13	32	48	96	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	7.6	31	2	2	6	10	15	19	27
B. *Operated*	6	15.0	295	2	2	7	26	43	45	45
2. MULTIPLE DX										
A. *Not Operated*	303	14.4	181	3	4	10	18	32	44	95
B. *Operated*	82	26.2	396	5	8	20	35	57	96	99+
1. SINGLE DX	78	8.2	52	2	2	6	10	16	25	40
2. MULTIPLE DX	385	16.9	249	3	4	12	22	41	56	99+
A. NOT OPERATED	375	13.1	159	2	3	9	16	29	42	86
B. OPERATED	88	25.4	394	3	7	20	35	54	96	99+
TOTAL 0-19 YRS	96	9.1	96	2	2	6	10	17	22	62
20-34	54	9.1	48	2	2	7	13	20	24	25
35-49	36	12.1	120	3	4	7	14	28	39	47
50-64	100	17.7	199	3	5	13	24	41	51	85
65+	177	20.2	330	5	6	14	28	48	81	99+
GRAND TOTAL	**463**	**15.4**	**226**	**2**	**4**	**11**	**19**	**35**	**51**	**99+**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	8.8	64	2	2	7	11	17	23	36
20-34	19	5.1	12	2	2	4	6	11	13	14
35-49	21	6.7	20	2	2	5	8	13	15	18
50-64	18	5.2	4	2	3	5	7	8	9	9
65+	10	6.7	6	3	4	6	8	10	11	11
B. *Operated*										
0-19 YRS	10	7.8	42	1	1	7	11	17	18	18
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	2	10.5	85	4	4	10	17	17	17	17
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	10.1	82	2	3	8	13	19	25	47
20-34	18	9.7	40	2	3	8	13	20	22	22
35-49	12	8.3	21	2	2	10	12	14	15	15
50-64	33	9.6	48	4	4	8	12	16	29	33
65+	32	11.4	89	3	4	9	14	21	28	51
B. *Operated*										
0-19 YRS	9	18.3	89	9	9	17	31	68	99+	99+
20-34	5	12.2	65	1	1	15	18	21	21	21
35-49	2	16.5	145	8	8	16	25	25	25	25
50-64	3	14.0	25	9	9	16	59	99+	99+	99+
65+	6	21.5	136	8	8	21	31	37	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	8.5	59	2	2	6	11	16	22	36
B. *Operated*	18	9.2	95	1	1	5	17	18	31	39
2. MULTIPLE DX										
A. *Not Operated*	334	10.1	74	3	3	8	13	18	25	42
B. *Operated*	25	17.2	89	6	8	17	24	38	99+	99+
1. SINGLE DX	627	8.5	60	2	2	6	11	16	22	37
2. MULTIPLE DX	359	10.6	78	3	3	9	14	20	28	92
A. NOT OPERATED	943	9.0	65	2	3	7	11	17	23	38
B. OPERATED	43	13.9	105	1	2	13	20	36	54	99+
TOTAL 0-19 YRS	799	9.3	70	2	3	7	12	18	24	39
20-34	45	7.9	36	2	2	6	12	17	21	22
35-49	37	7.9	29	2	2	6	12	15	18	25
50-64	56	8.1	38	3	3	7	10	15	27	95
65+	49	12.3	105	3	4	9	15	27	38	51
GRAND TOTAL	**986**	**9.2**	**67**	**2**	**3**	**7**	**12**	**18**	**25**	**40**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	4.5	12	1	2	3	6	9	11	16
20-34	161	4.7	9	2	2	4	6	8	10	14
35-49	23	7.3	48	2	3	6	8	10	20	37
50-64	4	4.8	4	2	2	5	6	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-19 YRS	4	12.0	120	4	4	8	19	28	28	28
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.0	15	1	2	5	7	13	14	17
20-34	33	5.9	10	3	3	5	7	10	14	17
35-49	11	7.4	16	2	3	7	11	13	14	14
50-64										
65+	4	12.0	18	7	7	12	15	16	16	16
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49										
50-64										
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	4.7	13	1	2	4	6	9	11	16
B. *Operated*	6	9.7	87	3	3	6	10	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	109	6.4	15	2	3	5	8	13	15	17
B. *Operated*	4	15.0	39	8	8	15	20	22	22	22
1. SINGLE DX	518	4.8	14	1	2	4	6	9	11	17
2. MULTIPLE DX	113	6.7	18	2	3	5	8	13	16	19
A. NOT OPERATED	621	5.0	14	1	2	4	6	10	12	17
B. OPERATED	10	11.8	69	3	3	9	18	25	28	28
TOTAL 0-19 YRS	388	4.9	14	1	2	4	6	10	12	17
20-34	197	4.9	10	2	2	4	6	9	10	18
35-49	35	7.3	36	2	3	6	9	11	13	37
50-64	4	4.8	4	2	2	5	6	7	7	7
65+	7	12.4	30	7	7	10	16	21	22	22
GRAND TOTAL	**631**	**5.1**	**15**	**1**	**2**	**4**	**6**	**10**	**12**	**18**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1290	4.5	12	1	1	4	6	8	11	18
20-34	104	4.3	5	2	2	4	5	7	8	12
35-49	33	8.7	231	1	2	4	8	13	28	87
50-64	56	6.6	23	1	2	5	9	14	16	21
65+	88	11.3	88	3	3	9	13	25	32	45
B. *Operated*										
0-19 YRS	5	8.8	31	3	3	8	14	15	15	15
20-34	5	8.0	35	3	3	6	10	18	18	18
35-49	5	4.6	13	2	2	3	6	11	11	11
50-64	5	15.2	237	4	4	12	20	42	42	42
65+	4	4.8	12	3	3	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1552	5.7	24	1	2	4	7	11	14	23
20-34	91	7.0	89	1	2	5	8	12	17	93
35-49	29	9.6	61	3	3	7	11	19	28	38
50-64	66	10.1	57	3	4	8	12	19	32	36
65+	235	14.2	201	2	4	10	18	29	51	99+
B. *Operated*										
0-19 YRS	22	10.9	89	2	3	7	17	31	60	99+
20-34	6	10.8	59	2	2	13	20	84	99+	99+
35-49	7	10.6	41	3	3	9	15	20	21	21
50-64	7	14.4	125	4	4	12	17	33	37	37
65+	21	20.7	222	3	6	18	34	47	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1571	5.0	24	1	2	4	6	9	12	26
B. *Operated*	24	8.4	72	2	3	5	11	15	25	42
2. MULTIPLE DX										
A. *Not Operated*	1973	7.0	57	2	2	5	8	13	19	40
B. *Operated*	63	14.5	143	2	4	11	21	37	66	99+
1. SINGLE DX	1595	5.1	24	1	2	4	6	9	12	26
2. MULTIPLE DX	2036	7.2	61	2	2	5	8	14	20	47
A. NOT OPERATED	3544	6.1	43	1	2	4	7	11	16	33
B. OPERATED	87	12.8	130	2	3	9	19	36	43	99+
TOTAL 0-19 YRS	2869	5.2	20	1	2	4	7	10	13	23
20-34	206	5.8	46	2	2	4	7	10	14	91
35-49	74	8.9	130	2	3	6	10	16	27	75
50-64	134	9.0	56	2	3	7	12	17	23	38
65+	348	13.8	176	3	3	10	18	29	43	99+
GRAND TOTAL	**3631**	**6.3**	**46**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.9	22	2	3	6	9	13	14	29
20-34	82	8.8	32	3	3	8	11	17	20	30
35-49	34	9.9	50	2	3	8	13	20	26	29
50-64	17	11.6	82	2	3	9	16	22	33	38
65+	14	8.9	32	2	2	9	12	18	19	19
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	8	10.4	71	<1	1	7	17	23	24	24
35-49	7	6.4	10	2	2	7	9	10	10	10
50-64	6	11.7	27	6	6	12	16	17	17	17
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.7	26	2	3	9	12	15	18	22
20-34	44	9.8	64	2	3	7	11	16	30	42
35-49	24	13.2	60	2	5	12	16	25	29	30
50-64	17	10.4	46	2	3	8	12	23	25	25
65+	15	16.9	241	3	5	15	17	52	53	54
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	7	11.6	32	5	6	10	15	21	22	22
35-49	4	33.5	274	14	14	33	46	53	53	53
50-64	5	30.6	46	22	22	29	37	38	38	38
65+	6	21.0	109	12	12	16	26	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	8.6	37	2	3	7	11	17	20	31
B. *Operated*	24	10.6	76	1	2	8	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*	124	11.2	79	2	3	9	14	20	29	53
B. *Operated*	23	22.9	159	7	9	22	31	39	45	53
1. SINGLE DX	240	8.8	41	2	3	7	11	17	21	32
2. MULTIPLE DX	147	13.0	108	3	4	10	16	28	37	53
A. NOT OPERATED	340	9.5	53	2	3	8	12	18	24	38
B. OPERATED	47	16.6	152	2	4	14	24	38	40	53
TOTAL 0-19 YRS	96	7.7	30	2	3	6	11	13	16	32
20-34	141	9.3	44	2	3	8	11	17	23	33
35-49	69	12.0	90	2	3	9	15	26	29	50
50-64	45	13.3	93	3	4	10	18	27	37	38
65+	36	15.1	165	2	3	13	17	38	48	54
GRAND TOTAL	**387**	**10.4**	**70**	**2**	**3**	**8**	**13**	**20**	**28**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	5.0	8	2	2	4	6	9	11	17
20-34	106	5.1	9	1	2	5	6	9	10	16
35-49	15	7.7	21	2	3	6	12	15	16	16
50-64	3	6.3	10	4	4	5	9	10	10	10
65+	4	5.5	8	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	10.3	12	7	7	10	13	14	14	14
35-49	3	11.7	24	6	6	14	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	5.5	18	2	2	5	7	9	10	26
20-34	70	6.2	29	2	2	4	8	11	13	29
35-49	10	7.0	10	3	3	7	8	12	13	13
50-64	2	11.0	2	10	10	11	12	12	12	12
65+	4	11.5	35	3	3	13	15	16	16	16
B. *Operated*										
0-19 YRS	8	12.8	98	4	5	10	15	30	35	35
20-34	4	16.0	19	10	10	17	19	20	20	20
35-49										
50-64	2	38.0	1458	11	11	38	65	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	5.1	9	2	2	5	6	9	11	16
B. *Operated*	7	10.7	13	6	6	10	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	293	5.9	21	2	2	5	7	10	13	28
B. *Operated*	14	17.3	249	4	6	11	18	38	59	65
1. SINGLE DX	478	5.2	9	2	2	5	7	9	11	16
2. MULTIPLE DX	307	6.4	36	2	2	5	8	11	15	35
A. NOT OPERATED	764	5.4	14	2	2	5	7	9	11	19
B. OPERATED	21	15.1	176	5	6	11	16	26	48	65
TOTAL 0-19 YRS	559	5.3	14	2	2	5	7	9	11	19
20-34	183	5.8	19	1	2	5	7	10	14	25
35-49	28	7.9	18	3	3	7	11	15	15	16
50-64	7	16.7	463	4	4	10	12	54	65	65
65+	8	8.5	29	3	3	8	13	16	16	16
GRAND TOTAL	**785**	**5.7**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**23**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	20	<1	<1	1	5	10	10	10
20-34	5	5.2	14	<1	<1	6	8	10	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	254	2.0	9	<1	<1	1	2	3	6	10
20-34	293	2.5	30	<1	<1	2	3	5	6	9
35-49	54	3.0	10	<1	<1	2	4	5	10	17
50-64	18	5.9	55	<1	<1	2	11	16	23	27
65+	6	4.8	8	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	42	<1	<1	8	14	18	18	18
20-34	6	3.2	9	<1	<1	1	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	44	3.3	14	<1	<1	2	4	7	11	19
20-34	81	2.9	7	<1	<1	2	4	6	7	16
35-49	32	3.1	4	<1	<1	2	4	6	7	9
50-64	12	5.5	76	<1	<1	3	5	16	30	32
65+	8	8.4	126	1	1	4	10	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.6	12	<1	<1	2	6	10	10	10
B. *Operated*	625	2.5	21	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	14	6.2	29	<1	<1	5	10	14	17	18
B. *Operated*	177	3.5	18	<1	<1	2	4	6	9	28
1. SINGLE DX	639	2.5	21	<1	<1	1	3	5	7	15
2. MULTIPLE DX	191	3.7	20	<1	<1	2	4	7	10	27
A. NOT OPERATED	28	4.9	21	<1	<1	3	7	11	14	18
B. OPERATED	802	2.7	20	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	308	2.3	11	<1	<1	1	2	4	7	18
20-34	385	2.6	25	<1	<1	2	3	5	7	10
35-49	89	3.1	8	<1	<1	2	4	6	9	16
50-64	34	5.5	55	<1	<1	2	6	14	25	32
65+	14	6.9	74	1	2	4	7	17	30	34
GRAND TOTAL	**830**	**2.8**	**21**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	3.5	7	1	1	3	4	6	8	14
20-34	171	4.2	7	1	1	4	5	8	9	15
35-49	59	4.8	10	1	2	4	5	10	13	14
50-64	30	5.6	11	2	2	5	7	10	13	16
65+	28	6.0	22	2	3	5	6	12	16	25
B. *Operated*										
0-19 YRS	21	4.2	56	<1	<1	2	4	6	20	36
20-34	9	8.4	22	<1	2	7	12	15	16	16
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	4.5	20	1	1	4	5	8	11	29
20-34	137	5.5	12	2	2	5	7	10	11	17
35-49	75	5.3	31	1	2	4	6	10	10	38
50-64	64	6.2	16	2	2	5	8	11	13	22
65+	83	9.6	135	2	3	6	11	19	24	74
B. *Operated*										
0-19 YRS	22	7.7	31	2	2	6	12	15	20	22
20-34	19	8.5	120	<1	1	5	9	34	74	99+
35-49	6	19.3	80	9	9	19	27	31	31	31
50-64	6	7.8	20	2	2	7	10	14	15	15
65+	5	22.0	140	12	12	19	27	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	3.9	8	1	1	3	5	7	9	15
B. *Operated*	34	5.4	44	<1	<1	4	7	12	16	36
2. MULTIPLE DX										
A. *Not Operated*	937	5.3	31	1	2	4	6	10	13	27
B. *Operated*	58	10.4	93	2	2	7	15	22	37	95
1. SINGLE DX	1016	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX	995	5.6	36	1	2	4	6	10	14	34
A. NOT OPERATED	1919	4.6	20	1	1	4	5	8	11	23
B. OPERATED	92	8.6	80	<1	<1	6	12	21	30	78
TOTAL 0-19 YRS	1315	4.1	14	1	1	3	5	7	10	22
20-34	336	5.1	17	1	2	4	7	9	12	20
35-49	142	5.7	32	1	2	4	6	10	14	32
50-64	101	6.1	14	2	2	5	7	11	13	20
65+	117	9.2	115	2	3	6	11	19	24	72
GRAND TOTAL	**2011**	**4.7**	**24**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	5	1	1	4	6	7	8	8
20-34	45	3.9	7	1	2	3	5	7	10	12
35-49	16	4.2	5	1	2	4	5	7	9	10
50-64	11	4.2	4	2	2	4	5	7	9	9
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	5	3	3	5	8	9	9	9
20-34	18	4.5	7	2	2	4	5	7	11	13
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	9.7	200	1	1	2	20	26	26	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	8.3	9	5	5	9	10	11	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.0	5	1	2	3	5	7	9	11
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	37	5.4	18	2	2	4	6	9	12	26
B. *Operated*	4	7.0	13	3	3	7	10	11	11	11
1. SINGLE DX	107	4.1	6	1	2	3	5	7	9	11
2. MULTIPLE DX	41	5.6	17	2	2	5	6	9	12	26
A. NOT OPERATED	142	4.4	9	1	2	4	6	8	9	14
B. OPERATED	6	7.3	10	3	3	7	10	11	11	11
TOTAL 0-19 YRS	44	4.5	5	1	2	4	6	8	9	9
20-34	67	4.3	7	1	2	3	6	8	11	13
35-49	19	4.2	4	1	2	4	5	7	9	10
50-64	12	4.3	4	2	2	4	5	7	9	9
65+	6	7.8	89	1	1	4	10	24	26	26
GRAND TOTAL	**148**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**13**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.6	19	2	2	5	6	9	11	26
20-34	134	6.8	42	2	3	5	7	12	17	40
35-49	24	9.9	221	2	3	6	9	19	37	76
50-64	4	5.3	22	1	1	4	9	11	11	11
65+	3	4.7	22	<1	<1	3	8	10	10	10
B. *Operated*										
0-19 YRS	18	4.3	6	2	2	4	5	8	10	10
20-34	43	5.7	41	<1	<1	3	6	14	21	31
35-49	11	9.6	288	<1	1	4	7	31	58	60
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	7.0	25	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.1	15	2	2	5	7	9	13	23
20-34	76	7.3	28	3	3	6	9	13	20	28
35-49	12	15.8	240	5	5	10	18	39	56	59
50-64	12	16.9	399	1	2	12	17	40	72	77
65+	11	13.7	104	3	3	15	23	53	93	99+
B. *Operated*										
0-19 YRS	8	10.6	87	3	4	7	12	27	32	32
20-34	19	8.5	48	1	2	6	9	19	24	27
35-49	6	12.5	355	<1	<1	6	11	46	50	50
50-64	10	13.6	159	3	4	7	22	35	40	40
65+	5	11.4	41	5	5	12	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	6.7	52	2	2	5	7	11	18	39
B. *Operated*	77	6.0	66	<1	<1	4	6	12	19	52
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	87	2	3	6	10	19	24	77
B. *Operated*	48	10.7	107	1	2	7	12	25	33	50
1. SINGLE DX	321	6.5	55	2	2	5	7	11	18	41
2. MULTIPLE DX	196	9.4	92	2	3	6	11	21	29	69
A. NOT OPERATED	392	7.5	66	2	3	5	8	14	21	54
B. OPERATED	125	7.8	86	<1	1	5	9	17	28	52
TOTAL 0-19 YRS	142	5.8	21	2	2	5	7	9	13	27
20-34	272	6.9	38	1	2	5	8	14	20	32
35-49	53	11.5	244	1	2	6	11	23	58	76
50-64	27	13.4	246	1	2	9	15	29	46	77
65+	23	10.9	72	1	3	9	18	25	53	99+
GRAND TOTAL	**517**	**7.6**	**71**	**2**	**2**	**5**	**8**	**15**	**22**	**53**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.7	21	2	2	4	6	10	14	26
20-34	8	5.4	17	<1	<1	5	6	12	14	14
35-49	10	8.7	63	<1	1	6	11	22	23	23
50-64	9	9.8	83	1	1	5	16	24	26	26
65+	7	14.4	58	3	4	15	22	22	22	22
B. *Operated*										
0-19 YRS	3	11.7	76	2	2	14	18	19	19	19
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	4	3.3	4	<1	<1	3	5	5	5	5
65+	4	8.5	43	<1	<1	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	7.1	28	1	2	6	9	15	17	44
20-34	19	7.1	27	<1	1	6	9	16	17	17
35-49	6	9.2	99	3	3	5	9	27	29	29
50-64	21	14.0	364	1	2	7	13	40	67	77
65+	26	11.7	46	5	5	10	16	25	26	28
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	5	7.8	11	5	5	6	10	13	13	13
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	11	28.4	481	4	10	18	53	78	97	99+
65+	13	17.8	133	6	6	14	25	32	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.8	35	1	2	5	9	15	22	26
B. *Operated*	15	6.9	34	<1	<1	5	13	14	18	19
2. MULTIPLE DX										
A. *Not Operated*	206	8.5	70	2	2	6	10	16	22	66
B. *Operated*	33	19.8	292	4	6	14	27	50	67	99+
1. SINGLE DX	130	6.8	35	1	2	5	9	15	22	26
2. MULTIPLE DX	239	10.0	115	2	3	7	12	19	29	79
A. NOT OPERATED	321	7.9	58	1	2	6	10	16	22	41
B. OPERATED	48	15.8	246	2	2	13	19	46	62	99+
T[illegible] 0-19 YRS	219	6.8	35	2	2	5	9	14	17	38
20-34	34	6.6	21	<1	1	6	7	14	17	17
35-49	21	8.5	57	1	2	6	11	22	26	29
50-64	45	15.7	353	1	2	11	18	57	70	99+
65+	50	13.4	74	4	5	11	18	25	28	46
GRAND TOTAL	**369**	**8.9**	**89**	**2**	**2**	**6**	**11**	**18**	**26**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	9	1	1	3	6	9	10	12
20-34	7	5.0	9	<1	<1	6	8	8	8	8
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	15	4.3	8	1	2	3	6	9	10	11
20-34	10	14.2	408	2	2	8	13	45	69	69
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	18.0	252	6	6	12	30	36	36	36
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	45	<1	1	3	12	19	21	21
20-34	3	11.7	36	6	6	11	16	18	18	18
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	8.5	15	5	5	7	11	14	14	14
B. *Operated*										
0-19 YRS	8	6.9	12	4	4	6	7	13	15	15
20-34	8	14.0	187	2	2	7	25	35	38	38
35-49										
50-64	5	18.4	262	6	6	8	31	43	43	43
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	10	1	1	4	7	9	11	12
B. *Operated*	30	9.1	178	2	2	5	11	17	36	69
2. MULTIPLE DX										
A. *Not Operated*	26	7.5	35	1	2	6	12	18	20	21
B. *Operated*	22	11.9	142	2	3	7	15	30	40	43
1. SINGLE DX	65	6.8	91	1	2	4	8	12	15	64
2. MULTIPLE DX	48	9.5	87	2	2	6	12	23	28	43
A. NOT OPERATED	61	6.0	22	1	1	5	8	12	16	21
B. OPERATED	52	10.3	162	2	2	6	11	27	38	68
TOTAL 0-19 YRS	62	5.3	19	1	2	4	7	12	14	21
20-34	28	11.6	205	1	2	7	12	26	41	69
35-49	5	8.2	9	4	4	8	11	11	11	11
50-64	11	15.3	183	4	5	8	23	39	43	43
65+	7	6.0	18	2	2	5	8	13	14	14
GRAND TOTAL	**113**	**8.0**	**90**	**1**	**2**	**5**	**9**	**16**	**26**	**53**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.3	64	1	2	6	8	14	17	51
20-34	29	6.8	48	2	2	5	8	13	15	37
35-49	11	7.8	36	2	3	7	8	17	23	24
50-64	14	9.8	175	1	2	7	8	18	46	54
65+	9	6.9	9	3	3	7	9	11	12	12
B. *Operated*										
0-19 YRS	6	17.8	877	2	2	7	10	71	78	78
20-34	70	6.6	20	1	2	6	9	14	15	18
35-49	31	8.9	84	1	2	5	12	23	33	35
50-64	19	7.6	25	1	2	5	12	15	17	18
65+	8	9.4	72	2	2	7	13	23	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.4	37	2	2	6	9	14	18	36
20-34	35	8.1	78	1	2	5	8	20	31	39
35-49	21	11.0	121	2	3	6	14	29	39	42
50-64	25	14.7	232	3	3	10	14	37	52	65
65+	26	10.1	78	2	3	9	12	23	51	99+
B. *Operated*										
0-19 YRS	6	8.8	27	3	3	7	11	17	18	18
20-34	22	10.0	84	1	2	7	13	28	31	34
35-49	22	15.6	89	5	6	13	23	30	33	36
50-64	24	19.8	348	2	4	11	30	47	58	71
65+	10	21.6	290	6	7	15	31	50	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	7.5	65	2	2	6	8	14	16	52
B. *Operated*	134	7.9	75	1	2	6	10	15	19	42
2. MULTIPLE DX										
A. *Not Operated*	186	9.3	90	2	2	6	11	19	34	59
B. *Operated*	84	15.6	194	2	4	11	19	34	46	67
1. SINGLE DX	294	7.7	69	1	2	6	9	14	18	47
2. MULTIPLE DX	270	11.3	130	2	2	8	13	28	38	64
A. NOT OPERATED	346	8.5	79	2	2	6	10	16	25	54
B. OPERATED	218	10.9	134	2	2	8	13	27	34	63
TOTAL 0-19 YRS	188	7.8	76	2	2	6	9	14	17	56
20-34	156	7.4	47	1	2	6	9	14	19	37
35-49	85	11.0	94	2	2	8	14	27	33	40
50-64	82	13.7	224	2	3	8	14	37	50	69
65+	53	11.6	124	2	3	9	13	27	43	98
GRAND TOTAL	**564**	**9.4**	**101**	**2**	**2**	**6**	**11**	**19**	**31**	**58**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	17.8	156	3	3	19	28	30	30	30
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	3	8.0	31	2	2	9	12	13	13	13
35-49	4	11.0	49	5	5	9	16	20	20	20
50-64	14	12.2	266	<1	1	7	13	34	55	61
65+	15	19.7	324	3	4	9	32	41	60	66
B. *Operated*										
0-19 YRS	2	16.0	98	9	9	16	23	23	23	23
20-34	8	9.6	24	5	5	8	13	17	18	18
35-49	9	7.2	38	3	3	5	8	18	21	21
50-64	5	9.0	34	1	1	9	12	17	17	17
65+	7	15.7	75	7	7	17	26	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.5	91	3	3	5	11	28	30	30
B. *Operated*	5	6.8	16	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	38	14.4	244	1	2	8	20	34	53	66
B. *Operated*	31	10.6	51	3	4	8	16	23	28	99+
1. SINGLE DX	16	8.6	67	3	3	5	11	25	29	30
2. MULTIPLE DX	69	12.7	159	1	3	8	18	30	41	93
A. NOT OPERATED	49	13.3	211	1	2	7	18	32	42	66
B. OPERATED	36	10.1	47	3	3	8	15	23	27	99+
TOTAL 0-19 YRS	6	10.3	48	3	3	9	12	22	23	23
20-34	16	8.1	20	2	3	7	10	16	17	18
35-49	15	7.9	37	3	3	5	11	20	21	21
50-64	21	10.6	187	<1	1	7	11	24	44	61
65+	27	17.8	220	3	4	13	29	39	69	99+
GRAND TOTAL	**85**	**11.9**	**143**	**2**	**3**	**8**	**16**	**29**	**36**	**88**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	9	9.6	112	2	2	3	15	27	33	33
50-64	33	10.5	118	1	1	7	12	30	36	42
65+	33	14.5	170	1	2	9	23	33	38	50
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	4.9	12	2	2	4	6	11	11	11
35-49	49	7.4	85	1	2	4	9	17	23	47
50-64	87	12.5	275	1	2	6	17	33	45	86
65+	89	8.1	137	2	2	4	8	17	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	12.0		12	12	12	12	12	12	12
35-49	19	10.3	164	1	2	5	11	31	44	50
50-64	35	11.9	122	2	3	7	17	31	36	46
65+	48	19.0	293	2	3	13	26	50	54	67
B. *Operated*										
0-19 YRS	3	10.7	12	7	7	11	13	14	14	14
20-34	4	6.8	5	4	4	7	8	9	9	9
35-49	29	19.0	289	2	2	13	26	48	54	68
50-64	138	19.5	433	2	2	10	28	53	66	96
65+	147	17.3	314	2	3	11	23	48	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	12.1	140	1	2	7	17	32	36	48
B. *Operated*	235	9.5	177	1	2	5	10	22	40	69
2. MULTIPLE DX										
A. *Not Operated*	104	14.9	218	2	3	9	19	37	50	64
B. *Operated*	321	18.2	358	2	2	11	25	52	68	99+
1. SINGLE DX	311	10.1	169	1	2	5	11	26	40	65
2. MULTIPLE DX	425	17.4	325	2	3	10	24	48	62	99+
A. NOT OPERATED	180	13.7	186	1	2	8	18	35	44	59
B. OPERATED	556	14.5	299	2	2	8	19	40	57	96
TOTAL 0-19 YRS	6	9.0	26	3	3	9	14	15	15	15
20-34	14	5.9	12	2	2	5	9	11	12	12
35-49	106	11.3	176	1	2	6	14	28	43	60
50-64	293	15.5	326	2	2	8	20	42	56	95
65+	317	14.7	262	2	2	8	21	38	55	99+
GRAND TOTAL	**736**	**14.3**	**271**	**2**	**2**	**8**	**19**	**38**	**53**	**93**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	10.8	32	5	5	9	13	20	21	21
65+	17	13.6	133	2	3	13	21	24	40	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	14.5	102	3	3	16	23	23	23	23
50-64	10	15.2	86	2	3	16	19	29	29	29
65+	24	17.6	160	2	3	15	27	33	45	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	16	14.9	339	1	1	12	17	34	61	72
65+	30	18.5	477	2	3	12	20	41	82	94
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	23.4	119	15	15	22	27	42	42	42
50-64	44	27.8	609	2	3	22	43	64	84	98
65+	52	25.3	294	6	8	20	33	54	64	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	12.9	105	3	4	10	19	23	33	48
B. *Operated*	38	16.6	130	2	3	16	23	31	39	46
2. MULTIPLE DX										
A. *Not Operated*	48	16.7	413	1	2	12	17	33	73	94
B. *Operated*	101	26.3	419	2	5	21	38	55	74	99
1. SINGLE DX	61	15.2	122	2	3	14	21	29	37	48
2. MULTIPLE DX	149	23.2	434	2	3	18	31	53	72	98
A. NOT OPERATED	71	15.4	314	1	2	12	18	32	50	91
B. OPERATED	139	23.6	357	2	4	19	30	50	63	98
TOTAL 0-19 YRS										
20-34										
35-49	11	16.5	140	2	3	16	23	31	41	42
50-64	76	22.1	476	1	2	17	29	51	71	96
65+	123	20.5	303	3	4	16	27	48	57	96
GRAND TOTAL	**210**	**20.9**	**356**	**2**	**3**	**16**	**28**	**48**	**63**	**96**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.5	4	<1	<1	2	5	5	5	5
35-49	5	4.6	11	<1	<1	4	6	10	10	10
50-64	17	12.6	192	1	2	6	21	35	42	45
65+	44	15.8	319	2	3	11	16	36	50	99
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	17.2	37	11	11	16	20	26	27	27
50-64	41	16.1	131	6	7	15	18	24	31	76
65+	67	17.3	134	4	6	14	22	35	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.0	83	5	5	17	43	99+	99+	99+
35-49	14	7.5	23	2	3	6	10	16	18	18
50-64	45	10.7	77	2	3	9	13	26	27	35
65+	135	15.3	244	1	3	11	19	38	53	84
B. *Operated*										
0-19 YRS										
20-34	7	23.4	98	11	12	24	26	39	42	42
35-49	45	20.6	219	6	7	16	27	43	51	71
50-64	156	23.6	300	8	9	18	28	47	61	88
65+	315	23.5	181	9	11	20	29	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	13.2	257	1	2	8	15	32	43	9[illegible]
B. *Operated*	115	16.8	126	6	7	14	20	29	38	68
2. MULTIPLE DX										
A. *Not Operated*	198	13.7	193	1	3	10	18	29	44	90
B. *Operated*	523	23.3	218	8	10	20	29	44	55	90
1. SINGLE DX	187	15.4	178	2	3	13	19	30	39	72
2. MULTIPLE DX	721	20.7	229	3	6	17	27	42	53	90
A. NOT OPERATED	270	13.5	209	1	2	10	17	30	44	95
B. OPERATED	638	22.1	207	7	9	18	27	42	52	88
TOTAL 0-19 YRS										
20-34	18	13.3	135	<1	1	11	24	36	74	99+
35-49	70	16.5	185	4	4	12	21	34	43	69
50-64	259	19.5	254	3	4	15	26	37	50	87
65+	561	20.2	214	3	6	17	26	40	51	98
GRAND TOTAL	**908**	**19.6**	**223**	**3**	**5**	**16**	**26**	**39**	**50**	**88**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	47.0	162	38	38	47	56	56	56	56
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	16.8	38	11	11	14	20	27	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	2	38.0	450	23	23	38	53	53	53	53
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	21.2	270	10	10	12	32	48	50	50
50-64	10	30.4	650	2	6	25	35	67	96	96
65+	22	26.7	375	10	11	19	33	53	70	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	47.0	162	38	38	47	56	56	56	56
B. *Operated*	8	16.8	38	11	11	14	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	5	19.0	426	1	1	11	30	53	53	53
B. *Operated*	38	26.8	416	9	10	21	33	51	76	96
1. SINGLE DX	10	22.8	210	11	11	17	29	47	56	56
2. MULTIPLE DX	43	25.9	414	5	9	21	33	51	68	96
A. NOT OPERATED	7	27.0	498	1	2	23	49	55	56	56
B. OPERATED	46	25.1	363	9	10	20	31	49	64	96
TOTAL 0-19 YRS										
20-34										
35-49	7	18.3	283	1	3	12	27	46	50	50
50-64	20	22.8	388	4	8	20	28	37	67	96
65+	26	29.2	377	10	11	24	38	56	64	88
GRAND TOTAL	**53**	**25.3**	**372**	**7**	**10**	**21**	**32**	**51**	**58**	**96**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	4.5	12	1	1	4	7	8	8	8
50-64	34	8.3	40	2	2	6	13	18	21	25
65+	42	13.2	152	2	3	7	16	30	41	51
B. *Operated*										
0-19 YRS	3	12.3	22	7	7	14	15	16	16	16
20-34	5	12.0	14	8	8	11	13	18	18	18
35-49	29	14.4	41	8	9	13	16	23	26	37
50-64	109	16.4	76	8	10	14	18	27	30	52
65+	172	18.8	65	8	11	18	22	29	36	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	19.0	233	6	6	15	29	43	43	43
35-49	23	13.8	242	2	3	9	15	31	51	71
50-64	80	11.2	122	1	2	8	15	25	40	88
65+	162	14.1	148	3	4	10	20	35	47	99+
B. *Operated*										
0-19 YRS	2	20.5	85	14	14	20	27	27	27	27
20-34	17	15.6	90	2	3	14	22	30	33	34
35-49	107	18.8	139	7	9	16	22	31	42	71
50-64	348	20.3	136	9	11	17	24	34	42	78
65+	781	24.4	209	10	11	21	30	45	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	10.7	103	2	2	7	15	24	31	50
B. *Operated*	318	17.4	68	8	10	16	21	27	33	44
2. MULTIPLE DX										
A. *Not Operated*	271	13.3	149	2	3	10	18	34	42	99+
B. *Operated*	1255	22.7	186	9	11	19	28	41	55	99+
1. SINGLE DX	399	16.1	82	3	5	15	21	27	33	48
2. MULTIPLE DX	1526	21.0	192	5	8	18	27	40	54	99+
A. NOT OPERATED	352	12.7	139	2	3	9	16	30	41	99+
B. OPERATED	1573	21.6	167	9	11	18	26	38	50	95
TOTAL 0-19 YRS	6	13.8	61	5	5	14	16	26	27	27
20-34	28	15.4	95	3	5	13	20	29	35	43
35-49	163	17.0	140	4	6	14	20	28	41	70
50-64	571	17.6	132	3	6	16	21	30	40	76
65+	1157	21.7	194	5	8	19	27	41	55	99+
GRAND TOTAL	**1925**	**20.0**	**173**	**4**	**7**	**17**	**25**	**37**	**49**	**99+**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	14.0	132	4	4	13	19	33	33	33
50-64	36	8.8	78	1	1	5	13	22	23	41
65+	40	8.4	66	1	2	5	11	26	30	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	6	11.8	69	1	1	12	20	21	21	21
35-49	39	15.7	43	4	7	17	21	24	26	27
50-64	95	16.9	61	2	7	17	21	28	31	71
65+	141	16.9	126	2	3	16	24	32	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.3	75	3	3	10	18	21	21	21
35-49	7	8.4	77	1	1	5	10	24	27	27
50-64	72	14.5	174	3	3	11	19	34	47	91
65+	117	13.3	165	2	3	9	21	33	54	99+
B. *Operated*										
0-19 YRS										
20-34	4	33.5	162	18	18	33	42	49	49	49
35-49	57	22.4	189	10	11	20	26	33	43	96
50-64	304	22.8	176	5	10	20	28	39	48	77
65+	511	26.0	260	6	10	23	34	50	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	8.9	75	1	1	6	13	23	30	81
B. *Operated*	282	16.7	91	2	3	16	22	28	34	54
2. MULTIPLE DX										
A. *Not Operated*	200	13.5	163	2	3	9	20	32	52	99+
B. *Operated*	876	24.7	228	6	10	22	32	45	59	99+
1. SINGLE DX	363	14.9	98	2	2	15	21	28	33	54
2. MULTIPLE DX	1076	22.6	235	4	6	20	30	43	58	99+
A. NOT OPERATED	281	12.2	142	2	3	8	18	30	41	99+
B. OPERATED	1158	22.7	206	4	8	20	29	41	53	99+
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	14	17.9	186	1	3	17	21	36	46	49
35-49	108	18.7	142	4	6	18	23	29	33	73
50-64	507	19.5	166	3	4	18	26	36	46	77
65+	809	21.7	247	3	4	19	30	43	60	99+
GRAND TOTAL	**1439**	**20.7**	**211**	**3**	**4**	**18**	**27**	**39**	**52**	**99+**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	19.0	929	1	1	6	27	73	73	73
20-34										
35-49	4	8.5	67	1	1	6	14	20	20	20
50-64	16	10.3	77	1	1	8	15	25	27	28
65+	16	9.6	80	2	3	6	11	28	29	29
B. *Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	20.4	121	8	9	19	33	36	37	37
50-64	12	15.7	67	7	7	14	19	29	32	33
65+	19	17.3	178	2	5	13	27	45	75	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	17	8.3	101	1	1	5	12	18	33	41
50-64	39	9.4	135	1	1	6	12	25	49	99+
65+	30	15.6	179	2	2	11	21	35	41	57
B. *Operated*										
0-19 YRS	4	38.0	1464	8	8	25	61	94	94	94
20-34	4	27.3	66	20	20	25	33	38	38	38
35-49	22	31.0	336	8	10	27	41	56	67	82
50-64	63	25.7	313	6	9	19	36	53	64	75
65+	90	23.6	236	8	8	19	32	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	10.9	166	1	2	6	12	26	29	73
B. *Operated*	44	17.2	122	5	7	14	24	35	42	99+
2. MULTIPLE DX										
A. *Not Operated*	88	11.1	149	1	1	8	14	28	41	84
B. *Operated*	183	25.6	295	7	9	21	34	52	68	99+
1. SINGLE DX	85	14.1	152	1	3	11	20	32	38	90
2. MULTIPLE DX	271	20.9	293	1	3	17	30	45	61	99+
A. NOT OPERATED	129	11.0	153	1	1	7	14	27	40	78
B. OPERATED	227	24.0	272	6	8	19	33	50	68	99+
TOTAL 0-19 YRS	11	24.7	928	1	2	12	26	81	93	94
20-34	7	17.7	182	1	2	20	27	36	38	38
35-49	53	20.0	298	1	1	17	29	42	54	81
50-64	130	18.0	264	1	3	13	26	41	56	80
65+	155	19.8	222	3	5	17	28	45	64	99+
GRAND TOTAL	**356**	**19.3**	**267**	**1**	**3**	**15**	**27**	**43**	**58**	**99+**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0		2	2	2	2	2	2	2
35-49	3	13.0	108	7	7	7	21	25	25	25
50-64	21	9.1	80	1	2	6	10	27	31	33
65+	23	15.3	260	3	4	11	18	29	55	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	26.3	738	1	1	21	47	62	62	62
50-64	29	19.2	105	2	9	18	22	35	43	45
65+	24	21.4	212	6	7	18	24	41	60	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	16	12.0	127	1	2	6	23	27	33	35
50-64	56	10.8	80	2	3	8	14	25	29	96
65+	74	16.0	272	2	3	10	19	39	63	96
B. *Operated*										
0-19 YRS										
20-34	2	36.0	338	23	23	36	49	49	49	49
35-49	18	21.9	203	6	7	19	30	39	52	60
50-64	90	24.3	204	8	10	22	30	37	54	99
65+	150	25.1	228	8	10	22	32	42	52	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	11.4	166	1	2	7	13	25	33	72
B. *Operated*	57	20.6	183	3	7	18	24	38	54	64
2. MULTIPLE DX										
A. *Not Operated*	148	13.4	186	2	2	9	17	31	47	99+
B. *Operated*	260	24.7	218	8	10	22	31	41	53	96
1. SINGLE DX	109	16.2	194	2	2	13	22	33	45	68
2. MULTIPLE DX	408	20.6	235	3	5	18	28	39	52	98
A. NOT OPERATED	200	12.9	181	1	2	9	16	29	43	91
B. OPERATED	317	23.9	213	7	9	21	30	41	53	92
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	10.4	299	1	1	2	13	41	49	49
35-49	41	17.8	224	2	3	13	27	35	50	62
50-64	196	18.1	181	2	4	16	25	34	44	98
65+	271	21.4	257	4	6	18	28	41	57	90
GRAND TOTAL	**517**	**19.7**	**229**	**2**	**4**	**17**	**27**	**38**	**51**	**92**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.5	21	3	3	5	8	14	15	15
35-49	39	3.8	26	1	1	2	3	12	15	25
50-64	173	8.0	82	1	1	4	12	20	29	58
65+	167	9.9	95	1	1	7	13	24	31	91
B. *Operated*										
0-19 YRS										
20-34	5	16.2	53	8	8	15	19	28	28	28
35-49	66	14.4	117	2	3	12	17	27	34	59
50-64	228	12.6	90	2	2	11	17	24	29	50
65+	240	14.5	114	2	2	13	20	29	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	16.2	365	3	3	10	20	50	50	50
20-34	5	13.6	133	1	1	12	19	32	32	32
35-49	91	10.3	123	1	1	8	14	22	28	65
50-64	385	11.3	116	1	2	8	15	26	33	54
65+	456	13.3	130	2	3	10	19	29	37	74
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	10	25.0	234	4	7	23	33	48	54	54
35-49	102	16.5	180	2	4	13	21	32	40	77
50-64	548	19.8	213	3	5	17	26	38	48	85
65+	656	21.8	264	3	6	17	29	43	59	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	8.4	84	1	1	5	12	21	29	60
B. *Operated*	539	13.7	104	2	2	12	19	26	33	48
2. MULTIPLE DX										
A. *Not Operated*	942	12.2	126	1	2	9	16	28	36	63
B. *Operated*	1318	20.6	238	3	5	17	27	41	50	88
1. SINGLE DX	924	11.5	102	1	2	9	16	25	31	51
2. MULTIPLE DX	2260	17.1	208	2	3	14	23	36	46	85
A. NOT OPERATED	1327	11.1	117	1	2	8	15	27	34	63
B. OPERATED	1857	18.6	209	2	4	15	24	36	46	85
TOTAL 0-19 YRS	7	15.0	248	3	4	10	12	43	50	50
20-34	26	16.8	173	2	3	14	26	33	44	54
35-49	298	12.5	145	1	2	9	17	27	33	64
50-64	1334	14.6	168	1	2	12	21	30	39	72
65+	1519	16.8	202	2	3	13	23	35	46	86
GRAND TOTAL	**3184**	**15.5**	**184**	**2**	**2**	**12**	**21**	**33**	**42**	**78**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	14	6.4	27	1	1	4	11	14	16	16
50-64	23	9.8	132	1	2	5	9	28	37	45
65+	15	21.4	513	2	2	12	33	55	68	72
B. *Operated*										
0-19 YRS	2	30.5	925	9	9	30	52	52	52	52
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49	24	10.1	135	1	2	6	14	21	32	56
50-64	67	10.0	148	2	2	5	15	24	31	64
65+	58	8.6	140	2	2	3	10	23	34	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	3.5	32	1	1	2	3	8	19	22
35-49	11	10.5	85	4	4	8	11	24	35	36
50-64	25	26.6	584	2	3	16	47	64	67	75
65+	30	14.6	403	1	2	9	18	44	96	99+
B. *Operated*										
0-19 YRS										
20-34	7	19.3	225	6	6	13	28	44	47	47
35-49	22	13.9	246	<1	1	6	29	44	71	99+
50-64	89	18.6	319	1	2	15	28	50	67	99+
65+	60	18.4	323	2	2	13	28	55	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	11.8	231	1	2	5	14	33	50	71
B. *Operated*	153	9.8	150	2	2	4	13	24	35	65
2. MULTIPLE DX										
A. *Not Operated*	80	15.9	409	1	1	7	20	53	64	99
B. *Operated*	178	18.0	305	2	2	13	28	51	69	99+
1. SINGLE DX	208	10.3	171	2	2	5	13	25	40	66
2. MULTIPLE DX	258	17.3	337	1	2	11	26	52	65	99+
A. NOT OPERATED	135	14.2	338	1	2	6	16	44	62	98
B. OPERATED	331	14.2	249	2	2	8	22	40	56	99+
TOTAL 0-19 YRS	5	15.2	427	4	4	6	20	52	52	52
20-34	23	9.1	136	1	1	4	12	24	36	47
35-49	71	10.6	142	1	2	7	14	33	40	90
50-64	204	15.8	303	1	2	7	24	43	58	86
65+	163	14.5	306	2	2	8	21	41	63	99+
GRAND TOTAL	**466**	**14.2**	**274**	**1**	**2**	**7**	**21**	**40**	**56**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.7	28	1	2	4	4	7	13	36
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	13	2.9	9	1	1	1	5	8	9	9
50-64	17	5.9	60	2	2	3	5	14	27	33
65+	9	6.3	32	2	2	4	7	16	20	20
B. *Operated*										
0-19 YRS	25	16.7	147	3	4	14	23	33	38	46
20-34	16	12.3	110	2	2	10	18	26	36	40
35-49	19	10.1	64	2	2	7	15	23	28	29
50-64	28	16.4	334	1	3	10	21	45	56	79
65+	30	12.7	83	2	3	11	16	25	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.1	40	1	1	4	6	18	23	25
20-34	31	3.3	9	1	1	3	4	6	11	15
35-49	22	12.6	458	1	1	2	19	38	65	87
50-64	16	5.4	24	1	2	4	7	8	18	22
65+	34	11.6	133	1	2	6	17	31	34	45
B. *Operated*										
0-19 YRS	11	18.5	169	2	4	20	30	37	38	38
20-34	12	21.9	379	3	3	15	36	52	61	63
35-49	12	19.3	196	5	8	14	36	57	92	99+
50-64	34	18.9	226	3	4	15	30	44	48	61
65+	58	22.7	286	3	4	19	35	46	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.8	31	1	1	4	5	8	15	35
B. *Operated*	118	13.9	158	2	3	10	19	30	38	61
2. MULTIPLE DX										
A. *Not Operated*	131	7.9	135	1	1	4	7	23	31	58
B. *Operated*	127	20.9	255	3	4	17	34	46	61	99+
1. SINGLE DX	220	9.7	119	1	2	5	13	23	32	52
2. MULTIPLE DX	258	14.3	236	1	2	8	20	38	47	98
A. NOT OPERATED	233	6.5	91	1	1	4	6	16	25	47
B. OPERATED	245	17.6	220	2	3	14	24	40	48	99+
TOTAL 0-19 YRS	125	8.6	95	1	2	4	9	23	33	40
20-34	61	9.3	156	1	1	4	11	24	39	61
35-49	66	11.2	227	1	1	6	15	32	47	98
50-64	95	13.6	224	2	2	7	17	33	47	71
65+	131	16.4	213	2	3	14	23	40	46	99+
GRAND TOTAL	**478**	**12.2**	**187**	**1**	**2**	**6**	**17**	**33**	**44**	**77**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	5	4.6	26	1	1	2	8	13	13	13
65+	5	14.8	522	<1	<1	6	22	55	55	55
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	29	8.4	30	2	2	8	12	14	17	26
35-49	36	8.6	46	1	2	7	12	20	22	29
50-64	49	9.0	65	2	2	7	13	17	24	43
65+	38	9.8	83	1	2	7	15	20	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.1	10	<1	<1	2	4	8	10	10
35-49	7	6.7	87	<1	<1	3	8	23	27	27
50-64	11	10.4	191	1	1	2	15	32	45	46
65+	14	14.8	280	1	2	8	17	47	54	56
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	13.8	461	2	2	10	12	16	71	90
35-49	23	16.2	234	1	3	10	25	39	48	60
50-64	41	18.1	225	2	3	14	20	43	47	74
65+	53	16.0	167	2	3	14	20	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.6	199	<1	1	4	11	17	47	55
B. *Operated*	155	8.9	57	2	2	7	13	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	40	9.8	177	<1	1	4	10	26	46	56
B. *Operated*	133	16.4	224	2	3	12	20	37	46	77
1. SINGLE DX	169	8.9	68	1	2	7	13	19	22	43
2. MULTIPLE DX	173	14.9	220	1	2	11	19	33	46	74
A. NOT OPERATED	54	9.5	180	<1	1	4	10	26	46	56
B. OPERATED	288	12.3	148	2	2	10	16	25	37	69
TOTAL 0-19 YRS	4	4.3	11	2	2	3	6	9	9	9
20-34	54	9.1	152	1	2	8	10	14	17	87
35-49	68	10.8	125	1	2	8	12	27	33	57
50-64	106	12.5	156	1	2	10	16	24	43	60
65+	110	13.7	168	1	2	11	18	27	42	63
GRAND TOTAL	**342**	**11.9**	**153**	**1**	**2**	**9**	**15**	**26**	**38**	**61**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	6	7.2	53	3	3	4	5	20	22	22
65+	19	11.4	304	1	1	5	12	33	56	72
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	17	6.0	105	<1	1	2	6	11	32	44
35-49	57	4.7	21	<1	1	3	6	11	16	21
50-64	122	5.0	26	<1	1	3	6	12	18	22
65+	180	5.9	70	1	1	3	6	12	19	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	3	12.3	86	2	2	15	19	20	20	20
65+	16	11.6	76	1	2	11	16	22	30	34
B. *Operated*										
0-19 YRS	2	21.0	288	9	9	21	33	33	33	33
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	25	4.5	9	2	2	3	6	7	11	16
50-64	86	6.5	72	1	2	3	7	15	21	48
65+	249	10.4	104	2	2	8	13	23	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	10.5	233	1	2	5	12	26	44	72
B. *Operated*	378	5.4	50	<1	1	3	6	12	18	39
2. MULTIPLE DX										
A. *Not Operated*	20	11.2	74	1	2	11	16	21	28	34
B. *Operated*	365	9.1	94	2	2	6	11	21	30	52
1. SINGLE DX	404	5.7	62	1	1	3	6	13	19	42
2. MULTIPLE DX	385	9.2	93	2	2	6	12	21	30	51
A. NOT OPERATED	46	10.8	161	1	2	6	14	22	35	72
B. OPERATED	743	7.2	75	1	2	4	9	16	24	48
TOTAL 0-19 YRS	5	9.8	177	2	2	3	15	33	33	33
20-34	20	5.8	89	<1	1	3	6	10	27	44
35-49	83	4.7	18	<1	1	3	6	10	16	20
50-64	217	5.7	46	<1	2	3	6	15	20	36
65+	464	8.8	102	1	2	5	11	20	30	54
GRAND TOTAL	**789**	**7.4**	**80**	**1**	**2**	**4**	**9**	**17**	**25**	**49**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	9.6	29	2	2	10	12	17	19	19
35-49	47	3.7	28	<1	<1	2	5	8	11	31
50-64	66	8.0	90	1	1	5	10	21	30	44
65+	40	14.4	178	2	3	11	19	31	35	72
B. *Operated*										
0-19 YRS	5	8.4	41	1	1	12	13	15	15	15
20-34	49	7.2	12	2	2	8	9	11	12	17
35-49	260	8.0	16	2	2	8	11	13	15	17
50-64	415	9.1	28	2	3	9	11	14	17	30
65+	327	10.4	31	3	4	10	13	17	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	6.5	49	1	1	4	9	16	23	31
35-49	118	9.2	120	1	1	6	11	20	30	55
50-64	260	7.9	56	1	1	5	12	18	23	32
65+	222	12.4	203	1	1	9	16	30	51	99+
B. *Operated*										
0-19 YRS										
20-34	60	9.0	23	<1	2	8	12	15	16	26
35-49	363	10.6	58	2	4	9	12	17	22	47
50-64	633	12.9	100	3	6	10	15	22	32	68
65+	687	14.4	114	4	6	12	16	26	36	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.4	105	<1	1	5	10	20	31	44
B. *Operated*	1056	9.1	26	2	3	9	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	623	9.7	124	1	1	6	13	21	31	67
B. *Operated*	1743	12.9	96	3	5	11	15	22	31	67
1. SINGLE DX	1217	9.1	37	1	2	8	11	15	18	33
2. MULTIPLE DX	2366	12.0	105	1	3	10	14	22	31	67
A. NOT OPERATED	784	9.5	120	1	1	6	12	21	31	67
B. OPERATED	2799	11.5	73	2	4	10	13	19	26	51
TOTAL 0-19 YRS	5	8.4	41	1	1	12	13	15	15	15
20-34	140	8.0	24	1	2	8	10	14	16	27
35-49	788	9.2	55	1	2	8	11	16	20	46
50-64	1374	10.6	74	1	2	9	13	19	27	45
65+	1276	13.0	113	2	4	11	15	24	33	73
GRAND TOTAL	**3583**	**11.0**	**84**	**1**	**3**	**9**	**13**	**19**	**28**	**56**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.4	3	2	2	4	5	7	8	8
35-49	25	5.8	54	1	1	3	7	15	26	26
50-64	26	9.2	103	1	2	4	12	29	34	36
65+	24	6.7	66	1	1	3	8	16	24	37
B. *Operated*										
0-19 YRS	6	5.2	18	2	2	3	7	12	13	13
20-34	113	4.4	14	1	1	3	6	8	11	22
35-49	68	7.4	40	1	2	6	10	13	18	35
50-64	66	9.0	88	1	2	6	11	21	32	45
65+	31	8.6	52	2	2	7	12	15	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	14.5	217	2	3	9	21	40	42	42
35-49	18	13.3	356	3	3	5	12	39	60	74
50-64	23	14.2	370	2	3	8	13	33	57	90
65+	22	13.5	145	1	2	10	14	33	41	48
B. *Operated*										
0-19 YRS	3	10.7	120	2	2	7	19	23	23	23
20-34	75	7.7	65	2	2	6	9	12	16	49
35-49	76	10.1	58	2	3	8	13	23	28	33
50-64	82	15.0	239	2	2	9	22	36	47	75
65+	56	13.8	130	2	3	10	20	31	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.8	65	1	1	4	7	17	28	37
B. *Operated*	284	6.7	45	1	2	5	8	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	76	13.8	265	2	3	8	14	38	41	86
B. *Operated*	292	11.6	132	2	2	8	14	27	35	54
1. SINGLE DX	372	6.7	50	1	2	4	8	14	20	36
2. MULTIPLE DX	368	12.0	160	2	2	8	14	30	38	58
A. NOT OPERATED	164	10.1	169	1	2	5	12	28	37	70
B. OPERATED	576	9.2	95	2	2	6	11	21	31	49
TOTAL 0-19 YRS	9	7.0	49	2	2	4	9	19	23	23
20-34	214	6.2	49	1	2	4	8	11	15	44
35-49	187	8.8	82	1	2	7	10	18	28	39
50-64	197	12.1	191	2	2	8	14	32	39	71
65+	133	11.3	110	2	2	7	15	26	35	50
GRAND TOTAL	**740**	**9.4**	**111**	**1**	**2**	**6**	**11**	**22**	**33**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	14	4.3	17	1	1	3	4	10	14	15
65+	12	6.5	95	1	2	4	6	16	34	37
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	10.0		10	10	10	10	10	10	10
35-49	19	7.4	21	1	1	8	10	10	16	21
50-64	139	6.4	21	1	1	6	9	12	16	21
65+	95	9.1	69	1	2	7	11	21	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.0	48	1	1	1	10	13	13	13
50-64	19	11.3	120	2	2	6	18	29	33	36
65+	29	13.5	130	1	2	10	18	31	37	42
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	4	6.3	2	5	5	6	7	8	8	8
35-49	55	8.7	15	1	4	8	10	14	16	22
50-64	311	10.1	57	1	2	9	12	18	23	47
65+	236	13.4	123	2	3	11	17	26	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.3	52	1	1	3	6	10	19	37
B. *Operated*	256	7.5	40	1	2	7	9	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	51	12.2	122	1	2	8	18	30	36	42
B. *Operated*	608	11.3	82	1	2	9	14	20	26	54
1. SINGLE DX	282	7.3	41	1	2	6	9	13	19	35
2. MULTIPLE DX	659	11.3	85	1	2	9	14	21	28	52
A. NOT OPERATED	77	9.9	108	1	1	6	13	28	34	41
B. OPERATED	864	10.1	72	1	2	9	12	19	25	48
TOTAL 0-19 YRS	4	9.8	47	6	6	7	13	20	20	20
20-34	5	7.0	5	5	5	7	8	10	10	10
35-49	77	8.2	18	1	2	8	10	13	16	22
50-64	483	8.9	51	1	2	8	11	17	22	39
65+	372	12.1	113	2	2	10	15	25	31	52
GRAND TOTAL	**941**	**10.1**	**75**	**1**	**2**	**9**	**12**	**20**	**26**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	29.5	1405	3	3	29	56	56	56	56
20-34	17	7.1	58	1	2	5	9	20	27	29
35-49	18	9.1	99	1	2	4	13	25	32	35
50-64	51	3.2	14	1	1	2	3	8	10	19
65+	14	5.7	55	1	1	2	7	22	23	23
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	13	8.5	22	4	5	7	10	14	20	22
35-49	13	11.8	52	5	6	10	13	20	30	32
50-64	25	11.3	40	2	2	11	14	19	22	31
65+	12	18.3	217	4	7	14	23	38	55	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	6	2	2	7	7	7	7	7
20-34	5	5.0	10	1	1	5	7	9	9	9
35-49	44	7.5	69	1	1	4	9	17	28	37
50-64	81	7.0	70	1	1	4	10	15	19	50
65+	48	13.3	308	1	2	8	14	33	52	91
B. *Operated*										
0-19 YRS	5	11.8	13	8	8	11	15	16	16	16
20-34	22	11.0	23	5	6	10	14	18	21	23
35-49	70	14.7	107	6	7	11	18	26	33	61
50-64	120	15.7	110	6	7	12	17	35	40	70
65+	100	19.8	143	8	9	17	25	35	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	70	1	1	2	6	17	23	45
B. *Operated*	65	11.9	79	2	5	10	14	19	30	54
2. MULTIPLE DX										
A. *Not Operated*	182	8.7	136	1	1	5	11	17	27	68
B. *Operated*	317	16.4	118	6	7	13	21	32	40	84
1. SINGLE DX	167	8.1	82	1	1	5	10	19	27	52
2. MULTIPLE DX	499	13.6	138	2	2	11	17	28	37	74
A. NOT OPERATED	284	7.6	114	1	1	4	9	17	26	60
B. OPERATED	382	15.6	114	6	7	12	19	30	38	73
TOTAL 0-19 YRS	13	11.4	199	2	2	7	12	24	50	56
20-34	57	8.8	35	2	2	8	11	17	22	29
35-49	145	11.6	98	2	2	9	16	25	32	52
50-64	277	10.5	99	1	1	9	14	21	34	56
65+	174	16.7	202	2	3	13	22	34	50	97
GRAND TOTAL	**666**	**12.2**	**129**	**1**	**2**	**10**	**16**	**27**	**35**	**63**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	5.2	11	1	1	5	7	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	3	16.0	48	8	8	20	20	20	20	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	5.0	36	1	1	3	4	16	17	17
50-64	15	7.7	58	1	2	4	14	21	22	23
65+	16	7.7	40	2	2	6	11	16	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	6	20.8	1133	2	2	8	13	81	89	89
65+	11	14.5	169	2	3	11	27	60	94	99+
B. *Operated*										
0-19 YRS										
20-34	3	17.7	158	6	6	16	27	31	31	31
35-49	6	33.3	471	7	8	40	60	93	99+	99+
50-64	28	21.8	380	1	2	17	32	50	63	68
65+	48	18.5	202	3	5	15	23	41	52	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.4	12	1	1	6	9	10	11	11
B. *Operated*	41	7.6	50	1	2	4	12	20	22	24
2. MULTIPLE DX										
A. *Not Operated*	19	15.4	433	2	3	8	20	66	94	99+
B. *Operated*	85	20.6	282	2	3	16	30	50	60	88
1. SINGLE DX	51	7.5	42	1	2	5	10	18	21	24
2. MULTIPLE DX	104	19.7	310	2	3	15	29	50	64	99+
A. NOT OPERATED	29	12.3	301	2	2	7	12	37	89	99+
B. OPERATED	126	16.4	242	2	2	12	23	40	53	75
TOTAL 0-19 YRS	7	10.1	54	2	2	8	18	20	20	20
20-34	5	11.8	146	1	1	6	20	31	31	31
35-49	13	18.4	420	1	2	10	40	69	93	99+
50-64	54	16.3	368	1	2	8	24	40	61	88
65+	76	15.5	177	2	3	12	21	37	51	89
GRAND TOTAL	**155**	**15.7**	**254**	**2**	**2**	**10**	**22**	**40**	**55**	**99**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	18	14.1	193	2	3	9	17	41	44	46
65+	75	11.5	174	2	3	7	13	39	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	20	5	5	9	13	14	14	14
50-64	140	10.7	80	2	2	8	14	21	26	40
65+	503	10.7	64	2	3	9	13	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	114	10.1	109	2	2	7	12	21	28	61
65+	456	14.2	230	2	3	10	17	33	64	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49	7	8.4	34	2	2	7	14	16	16	16
50-64	288	14.3	102	3	5	12	18	28	36	48
65+	1334	15.3	119	4	6	12	19	29	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	11.7	174	1	3	7	13	39	45	99+
B. *Operated*	646	10.7	67	2	3	9	13	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	570	13.4	209	2	3	10	16	31	53	99+
B. *Operated*	1632	15.1	115	4	5	12	19	29	38	62
1. SINGLE DX	742	10.8	81	2	3	8	13	21	30	45
2. MULTIPLE DX	2202	14.7	140	3	4	12	18	29	39	90
A. NOT OPERATED	666	13.2	204	2	3	9	16	32	51	99+
B. OPERATED	2278	13.9	106	3	4	11	18	27	36	59
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49	12	7.4	32	1	1	6	13	15	16	16
50-64	560	12.6	104	2	3	10	16	25	33	49
65+	2368	14.0	134	3	4	11	18	28	39	90
GRAND TOTAL	**2944**	**13.7**	**128**	**2**	**4**	**11**	**17**	**28**	**38**	**80**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	20	3.4	9	<1	1	2	6	8	9	10
35-49	3	14.7	145	2	2	16	23	26	26	26
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.1	13	3	3	6	9	13	14	14
20-34	50	6.6	32	2	3	5	8	10	12	40
35-49	36	9.3	86	3	4	7	10	18	28	52
50-64	13	14.4	89	4	6	12	21	29	33	34
65+	7	10.0	17	6	6	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	63	5.9	20	1	1	5	7	10	14	24
35-49	21	6.0	12	2	3	5	8	11	13	15
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	3	17.7	17	13	13	19	20	21	21	21
20-34	27	11.3	62	2	3	9	14	25	27	30
35-49	26	12.9	118	3	4	9	18	25	37	49
50-64	9	13.2	110	2	2	11	22	28	28	28
65+	16	24.3	305	4	5	18	37	51	58	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.3	39	<1	1	2	7	15	19	26
B. *Operated*	113	8.6	58	3	3	6	10	15	23	44
2. MULTIPLE DX										
A. *Not Operated*	88	5.9	17	1	2	6	7	11	14	24
B. *Operated*	81	14.8	149	2	3	11	20	30	43	58
1. SINGLE DX	137	8.0	56	1	2	6	9	15	23	42
2. MULTIPLE DX	169	10.2	100	2	2	6	13	23	30	51
A. NOT OPERATED	112	5.8	22	1	1	5	7	11	15	25
B. OPERATED	194	11.2	105	3	3	8	14	24	32	52
TOTAL 0-19 YRS	13	10.2	33	3	5	8	14	19	21	21
20-34	160	6.7	34	1	1	6	8	13	18	30
35-49	86	9.7	84	3	3	7	11	22	27	51
50-64	23	13.7	90	3	4	11	21	28	30	34
65+	24	19.3	254	4	6	16	25	45	54	60
GRAND TOTAL	**306**	**9.2**	**81**	**1**	**2**	**6**	**11**	**21**	**27**	**50**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	5	3	3	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.5		2	2	2	3	3	3	3
50-64	20	4.9	20	<1	1	3	6	14	15	15
65+	53	7.6	57	2	2	4	10	20	27	30
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	6	5.0	10	3	3	4	6	10	11	11
35-49	86	4.8	22	1	1	3	6	10	12	24
50-64	329	6.0	38	1	1	4	7	12	18	34
65+	696	7.1	68	1	2	4	8	15	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	44	6.7	48	1	2	4	8	17	24	30
65+	131	13.2	319	1	2	7	15	35	61	96
B. *Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	11	12.9	161	2	2	8	21	33	40	41
35-49	47	8.4	86	<1	1	5	10	23	27	43
50-64	366	10.4	142	1	2	7	13	25	34	61
65+	1047	11.5	166	2	2	7	14	28	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.5	45	1	2	3	9	15	24	30
B. *Operated*	1120	6.6	55	1	2	4	[illegible]	14	20	39
2. MULTIPLE DX										
A. *Not Operated*	178	11.6	257	1	2	6	13	30	52	94
B. *Operated*	1474	11.2	157	2	2	7	13	27	37	71
1. SINGLE DX	1201	6.6	55	1	2	4	8	14	20	38
2. MULTIPLE DX	1652	11.2	168	2	2	7	13	27	38	75
A. NOT OPERATED	259	10.0	196	1	2	5	11	25	36	88
B. OPERATED	2594	9.2	118	1	2	6	11	21	31	60
TOTAL 0-19 YRS	9	5.9	13	3	3	4	7	12	14	14
20-34	19	10.8	135	2	2	6	11	30	37	41
35-49	139	6.0	45	1	1	4	7	13	24	31
50-64	759	8.1	93	1	2	5	9	19	28	49
65+	1927	9.9	143	2	2	6	11	23	34	71
GRAND TOTAL	**2853**	**9.3**	**125**	**1**	**2**	**6**	**11**	**21**	**31**	**62**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	85	4	4	6	19	25	25	25
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	13.4	77	2	2	16	22	23	23	23
50-64	5	14.8	369	3	3	7	18	49	49	49
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	8	13.0	5	9	10	13	15	16	16	16
35-49	8	15.6	21	11	11	15	18	22	24	24
50-64	44	14.4	52	2	3	14	20	23	26	35
65+	41	17.5	123	3	7	17	21	27	40	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	90	1	1	11	19	22	22	22
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	18	5.6	10	1	2	5	6	9	13	15
50-64	53	12.2	219	3	4	6	14	33	39	99+
65+	46	14.6	168	3	4	10	19	37	50	99+
B. *Operated*										
0-19 YRS	5	20.8	301	4	4	15	27	50	50	50
20-34	6	17.0	23	11	11	16	21	24	24	24
35-49	20	20.8	148	9	13	19	22	31	51	65
50-64	104	21.1	179	4	9	18	27	40	44	72
65+	164	21.9	189	4	8	20	28	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	12.3	137	1	2	8	18	24	38	49
B. *Operated*	103	15.4	77	2	5	14	20	24	28	55
2. MULTIPLE DX										
A. *Not Operated*	123	11.9	168	3	4	7	15	33	41	99+
B. *Operated*	299	21.4	180	4	9	19	27	37	45	84
1. SINGLE DX	122	14.9	87	2	4	14	20	24	28	54
2. MULTIPLE DX	422	18.7	195	3	5	16	25	37	44	90
A. NOT OPERATED	142	12.0	163	2	3	7	16	32	41	99+
B. OPERATED	402	19.9	160	4	8	18	24	35	43	75
TOTAL 0-19 YRS	16	13.6	152	1	2	12	18	25	42	50
20-34	17	12.6	34	2	3	14	15	20	23	24
35-49	53	13.9	112	2	4	13	19	23	24	64
50-64	206	17.2	180	3	4	15	22	35	43	90
65+	252	19.8	182	4	5	18	26	37	47	85
GRAND TOTAL	**544**	**17.8**	**173**	**3**	**4**	**15**	**23**	**34**	**43**	**85**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	9.3	44	5	5	6	14	17	17	17
B. *Operated*										
0-19 YRS	5	12.6	375	1	1	5	17	47	47	47
20-34	3	10.7	56	3	3	11	16	18	18	18
35-49	4	7.0	13	4	4	6	9	12	12	12
50-64	8	7.1	20	3	3	5	9	15	16	16
65+	5	6.6	11	3	3	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	5	14.4	58	3	3	15	19	24	24	24
B. *Operated*										
0-19 YRS	5	8.8	137	2	2	2	14	29	29	29
20-34	3	14.7	342	3	3	5	28	36	36	36
35-49	4	14.0	10	10	10	14	16	17	17	17
50-64	4	10.3	11	8	8	10	36	99+	99+	99+
65+	5	19.2	559	5	5	10	26	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	26	<1	<1	2	6	12	17	17
B. *Operated*	25	8.5	82	2	3	6	10	16	25	47
2. MULTIPLE DX										
A. *Not Operated*	13	7.7	56	1	1	4	13	18	23	24
B. *Operated*	21	13.4	192	2	2	10	16	43	77	99+
1. SINGLE DX	35	7.3	69	1	1	5	9	16	18	47
2. MULTIPLE DX	34	11.2	145	1	2	9	15	29	55	99+
A. NOT OPERATED	23	6.2	45	<1	1	3	10	17	20	24
B. OPERATED	46	10.7	135	2	3	8	13	27	49	99+
TOTAL 0-19 YRS	18	6.9	146	<1	1	2	7	24	40	47
20-34	6	12.7	164	3	3	8	18	34	36	36
35-49	12	8.5	26	2	3	7	12	16	17	17
50-64	15	7.0	20	1	2	6	11	16	75	99+
65+	18	12.7	179	3	3	9	15	22	46	61
GRAND TOTAL	**69**	**9.2**	**109**	**1**	**1**	**6**	**12**	**18**	**36**	**92**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.8	65	1	2	4	6	20	28	30
20-34	9	6.4	41	1	1	4	9	18	20	20
35-49	15	18.3	483	<1	1	11	35	67	90	99+
50-64	27	12.7	98	2	3	12	18	24	28	48
65+	7	23.3	438	6	6	11	40	56	59	59
B. *Operated*										
0-19 YRS	6	21.0	42	16	16	19	23	32	33	33
20-34	25	20.7	303	2	4	14	27	39	57	81
35-49	31	22.8	278	3	4	19	29	49	57	67
50-64	19	25.2	422	8	8	18	36	69	86	99+
65+	13	35.8	668	5	8	32	66	83	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.1	121	<1	1	6	22	34	77	99+
20-34	18	16.2	265	1	2	13	27	54	82	99+
35-49	15	17.5	286	<1	1	13	30	60	89	99+
50-64	42	14.4	229	2	3	9	17	43	56	99+
65+	19	30.9	728	4	6	24	40	89	99+	99+
B. *Operated*										
0-19 YRS	21	29.0	525	5	6	21	44	64	78	84
20-34	18	24.5	220	4	5	26	36	53	82	99+
35-49	27	30.1	375	8	12	31	42	80	99+	99+
50-64	25	33.8	516	8	10	29	54	97	99+	99+
65+	18	43.1	643	10	16	38	62	90	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	13.1	216	1	2	8	17	35	57	93
B. *Operated*	94	24.4	362	3	6	19	33	63	72	99+
2. MULTIPLE DX										
A. *Not Operated*	110	17.3	344	1	2	12	29	54	94	99+
B. *Operated*	110	32.0	472	6	9	29	52	84	99+	99+
1. SINGLE DX	165	19.5	329	2	3	15	25	52	67	99+
2. MULTIPLE DX	220	24.6	460	2	4	20	38	68	99+	99+
A. NOT OPERATED	181	15.6	297	1	2	10	23	46	69	99+
B. OPERATED	204	28.5	433	4	8	23	41	68	92	99+
TOTAL 0-19 YRS	56	17.6	337	1	2	13	26	46	67	99
20-34	70	18.7	261	2	3	14	28	43	61	99+
35-49	88	23.4	356	1	3	20	34	60	87	99+
50-64	114	20.2	359	3	4	15	29	59	88	99+
65+	57	34.9	664	6	7	32	58	82	99	99+
GRAND TOTAL	**385**	**22.5**	**409**	**2**	**3**	**17**	**33**	**60**	**84**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	18.5	5	17	17	18	20	20	20	20
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	23.0	2	22	22	23	24	24	24	24
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+	2	37.0	1568	9	9	37	65	65	65	65
B. *Operated*										
0-19 YRS	3	28.0	372	14	14	50	99+	99+	99+	99+
20-34	4	24.5	132	10	10	26	53	99+	99+	99+
35-49	3	42.0	532	18	18	44	59	64	64	64
50-64	3	28.3	1276	2	2	14	55	69	69	69
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	30	1	1	7	11	12	12	12
B. *Operated*	7	20.0	22	14	14	20	23	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	4	20.5	886	3	3	7	37	65	65	65
B. *Operated*	14	29.7	414	5	11	26	65	99+	99+	99+
1. SINGLE DX	10	16.0	63	1	4	16	22	25	27	27
2. MULTIPLE DX	18	27.7	488	3	4	24	64	99+	99+	99+
A. NOT OPERATED	7	14.6	508	1	1	7	11	54	65	65
B. OPERATED	21	26.5	297	8	13	23	47	99+	99+	99+
TOTAL 0-19 YRS	8	16.3	244	1	2	18	50	99+	99+	99+
20-34	6	21.0	110	10	10	24	35	88	99+	99+
35-49	4	35.0	551	14	14	31	54	64	64	64
50-64	6	23.0	579	2	2	18	24	64	69	69
65+	4	31.0	573	9	9	25	46	65	65	65
GRAND TOTAL	**28**	**23.5**	**361**	**2**	**4**	**20**	**42**	**81**	**99+**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	54	2	2	5	13	16	16	16
20-34	9	6.0	16	<1	1	5	8	12	14	14
35-49	13	7.5	19	3	3	7	9	14	17	18
50-64	15	8.2	34	1	3	7	9	18	22	24
65+	8	7.1	8	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	29	7.4	21	4	4	6	9	14	19	22
35-49	39	6.2	9	3	4	5	8	10	14	16
50-64	26	8.5	49	4	5	6	9	15	21	39
65+	13	7.2	9	4	4	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.0	126	1	1	4	9	31	33	33
20-34	10	5.4	10	1	1	6	7	9	11	11
35-49	15	8.5	26	2	5	7	9	17	21	22
50-64	19	5.2	9	<1	1	6	7	9	11	12
65+	18	22.0	574	3	4	11	27	64	78	84
B. *Operated*										
0-19 YRS	12	17.5	208	6	6	13	19	38	55	58
20-34	29	8.9	26	4	5	7	11	16	22	23
35-49	34	7.9	23	3	4	6	9	15	18	25
50-64	43	12.0	112	4	4	9	14	23	52	99+
65+	45	13.3	77	4	5	11	18	27	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	7.4	22	2	3	7	9	14	18	24
B. *Operated*	110	7.2	22	4	4	6	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	73	10.6	207	1	2	7	10	26	38	81
B. *Operated*	163	11.3	81	4	5	8	15	22	30	58
1. SINGLE DX	158	7.2	22	3	4	6	9	13	16	24
2. MULTIPLE DX	236	11.1	119	2	4	7	13	22	32	71
A. NOT OPERATED	121	9.3	135	1	2	7	9	17	28	73
B. OPERATED	273	9.7	61	4	4	7	11	18	23	55
TOTAL 0-19 YRS	29	12.1	154	1	2	9	15	29	34	58
20-34	77	7.5	22	2	4	6	9	14	18	23
35-49	101	7.3	18	3	4	6	8	13	17	23
50-64	103	9.3	71	2	4	7	10	17	24	76
65+	84	13.6	186	4	4	9	17	28	36	79
GRAND TOTAL	**394**	**9.6**	**84**	**3**	**4**	**7**	**10**	**18**	**25**	**57**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	4	4.0	12	<1	<1	4	7	7	7	7
35-49	13	8.5	83	1	1	6	9	27	28	28
50-64	56	7.4	45	1	1	5	10	19	23	27
65+	55	12.0	215	1	2	7	13	24	44	76
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	17	8.8	63	1	2	3	15	20	23	25
35-49	43	12.4	170	<1	2	7	18	30	43	57
50-64	66	10.9	98	2	2	8	16	27	35	41
65+	76	11.2	145	2	2	8	14	20	28	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	123	<1	1	4	6	20	25	57
20-34	54	8.6	91	1	1	5	11	21	33	41
35-49	216	10.4	108	1	2	7	14	22	30	66
50-64	581	12.5	176	2	2	9	16	29	42	97
65+	781	15.6	233	2	3	11	21	36	55	99+
B. *Operated*										
0-19 YRS	19	17.2	221	<1	1	12	32	40	43	46
20-34	84	12.4	116	3	4	9	15	23	31	58
35-49	255	16.0	197	2	3	12	21	32	47	91
50-64	633	17.2	210	2	3	14	23	35	46	79
65+	714	19.6	277	2	4	15	27	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	9.3	123	1	1	6	11	21	27	67
B. *Operated*	204	11.1	127	2	2	8	15	24	32	53
2. MULTIPLE DX										
A. *Not Operated*	1662	13.5	195	2	2	9	18	32	46	99+
B. *Operated*	1705	17.8	234	2	3	14	24	38	52	92
1. SINGLE DX	334	10.4	126	1	2	7	13	23	30	58
2. MULTIPLE DX	3367	15.7	220	2	3	11	21	35	49	99+
A. NOT OPERATED	1792	13.2	191	2	2	9	17	31	45	99+
B. OPERATED	1909	17.1	227	2	3	13	23	37	49	88
TOTAL 0-19 YRS	53	10.6	171	<1	1	5	12	34	40	57
20-34	159	10.5	103	1	2	8	14	22	31	56
35-49	527	13.3	163	2	2	10	18	30	41	73
50-64	1336	14.5	190	2	2	11	19	31	43	88
65+	1626	17.0	254	2	3	12	23	39	57	99+
GRAND TOTAL	**3701**	**15.2**	**213**	**2**	**3**	**11**	**20**	**34**	**47**	**95**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	11	1	1	2	5	9	10	12
20-34	64	5.9	90	1	1	2	5	12	33	46
35-49	34	7.9	112	1	1	4	7	26	32	37
50-64	27	3.2	21	1	1	1	4	6	13	23
65+	4	6.5	50	2	2	3	10	17	17	17
B. *Operated*										
0-19 YRS	27	12.4	98	2	2	10	22	26	28	35
20-34	68	8.8	52	2	2	7	11	16	27	32
35-49	23	11.6	93	1	2	8	19	26	29	31
50-64	11	13.5	196	2	2	9	15	39	44	45
65+	5	10.0	113	3	3	3	17	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	1	1	1	2	3	3	3
20-34	31	7.6	92	1	1	4	8	19	34	42
35-49	19	4.8	24	1	1	2	10	14	58	99+
50-64	15	9.8	96	1	1	7	11	27	34	36
65+	10	11.5	117	2	2	7	16	29	31	31
B. *Operated*										
0-19 YRS	7	13.7	253	1	2	7	15	42	48	48
20-34	39	15.3	249	1	2	9	19	35	59	61
35-49	19	17.7	421	4	6	12	18	27	67	98
50-64	20	17.8	228	1	2	12	28	40	47	52
65+	15	24.6	242	6	7	26	33	62	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.5	72	1	1	2	5	14	26	38
B. *Operated*	134	10.4	82	2	2	8	14	26	29	37
2. MULTIPLE DX										
A. *Not Operated*	84	7.2	76	1	1	4	10	17	32	80
B. *Operated*	100	17.6	276	2	3	11	26	39	58	99
1. SINGLE DX	285	7.8	82	1	1	4	10	23	28	38
2. MULTIPLE DX	184	12.8	211	1	1	8	16	34	44	99
A. NOT OPERATED	235	6.1	74	1	1	3	7	16	29	43
B. OPERATED	234	13.5	176	2	2	10	18	30	37	69
TOTAL 0-19 YRS	65	8.0	92	1	1	4	11	23	26	46
20-34	202	8.9	118	1	1	5	10	23	33	58
35-49	95	10.1	166	1	1	6	14	26	31	99
50-64	73	10.1	150	1	1	6	11	31	37	50
65+	34	16.5	209	2	2	14	28	35	58	99+
GRAND TOTAL	**469**	**9.8**	**138**	**1**	**1**	**5**	**12**	**27**	**35**	**61**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	8.2	102	<1	1	3	10	23	32	37
20-34	9	10.3	72	1	1	8	18	22	24	24
35-49	4	7.3	56	1	1	5	12	18	16	18
50-64	38	2.3	17	1	1	1	1	6	9	24
65+	42	5.8	42	<1	1	4	7	12	18	34
B. *Operated*										
0-19 YRS	31	17.1	283	1	2	14	26	49	69	99+
20-34	4	26.0	559	1	1	22	41	58	58	58
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	8	13.5	64	2	3	14	20	22	23	23
65+	20	12.2	374	1	2	5	14	25	59	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	9.7	84	<1	1	6	12	27	30	32
20-34	3	5.7	16	<1	<1	8	8	8	8	8
35-49	14	6.4	102	1	1	1	8	28	29	29
50-64	17	7.2	37	1	1	7	9	18	20	21
65+	88	9.8	90	1	1	7	13	23	30	81
B. *Operated*										
0-19 YRS	12	35.5	766	1	4	29	55	73	92	95
20-34	6	37.3	971	8	8	29	71	76	77	77
35-49	6	10.2	111	1	1	8	11	28	30	30
50-64	21	14.6	201	5	6	9	15	32	55	59
65+	54	18.8	248	4	5	15	26	45	64	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.7	57	<1	1	2	7	18	24	35
B. *Operated*	65	15.4	291	1	2	11	21	36	60	98
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	82	1	1	7	12	22	29	52
B. *Operated*	99	20.5	377	3	5	13	27	52	69	97
1. SINGLE DX	191	9.0	157	1	1	4	11	24	33	80
2. MULTIPLE DX	247	13.6	231	1	1	9	17	32	51	95
A. NOT OPERATED	274	7.5	73	1	1	5	9	21	27	41
B. OPERATED	164	18.5	347	2	3	12	25	48	68	99
TOTAL 0-19 YRS	102	14.5	294	1	1	7	22	37	58	97
20-34	22	19.9	502	<1	1	9	24	62	73	77
35-49	26	7.5	85	1	1	3	11	27	29	30
50-64	84	7.4	97	1	1	4	9	19	22	56
65+	204	11.6	169	1	1	8	15	27	40	93
GRAND TOTAL	**438**	**11.6**	**204**	**1**	**1**	**7**	**15**	**28**	**44**	**89**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.9	56	<1	<1	4	8	18	23	29
20-34	44	5.1	44	<1	<1	4	6	12	19	32
35-49	20	6.5	31	1	1	5	7	16	19	22
50-64	46	6.5	99	<1	1	4	6	16	28	56
65+	44	6.7	49	<1	<1	4	10	18	22	26
B. *Operated*										
0-19 YRS	12	18.6	688	<1	<1	16	24	98	99+	99+
20-34	19	25.5	636	4	5	10	33	70	74	74
35-49	19	20.1	429	1	2	8	38	52	55	56
50-64	27	15.5	244	3	3	8	27	43	46	49
65+	26	15.8	106	1	4	14	24	29	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.2	178	1	1	5	7	31	45	51
20-34	24	7.6	132	<1	<1	4	8	21	42	43
35-49	20	7.8	34	1	2	7	10	13	21	27
50-64	59	10.8	131	<1	1	7	15	29	41	95
65+	84	11.5	259	1	2	5	13	27	60	98
B. *Operated*										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	23	38.0	640	7	7	39	65	73	90	99+
35-49	31	28.9	427	8	10	20	37	55	77	89
50-64	37	24.5	420	3	4	20	31	56	74	77
65+	49	19.2	210	2	4	14	29	44	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	6.3	59	<1	<1	4	7	16	22	31
B. *Operated*	103	18.6	364	2	3	10	29	49	64	98
2. MULTIPLE DX										
A. *Not Operated*	208	10.3	177	<1	1	6	12	26	43	96
B. *Operated*	143	25.5	416	3	5	18	38	58	73	99+
1. SINGLE DX	278	10.8	207	<1	1	5	14	30	44	74
2. MULTIPLE DX	351	16.5	329	1	2	9	23	44	62	99
A. NOT OPERATED	383	8.4	127	<1	1	5	10	21	30	70
B. OPERATED	246	22.6	404	3	4	16	33	54	72	99+
TOTAL 0-19 YRS	57	10.3	239	<1	1	5	14	26	47	99+
20-34	110	16.1	461	<1	1	6	26	63	68	91
35-49	90	17.4	339	1	2	9	24	49	54	85
50-64	169	13.4	242	<1	1	7	19	37	49	76
65+	203	12.9	200	1	2	8	17	30	44	97
GRAND TOTAL	**629**	**14.0**	**283**	**<1**	**1**	**7**	**18**	**39**	**54**	**94**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.8	24	<1	1	3	4	14	17	18
20-34	54	4.4	29	1	1	3	5	11	12	31
35-49	128	3.8	29	1	1	2	4	9	15	31
50-64	205	5.0	82	1	1	1	5	12	18	49
65+	200	6.4	74	1	1	4	7	17	24	55
B. *Operated*										
0-19 YRS	17	12.7	121	1	2	10	22	25	35	40
20-34	40	12.0	132	1	2	9	16	27	39	49
35-49	78	11.6	173	1	1	7	15	26	34	71
50-64	131	12.7	156	1	2	9	17	27	35	93
65+	114	13.5	165	1	2	9	19	33	43	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.6	28	1	1	4	9	13	16	18
20-34	18	6.4	20	1	1	6	11	13	14	14
35-49	48	11.6	117	2	2	7	16	29	38	48
50-64	158	10.9	155	1	1	7	16	28	37	99
65+	202	13.5	213	1	2	9	17	37	54	99+
B. *Operated*										
0-19 YRS	12	24.3	656	1	1	16	32	71	79	80
20-34	14	19.9	192	6	10	18	22	62	90	99+
35-49	51	24.0	348	2	3	19	35	52	64	77
50-64	157	20.4	294	3	4	16	27	50	57	99
65+	205	24.8	425	3	5	19	34	61	74	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	5.2	61	1	1	2	5	13	19	41
B. *Operated*	380	12.6	157	1	2	9	17	28	38	66
2. MULTIPLE DX										
A. *Not Operated*	445	11.7	170	1	1	8	15	29	40	99+
B. *Operated*	439	23.0	369	3	4	17	31	53	67	99+
1. SINGLE DX	999	8.0	111	1	1	4	10	21	30	53
2. MULTIPLE DX	884	17.3	300	1	2	12	23	43	60	99+
A. NOT OPERATED	1064	7.9	117	1	1	4	10	20	31	65
B. OPERATED	819	18.2	297	2	3	13	24	43	59	91
TOTAL 0-19 YRS	80	9.6	180	1	1	4	12	24	32	76
20-34	126	8.8	103	1	1	5	12	20	31	71
35-49	305	10.4	181	1	1	5	13	30	38	67
50-64	651	11.7	198	1	1	7	16	29	43	92
65+	721	14.7	275	1	1	9	19	40	55	90
GRAND TOTAL	**1883**	**12.4**	**221**	**1**	**1**	**7**	**17**	**32**	**46**	**87**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.3		4	4	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	23	4.4	14	<1	<1	4	6	8	14	17
20-34	57	4.4	5	<1	1	5	6	7	9	11
35-49	60	4.7	6	1	2	4	6	8	9	14
50-64	66	4.5	7	1	2	4	6	8	10	11
65+	38	6.3	64	2	2	5	7	10	13	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	4	8.0	18	4	4	7	11	13	13	13
20-34	13	6.2	19	2	3	5	9	26	84	99+
35-49	20	5.7	15	1	2	5	7	9	14	19
50-64	39	6.6	45	2	2	5	7	12	17	41
65+	40	10.1	105	2	2	7	13	18	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	2	1	1	4	4	5	5	5
B. *Operated*	244	4.8	16	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	7	4.9	26	1	1	2	7	14	15	[illegible]
B. *Operated*	116	7.6	59	2	2	5	9	17	19	75
1. SINGLE DX	250	4.8	16	1	2	4	6	8	10	14
2. MULTIPLE DX	123	7.5	57	2	2	5	9	16	19	72
A. NOT OPERATED	13	4.2	15	1	1	4	5	9	14	15
B. OPERATED	360	5.7	31	1	2	5	7	10	14	39
TOTAL 0-19 YRS	31	4.5	15	<1	<1	4	6	11	13	17
20-34	70	4.8	8	1	2	5	6	8	11	83
35-49	83	4.9	8	1	2	4	6	8	10	17
50-64	109	5.2	21	2	2	4	6	10	11	27
65+	80	8.3	86	2	2	6	9	16	20	59
GRAND TOTAL	**373**	**5.7**	**31**	**1**	**2**	**5**	**7**	**10**	**14**	**37**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	31	2	2	4	9	16	16	16
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	11	2.3	1	<1	<1	2	3	4	4	4
50-64	18	3.1	14	1	1	2	3	9	13	15
65+	17	3.1	11	<1	1	2	3	7	12	14
B. *Operated*										
0-19 YRS	5	7.2	53	<1	<1	5	11	19	19	19
20-34	27	6.5	26	1	1	6	9	13	18	21
35-49	50	7.8	32	1	2	8	10	14	21	25
50-64	105	6.6	25	1	1	5	10	13	15	23
65+	75	6.8	36	1	2	4	10	14	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	21	1	1	6	9	11	11	11
35-49	11	11.4	211	1	1	7	12	32	50	52
50-64	15	8.5	60	1	2	6	11	23	27	28
65+	34	11.7	89	2	3	8	17	23	25	47
B. *Operated*										
0-19 YRS	11	13.2	82	2	3	13	18	26	32	33
20-34	25	12.0	78	3	3	10	16	24	31	35
35-49	43	11.4	99	1	3	9	13	21	31	54
50-64	147	11.2	87	2	2	9	16	22	28	48
65+	212	13.2	157	1	2	10	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.2	11	1	1	2	3	7	13	16
B. *Operated*	262	6.9	30	1	2	5	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	65	10.4	97	1	2	7	13	23	26	51
B. *Operated*	438	12.3	121	2	2	10	16	25	33	57
1. SINGLE DX	318	6.2	28	1	1	4	9	13	16	24
2. MULTIPLE DX	503	12.0	118	2	2	9	16	25	32	56
A. NOT OPERATED	121	7.1	70	1	1	4	8	17	23	48
B. OPERATED	700	10.3	94	1	2	8	13	22	28	52
TOTAL 0-19 YRS	21	10.2	68	1	2	7	15	20	27	33
20-34	62	8.3	54	1	1	6	11	18	23	34
35-49	115	9.0	77	1	2	8	11	18	23	53
50-64	285	8.9	64	1	2	7	12	19	24	42
65+	338	11.1	125	1	2	8	15	25	32	57
GRAND TOTAL	**821**	**9.8**	**91**	**1**	**2**	**8**	**13**	**22**	**27**	**51**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	2	8.5	85	2	2	8	15	15	15	15
B. *Operated*										
0-19 YRS	39	3.1	5	<1	1	3	3	5	8	13
20-34	28	3.8	29	<1	1	2	3	8	12	28
35-49	18	5.7	55	<1	1	3	9	12	24	31
50-64	36	6.7	55	<1	1	3	9	21	22	28
65+	24	6.0	37	1	2	3	9	16	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34										
35-49										
50-64	3	13.0	93	2	2	17	19	20	20	20
65+	2	12.0	8	10	10	12	14	14	14	14
B. *Operated*										
0-19 YRS	6	6.5	26	2	2	5	10	14	15	15
20-34	13	3.5	11	<1	<1	2	4	9	11	12
35-49	17	7.9	100	1	2	2	12	17	33	41
50-64	28	8.2	45	2	2	6	13	17	22	23
65+	10	4.4	23	<1	1	3	4	12	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.7	19	<1	<1	2	3	11	15	15
B. *Operated*	145	4.9	35	<1	1	2	5	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	6	15.3	84	2	3	15	20	28	29	29
B. *Operated*	74	6.6	49	<1	2	3	11	15	17	37
1. SINGLE DX	155	4.8	34	<1	1	2	5	13	17	28
2. MULTIPLE DX	80	7.3	56	1	2	3	12	17	21	37
A. NOT OPERATED	16	8.1	73	<1	1	3	14	20	26	29
B. OPERATED	219	5.5	40	<1	1	3	7	15	17	29
TOTAL 0-19 YRS	48	4.0	22	<1	1	3	4	8	13	29
20-34	42	3.7	23	<1	1	2	4	8	11	28
35-49	37	6.5	72	<1	1	2	9	15	26	41
50-64	70	7.3	51	1	1	3	12	19	22	27
65+	38	6.0	34	1	2	3	10	16	17	24
GRAND TOTAL	**235**	**5.7**	**42**	**<1**	**1**	**3**	**7**	**15**	**19**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	47	2	2	5	15	19	19	19
20-34	10	2.4		1	1	2	3	3	3	3
35-49	6	5.3	10	2	2	5	8	10	10	10
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	7	3.4	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	309	4.0	26	1	1	3	4	7	11	29
20-34	271	3.8	12	<1	1	3	4	8	11	19
35-49	260	3.5	16	<1	<1	2	4	6	10	23
50-64	282	3.4	7	<1	<1	3	4	7	9	11
65+	116	4.1	11	1	2	3	5	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	17	1	1	1	8	9	9	9
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64	10	9.0	71	2	2	5	16	23	23	23
65+	6	8.8	17	5	5	8	10	15	16	16
B. *Operated*										
0-19 YRS	54	7.6	85	1	1	4	9	18	26	47
20-34	84	4.6	22	<1	<1	3	5	10	12	28
35-49	118	5.0	61	<1	<1	3	6	11	14	37
50-64	179	6.1	45	1	2	4	8	13	18	34
65+	91	7.1	58	1	2	5	9	16	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.7	17	1	2	3	5	10	15	19
B. *Operated*	1238	3.7	15	<1	1	3	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	27	7.0	42	1	1	5	10	16	23	23
B. *Operated*	526	6.0	52	<1	1	4	7	13	17	36
1. SINGLE DX	1269	3.7	15	<1	1	3	4	7	10	21
2. MULTIPLE DX	553	6.0	52	<1	1	4	7	13	18	36
A. NOT OPERATED	58	5.8	29	1	1	4	7	15	18	23
B. OPERATED	1764	4.4	27	<1	1	3	5	9	12	30
TOTAL 0-19 YRS	374	4.6	36	1	1	3	5	9	15	36
20-34	368	3.9	14	<1	<1	3	4	9	11	22
35-49	387	4.0	31	<1	<1	2	4	8	11	23
50-64	473	4.5	25	<1	1	3	5	9	12	30
65+	220	5.4	33	1	2	3	6	11	16	33
GRAND TOTAL	**1822**	**4.4**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.0	85	<1	1	4	7	18	32	38
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
0-19 YRS	328	3.2	15	<1	<1	2	4	6	10	27
20-34	104	3.8	19	<1	<1	2	5	8	12	23
35-49	71	4.0	21	<1	<1	2	4	9	17	21
50-64	65	3.2	11	<1	<1	2	4	7	10	17
65+	31	4.2	16	<1	<1	3	6	8	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.5	60	<1	<1	3	10	21	24	25
20-34	4	8.3	21	5	5	6	11	15	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	66	5.2	61	<1	1	3	7	9	17	52
20-34	45	4.2	30	<1	<1	2	4	11	15	30
35-49	38	5.1	30	<1	<1	3	6	14	17	25
50-64	49	6.4	71	<1	<1	2	8	15	27	42
65+	37	8.7	172	1	2	4	7	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.3	66	<1	1	4	7	13	26	38
B. *Operated*	599	3.5	16	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	29	6.9	63	<1	<1	4	10	22	25	28
B. *Operated*	235	5.8	71	<1	<1	3	6	12	23	44
1. SINGLE DX	622	3.6	18	<1	<1	2	4	8	11	23
2. MULTIPLE DX	264	5.9	70	<1	<1	3	6	14	25	42
A. NOT OPERATED	52	6.6	63	<1	1	4	7	20	25	38
B. OPERATED	834	4.1	32	<1	<1	2	5	9	14	31
TOTAL 0-19 YRS	431	3.8	28	<1	<1	2	4	8	11	31
20-34	156	4.0	22	<1	<1	2	5	10	14	29
35-49	111	4.3	24	<1	<1	2	5	11	17	23
50-64	117	4.5	38	<1	<1	2	5	10	16	33
65+	71	6.9	107	<1	1	4	7	10	33	60
GRAND TOTAL	**886**	**4.3**	**35**	**<1**	**<1**	**2**	**5**	**9**	**15**	**32**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	73	2.1	1	<1	1	2	2	3	4	5
20-34	258	2.0	5	<1	<1	2	2	3	4	7
35-49	152	2.2	1	<1	<1	2	3	4	5	6
50-64	46	2.9	3	1	1	3	3	5	6	8
65+	22	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	14	7.6	244	<1	1	3	4	16	51	61
20-34	96	2.3	3	<1	<1	2	3	4	5	12
35-49	83	2.9	7	<1	<1	2	3	5	6	18
50-64	53	3.4	8	1	2	2	3	6	11	14
65+	25	6.8	31	2	3	4	11	14	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	551	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	3	8.3	49	1	1	9	13	15	15	15
B. *Operated*	271	3.4	22	<1	<1	2	3	5	11	21
1. SINGLE DX	554	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX	274	3.4	22	<1	<1	2	3	6	11	21
A. NOT OPERATED	6	5.2	32	1	1	2	9	14	15	15
B. OPERATED	822	2.6	9	<1	<1	2	3	4	5	14
TOTAL 0-19 YRS	87	3.0	42	<1	1	2	3	4	5	42
20-34	358	2.1	4	<1	<1	2	2	3	4	9
35-49	235	2.5	4	<1	<1	2	3	4	5	9
50-64	101	3.3	7	1	1	2	3	6	8	15
65+	47	5.0	21	2	2	3	5	11	15	21
GRAND TOTAL	**828**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	21	5.1	12	<1	1	6	7	9	11	13
50-64	3	5.3	12	2	2	5	8	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34	133	6.3	7	1	2	7	8	9	10	12
35-49	440	7.2	16	1	2	7	8	10	10	17
50-64	87	7.0	10	1	2	8	9	10	11	13
65+	8	11.8	38	2	4	10	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	5.8	15	<1	1	5	7	12	14	16
35-49	42	6.1	19	<1	1	7	8	11	15	18
50-64	15	6.1	7	2	3	7	8	9	10	11
65+	3	14.3	74	5	5	16	20	22	22	22
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	368	7.9	12	2	5	8	9	11	14	23
35-49	2273	8.4	12	3	6	8	9	12	15	20
50-64	607	9.0	17	2	6	8	10	14	17	24
65+	61	12.5	42	6	7	10	15	21	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.0	11	1	1	5	7	9	10	13
B. *Operated*	668	7.0	14	1	2	7	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	80	6.3	19	1	1	6	8	12	16	21
B. *Operated*	3311	8.5	14	2	6	8	9	12	15	22
1. SINGLE DX	696	7.0	14	1	2	7	8	10	11	17
2. MULTIPLE DX	3391	8.5	14	2	5	8	9	12	15	22
A. NOT OPERATED	108	6.0	17	1	1	6	8	11	14	20
B. OPERATED	3979	8.3	14	2	5	8	9	12	15	22
TOTAL 0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	525	7.4	11	2	3	7	8	11	13	19
35-49	2776	8.1	13	2	5	8	9	11	14	19
50-64	712	8.7	16	2	5	8	10	13	16	24
65+	72	12.5	41	5	7	10	16	21	23	35
GRAND TOTAL	**4087**	**8.2**	**15**	**2**	**5**	**8**	**9**	**12**	**15**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.0	12	1	1	2	4	9	9	9
35-49	22	5.0	10	1	1	6	8	9	10	10
50-64	6	1.5		1	1	1	2	2	2	2
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	19	6.8	9	1	2	7	9	10	12	14
35-49	55	7.0	15	1	1	7	9	12	14	19
50-64	36	6.5	17	1	2	6	9	12	14	16
65+	12	5.8	50	2	2	3	7	17	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	35	4.1	10	1	1	2	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*	123	6.7	18	1	2	7	9	12	14	21
1. SINGLE DX	36	4.0	10	1	1	2	7	9	9	10
2. MULTIPLE DX	125	6.8	18	1	2	7	9	12	14	20
A. NOT OPERATED	3	6.0	25	1	1	6	10	11	11	11
B. OPERATED	158	6.2	17	1	1	7	9	11	13	19
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	24	6.0	12	1	1	7	8	9	11	14
35-49	80	6.4	15	1	1	7	9	11	13	18
50-64	42	5.8	18	1	1	5	9	12	13	16
65+	14	5.5	43	2	2	3	6	14	23	25
GRAND TOTAL	**161**	**6.1**	**17**	**1**	**1**	**7**	**9**	**11**	**13**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS	48	6.5	5	4	4	6	8	10	10	13
20-34	183	6.2	3	4	4	6	7	8	9	12
35-49	49	7.0	9	2	4	7	9	10	11	19
50-64	40	8.6	12	5	6	8	10	12	15	22
65+	15	11.0	15	7	7	10	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	4	7.5	10	3	3	8	9	10	10	10
50-64										
65+	2	11.0	2	10	10	11	12	12	12	12
B. *Operated*										
0-19 YRS	25	7.4	8	4	5	6	8	12	13	16
20-34	206	6.8	8	4	4	7	8	10	11	15
35-49	128	8.7	26	4	5	8	9	13	20	33
50-64	87	10.5	38	6	6	9	11	18	23	40
65+	51	13.8	56	7	8	12	15	20	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.8	22	1	1	5	9	13	14	14
B. *Operated*	335	6.9	7	4	4	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	8	7.8	10	3	4	8	10	11	12	12
B. *Operated*	497	8.7	27	4	5	7	10	14	18	35
1. SINGLE DX	343	6.9	7	4	4	6	8	10	12	17
2. MULTIPLE DX	505	8.7	27	4	5	7	10	14	18	35
A. NOT OPERATED	16	6.8	16	1	1	6	10	12	13	14
B. OPERATED	832	8.0	20	4	5	7	9	12	15	24
TOTAL 0-19 YRS	74	6.8	6	4	4	6	8	10	12	15
20-34	393	6.5	6	4	4	6	7	9	10	14
35-49	182	8.2	21	4	5	8	9	12	16	29
50-64	129	9.9	30	5	6	8	11	16	21	39
65+	70	13.0	46	7	8	12	14	19	21	47
GRAND TOTAL	**848**	**8.0**	**20**	**4**	**5**	**7**	**9**	**12**	**15**	**24**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	8	2.1	3	<1	<1	1	3	5	6	6
35-49	8	4.0	7	<1	1	3	6	8	9	9
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	6.3	21	<1	1	6	8	14	15	15
35-49	9	7.6	32	2	2	7	11	60	99+	99+
50-64	8	9.4	25	<1	2	9	11	17	19	19
65+	4	7.5	16	2	2	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	2.7	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	29	7.7	23	<1	2	8	10	17	20	99+
1. SINGLE DX	26	2.7	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX	29	7.7	23	<1	2	8	10	17	20	99+
A. NOT OPERATED										
B. OPERATED	55	5.3	21	<1	<1	4	8	11	18	95
TOTAL 0-19 YRS	5	3.8	12	1	1	2	7	8	8	8
20-34	15	4.1	15	<1	<1	3	6	8	13	15
35-49	17	5.9	22	1	2	6	9	17	68	99+
50-64	13	6.3	31	<1	<1	7	10	13	18	19
65+	5	6.4	18	2	2	7	10	11	11	11
GRAND TOTAL	**55**	**5.3**	**21**	**<1**	**<1**	**4**	**8**	**11**	**18**	**95**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	10	3.8	7	1	1	3	5	8	9	9
35-49	12	4.0	10	<1	1	3	5	8	12	13
50-64	9	4.1	11	1	1	3	5	9	12	12
65+	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	8.3	44	4	4	5	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	37	4.0	9	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	4.7	20	1	1	3	5	12	16	16
1. SINGLE DX	39	4.0	8	1	1	3	5	8	11	13
2. MULTIPLE DX	11	4.7	20	1	1	3	5	12	16	16
A. NOT OPERATED	2	3.5	1	3	3	3	4	4	4	4
B. OPERATED	48	4.2	11	1	1	3	5	10	12	16
TOTAL 0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	14	3.3	6	1	1	3	4	7	9	9
35-49	15	3.7	8	<1	1	3	4	5	11	13
50-64	10	4.7	13	1	1	4	5	11	12	12
65+	6	7.2	26	2	2	5	10	15	16	16
GRAND TOTAL	**50**	**4.1**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	5	2.8	4	<1	<1	2	4	6	6	6
35-49	6	2.5	6	<1	<1	1	4	7	7	7
50-64	15	5.6	115	<1	<1	3	4	6	34	44
65+	22	4.7	35	1	1	3	4	7	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	33.0		33	33	33	33	33	33	33
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	9	8.8	78	2	3	5	10	24	30	30
65+	25	8.1	65	1	2	5	12	16	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	50	4.6	51	<1	<1	3	4	7	11	44
2. MULTIPLE DX										
A. *Not Operated*	2	17.5	481	2	2	17	33	33	33	33
B. *Operated*	39	7.6	62	1	1	4	10	16	28	34
1. SINGLE DX	53	4.4	49	<1	<1	3	4	7	10	44
2. MULTIPLE DX	41	8.0	76	1	1	4	11	20	31	34
A. NOT OPERATED	5	7.6	202	1	1	1	10	33	33	33
B. OPERATED	89	5.9	58	<1	<1	4	6	14	25	40
TOTAL 0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	7	2.6	3	<1	<1	2	3	5	6	6
35-49	9	2.7	6	<1	<1	1	4	7	7	7
50-64	25	7.8	123	<1	<1	4	6	30	36	44
65+	51	6.1	51	1	1	4	7	15	25	34
GRAND TOTAL	**94**	**6.0**	**63**	**<1**	**1**	**3**	**6**	**15**	**29**	**40**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.4	7	<1	<1	2	2	4	8	14
20-34	6	1.8	3	<1	<1	1	2	5	5	5
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64	1	23.0		23	23	23	23	23	23	23
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	2	20.0	578	3	3	20	37	37	37	37
65+	4	7.8	92	2	2	4	13	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	33	3.2	20	<1	<1	2	3	6	13	23
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	6.3	101	<1	<1	2	5	22	33	37
1. SINGLE DX	35	3.2	19	<1	<1	2	3	5	13	23
2. MULTIPLE DX	15	6.3	101	<1	<1	2	5	22	33	37
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	48	4.2	46	<1	<1	2	4	9	22	37
TOTAL 0-19 YRS	27	2.3	6	<1	<1	2	2	4	6	14
20-34	9	2.7	7	<1	<1	2	3	7	9	9
35-49	6	3.3	10	<1	<1	2	5	9	9	9
50-64	3	21.0	292	3	3	23	33	37	37	37
65+	5	7.2	71	2	2	5	9	22	22	22
GRAND TOTAL	**50**	**4.1**	**44**	**<1**	**<1**	**2**	**4**	**9**	**22**	**37**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	7.7	82	1	1	4	14	18	18	18
35-49	3	11.7	41	7	7	9	16	19	19	19
50-64	7	17.6	494	1	1	7	36	52	54	54
65+	8	7.4	43	1	1	5	13	17	18	18
B. *Operated*										
0-19 YRS	3	10.0	31	5	5	9	14	16	16	16
20-34	8	9.8	60	1	1	10	15	20	22	22
35-49	21	14.0	62	3	4	14	17	22	29	37
50-64	25	15.4	72	1	3	15	22	31	46	99+
65+	5	22.8	357	6	6	15	36	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	24.0	387	6	6	33	72	99+	99+	99+
50-64	6	14.3	95	3	4	19	64	99+	99+	99+
65+	6	17.5	226	1	2	22	70	99+	99+	99+
B. *Operated*										
0-19 YRS	3	39.7	505	15	15	52	79	99+	99+	99+
20-34	6	28.5	739	6	8	23	68	96	99+	99+
35-49	9	31.1	130	20	20	31	51	99+	99+	99+
50-64	34	27.5	236	7	10	22	45	55	87	99+
65+	22	30.5	339	6	16	29	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.9	184	1	1	7	13	24	48	54
B. *Operated*	62	14.5	90	1	3	14	18	28	34	94
2. MULTIPLE DX										
A. *Not Operated*	19	14.5	181	1	2	17	43	99+	99+	99+
B. *Operated*	74	29.4	290	7	14	27	48	99+	99+	99+
1. SINGLE DX	85	13.5	116	1	1	13	18	27	39	83
2. MULTIPLE DX	93	26.4	302	3	6	25	47	99+	99+	99+
A. NOT OPERATED	42	12.5	182	1	1	9	22	90	99+	99+
B. OPERATED	136	22.6	253	3	6	19	33	59	99+	99+
TOTAL 0-19 YRS	10	16.8	378	1	2	9	38	75	98	99+
20-34	19	14.5	340	1	1	14	20	54	91	99+
35-49	36	18.9	149	4	5	18	28	50	99+	99+
50-64	72	21.2	219	2	4	19	33	53	99+	99+
65+	41	23.2	334	1	2	24	41	99+	99+	99+
GRAND TOTAL	**178**	**20.2**	**254**	**1**	**3**	**18**	**31**	**60**	**99+**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	4	1	1	3	5	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	16	4.6	3	2	2	4	5	7	8	9
20-34	114	5.3	9	3	3	5	6	7	9	24
35-49	148	5.3	3	3	4	5	6	7	8	11
50-64	107	5.4	3	3	4	5	6	8	9	11
65+	27	6.3	5	4	4	6	7	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	8.0	67	<1	<1	6	14	17	17	17
65+	2	31.5	181	22	22	31	41	41	41	41
B. *Operated*										
0-19 YRS	7	5.0	1	4	4	5	5	7	7	7
20-34	46	5.3	11	3	3	5	6	8	9	24
35-49	52	6.0	8	3	3	5	7	10	13	16
50-64	77	7.2	16	3	4	6	7	11	18	22
65+	28	7.6	11	4	4	7	9	12	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.5	4	1	2	5	6	7	7	7
B. *Operated*	412	5.4	5	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	5	17.4	244	<1	<1	17	27	41	41	41
B. *Operated*	210	6.5	12	3	4	5	7	10	13	21
1. SINGLE DX	420	5.4	5	3	4	5	6	7	8	14
2. MULTIPLE DX	215	6.7	19	3	4	6	7	11	16	23
A. NOT OPERATED	13	9.5	126	<1	1	6	9	26	38	41
B. OPERATED	622	5.7	8	3	4	5	6	8	10	19
TOTAL 0-19 YRS	23	4.7	2	2	3	5	5	7	8	9
20-34	164	5.2	9	3	3	5	6	7	9	24
35-49	201	5.5	4	3	4	5	6	8	9	14
50-64	189	6.2	10	3	4	6	7	9	11	21
65+	58	7.8	32	4	4	6	8	12	17	39
GRAND TOTAL	**635**	**5.8**	**10**	**3**	**4**	**5**	**6**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	11	5.0	7	<1	2	4	7	9	11	11
35-49	5	6.0	30	1	1	4	9	15	15	15
50-64	3	7.0	21	3	3	6	10	12	12	12
65+										
B. *Operated*										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	20	10.6	23	3	4	10	13	17	20	21
35-49	13	20.5	444	3	5	16	21	56	73	77
50-64	14	15.8	159	3	5	13	14	41	45	46
65+	5	11.0	115	5	5	7	13	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	21	3	3	3	9	11	11	11
20-34	8	6.4	43	2	2	4	6	17	22	22
35-49	4	9.5	56	3	3	8	15	19	19	19
50-64	9	10.8	101	4	4	7	11	28	35	35
65+	9	15.8	268	2	3	11	20	42	56	56
B. *Operated*										
0-19 YRS	4	16.5	142	9	9	12	24	34	34	34
20-34	41	10.3	24	4	6	9	13	14	26	99+
35-49	34	13.6	90	4	5	10	16	27	37	42
50-64	46	14.4	152	5	5	10	19	30	43	64
65+	21	14.4	113	5	5	9	23	32	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.4	13	1	2	4	7	11	13	15
B. *Operated*	54	14.4	174	3	5	11	16	28	45	76
2. MULTIPLE DX										
A. *Not Operated*	33	10.5	123	2	3	6	11	21	33	56
B. *Operated*	146	13.1	96	5	5	10	14	28	36	65
1. SINGLE DX	75	11.9	145	3	3	9	14	21	37	70
2. MULTIPLE DX	179	12.6	102	3	4	9	14	27	35	62
A. NOT OPERATED	54	8.5	85	2	3	5	11	19	22	55
B. OPERATED	200	13.5	117	4	5	10	15	28	37	70
TOTAL 0-19 YRS	11	10.3	82	3	3	9	13	23	33	34
20-34	80	9.3	27	3	3	9	12	14	21	78
35-49	56	14.2	174	3	4	10	16	28	41	75
50-64	72	13.9	142	4	5	10	16	30	41	61
65+	35	14.3	145	5	5	9	21	30	36	56
GRAND TOTAL	**254**	**12.4**	**114**	**3**	**4**	**9**	**14**	**27**	**36**	**64**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	2.7	1	1	2	3	3	4	4	5
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26	3.0	2	1	1	3	4	4	6	8
20-34	927	4.3	7	1	2	3	6	8	9	11
35-49	243	5.0	8	2	2	5	7	8	9	11
50-64	56	5.9	13	1	2	6	8	9	12	18
65+	14	5.7	9	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	4.4	10	<1	1	3	7	9	10	10
35-49	9	5.2	14	1	1	7	8	10	10	10
50-64										
65+	2	17.0	2	16	16	17	18	18	18	18
B. *Operated*										
0-19 YRS	17	3.8	9	1	2	3	4	9	11	12
20-34	650	5.8	15	2	2	6	8	9	11	19
35-49	349	7.4	19	2	2	7	9	11	15	21
50-64	84	8.2	53	2	3	7	10	11	18	49
65+	27	9.1	33	2	3	9	11	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.0	3	1	1	3	3	6	7	8
B. *Operated*	1266	4.5	7	1	2	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	28	5.5	21	1	1	4	8	10	16	18
B. *Operated*	1127	6.5	20	2	2	6	8	11	13	22
1. SINGLE DX	1297	4.5	7	1	2	4	7	8	9	11
2. MULTIPLE DX	1155	6.5	20	2	2	6	8	10	13	21
A. NOT OPERATED	59	4.2	13	1	1	3	6	9	10	18
B. OPERATED	2393	5.5	14	2	2	5	7	9	11	18
TOTAL 0-19 YRS	44	3.4	5	1	1	3	4	7	8	12
20-34	1619	4.9	10	2	2	4	7	9	10	14
35-49	604	6.4	16	2	2	6	8	10	13	19
50-64	142	7.2	38	2	2	7	9	11	15	27
65+	43	8.4	29	2	3	8	11	16	20	24
GRAND TOTAL	**2452**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	14.3	76	7	7	12	21	24	24	24
65+	5	6.6	25	2	2	5	9	15	15	15
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.8	15	1	1	3	4	7	14	16
35-49	28	4.2	10	1	1	3	7	9	11	12
50-64	34	7.7	79	2	2	5	8	19	26	43
65+	57	6.2	43	1	2	4	8	13	17	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	6.8	16	1	1	7	10	11	12	12
65+	9	13.1	204	1	2	6	28	35	38	38
B. *Operated*										
0-19 YRS										
20-34	8	8.9	24	3	3	8	11	16	18	18
35-49	33	6.8	10	2	2	7	9	11	12	13
50-64	80	11.2	136	1	2	9	14	21	27	71
65+	91	13.2	166	2	2	9	19	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.3	47	2	2	6	12	19	24	24
B. *Operated*	134	5.9	43	1	2	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	17	10.1	120	1	1	6	11	29	35	38
B. *Operated*	212	11.3	129	2	2	8	14	23	32	84
1. SINGLE DX	144	6.1	43	1	2	4	7	13	18	40
2. MULTIPLE DX	229	11.2	128	2	2	8	14	24	32	80
A. NOT OPERATED	27	9.4	91	1	2	6	11	26	31	38
B. OPERATED	346	9.2	102	1	2	6	11	21	28	68
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	22	5.6	23	1	2	4	8	13	17	18
35-49	62	5.6	12	1	2	5	8	10	11	13
50-64	125	10.1	113	1	2	7	12	21	26	65
65+	162	10.5	130	1	2	7	14	26	40	95
GRAND TOTAL	**373**	**9.2**	**101**	**1**	**2**	**6**	**11**	**21**	**29**	**66**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.1	28	2	3	8	10	18	19	19
20-34	18	4.2	10	<1	<1	4	5	9	12	14
35-49	18	4.3	7	<1	1	4	7	8	9	9
50-64	36	4.5	10	1	1	4	6	10	11	14
65+	54	6.5	17	1	1	6	9	13	15	16
B. *Operated*										
0-19 YRS	41	5.9	17	1	1	5	8	12	14	17
20-34	72	6.7	62	2	2	4	7	13	16	47
35-49	60	7.6	62	1	2	5	9	17	24	39
50-64	94	8.6	61	1	1	6	13	18	23	39
65+	113	7.0	38	1	2	5	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.4	62	1	3	6	8	21	29	31
20-34	21	8.0	53	1	1	6	10	20	24	26
35-49	23	7.7	46	<1	1	6	10	18	24	27
50-64	70	10.6	144	1	2	8	14	19	28	74
65+	123	10.4	174	1	2	6	14	25	37	99+
B. *Operated*										
0-19 YRS	25	18.7	412	1	3	9	24	60	64	71
20-34	47	12.9	226	2	3	9	15	26	39	93
35-49	64	10.4	138	<1	1	8	14	23	44	99+
50-64	135	13.7	170	2	2	11	17	29	44	87
65+	190	15.0	249	2	2	10	18	35	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.6	16	1	1	5	8	11	14	18
B. *Operated*	380	7.3	50	1	2	5	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	251	9.9	137	1	2	6	13	22	29	87
B. *Operated*	461	14.0	218	2	2	10	17	33	48	96
1. SINGLE DX	523	6.8	41	1	2	5	9	14	18	34
2. MULTIPLE DX	712	12.5	193	1	2	9	16	28	42	94
A. NOT OPERATED	394	8.4	97	1	1	6	10	18	25	83
B. OPERATED	841	11.0	153	1	2	7	14	24	35	83
TOTAL 0-19 YRS	97	9.9	151	1	2	6	10	19	32	67
20-34	158	8.4	112	1	2	5	9	18	25	47
35-49	165	8.3	86	<1	1	6	10	18	27	97
50-64	335	10.7	125	1	2	8	14	22	30	60
65+	480	11.0	166	1	2	7	13	25	35	89
GRAND TOTAL	**1235**	**10.1**	**137**	**1**	**2**	**7**	**13**	**22**	**33**	**83**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	10	3.2	3	1	1	4	4	5	5	5
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	4	2.8	4	1	1	3	4	5	5	5
65+	7	7.9	5	4	5	8	10	11	11	11
B. *Operated*										
0-19 YRS	6	6.2	9	4	4	5	6	11	12	12
20-34	69	5.4	6	3	4	5	6	7	8	19
35-49	95	5.5	4	3	4	5	6	7	8	16
50-64	91	5.7	4	3	4	5	7	8	9	14
65+	46	7.5	17	4	4	6	8	13	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	7	6.9	62	<1	<1	4	9	21	23	23
50-64	12	5.4	17	1	1	4	8	11	14	14
65+	12	7.8	26	2	2	8	10	14	19	20
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	7.1	22	3	4	6	8	11	18	24
35-49	50	7.1	17	4	4	6	7	11	15	26
50-64	62	8.5	43	4	4	7	9	14	22	43
65+	46	11.5	92	4	4	8	13	26	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.7	9	1	1	4	7	10	11	11
B. *Operated*	307	5.9	7	3	4	5	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	32	6.5	29	1	1	5	10	12	19	23
B. *Operated*	178	8.7	49	4	4	6	9	15	24	43
1. SINGLE DX	334	5.8	7	3	4	5	7	8	10	18
2. MULTIPLE DX	210	8.4	46	3	4	6	9	15	23	40
A. NOT OPERATED	59	5.7	20	1	1	4	8	11	13	23
B. OPERATED	485	6.9	24	3	4	6	7	10	15	28
TOTAL 0-19 YRS	10	5.7	11	2	2	5	6	11	12	12
20-34	98	5.5	10	3	3	5	6	7	11	23
35-49	156	6.0	11	3	4	5	7	9	11	23
50-64	169	6.7	21	3	4	6	8	10	14	25
65+	111	9.2	51	4	4	7	10	17	24	41
GRAND TOTAL	**544**	**6.8**	**24**	**3**	**4**	**6**	**7**	**11**	**15**	**27**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	24	2	3	6	10	15	17	21
20-34	50	7.1	67	1	2	5	9	13	19	55
35-49	40	7.3	42	2	2	6	9	13	18	38
50-64	45	8.6	34	2	2	7	11	16	21	29
65+	42	9.7	92	2	3	7	13	15	29	56
B. *Operated*										
0-19 YRS	30	7.0	33	1	3	5	7	15	21	27
20-34	89	6.2	10	3	4	6	7	9	13	23
35-49	67	5.5	4	3	3	5	6	8	10	12
50-64	52	5.8	12	2	3	5	7	8	10	25
65+	18	8.5	52	3	4	7	9	13	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.2	55	2	2	7	11	20	28	31
20-34	45	7.0	29	2	2	5	9	14	19	24
35-49	57	11.1	213	1	3	8	12	19	35	91
50-64	124	11.5	80	3	3	9	15	23	30	45
65+	157	16.0	190	3	4	12	22	36	49	97
B. *Operated*										
0-19 YRS	7	15.7	319	4	4	10	15	47	55	55
20-34	40	7.6	50	2	2	5	9	14	22	38
35-49	49	10.3	105	4	4	7	14	19	26	67
50-64	64	11.0	192	2	3	7	11	20	29	88
65+	30	15.2	282	4	5	8	18	51	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	8.1	54	2	2	6	10	15	19	45
B. *Operated*	256	6.2	15	3	4	5	7	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	413	12.5	141	2	3	9	16	28	37	68
B. *Operated*	190	10.9	160	3	4	7	13	20	38	84
1. SINGLE DX	463	7.0	33	2	3	6	8	12	16	29
2. MULTIPLE DX	603	12.0	148	2	3	8	15	25	37	72
A. NOT OPERATED	620	11.0	116	2	3	8	14	23	32	59
B. OPERATED	446	8.2	82	3	4	6	8	15	21	63
TOTAL 0-19 YRS	97	8.4	59	2	3	6	10	16	22	44
20-34	224	6.8	33	2	2	5	8	13	16	31
35-49	213	8.4	95	2	3	6	9	16	20	61
50-64	285	9.9	89	2	3	7	12	19	25	46
65+	247	14.3	181	3	4	10	17	33	49	99+
GRAND TOTAL	**1066**	**9.8**	**104**	**2**	**3**	**7**	**11**	**20**	**29**	**62**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	9.4	36	2	3	8	12	18	22	28
20-34	203	8.1	24	2	3	8	10	14	17	35
35-49	213	8.1	26	2	3	7	10	15	18	26
50-64	320	9.0	30	2	3	8	12	15	19	28
65+	378	10.8	82	2	3	9	13	21	28	51
B. *Operated*										
0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49										
50-64	2	24.5	5	23	23	24	26	26	26	26
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	9.0	68	1	2	7	12	18	23	38
20-34	224	8.5	59	2	3	7	10	16	20	52
35-49	399	9.0	42	2	3	8	11	17	21	36
50-64	888	10.7	66	3	4	9	13	20	24	46
65+	1669	13.1	118	3	4	10	16	26	35	99+
B. *Operated*										
0-19 YRS	14	14.8	47	3	8	13	18	26	28	29
20-34	22	12.6	51	2	4	11	17	23	25	26
35-49	27	14.6	111	5	6	12	18	23	29	60
50-64	71	17.3	192	3	5	14	23	36	58	93
65+	111	23.9	439	5	7	17	34	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	9.3	45	2	3	8	12	16	21	31
B. *Operated*	5	16.2	172	1	1	23	26	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	3413	11.4	91	2	3	9	14	22	29	80
B. *Operated*	245	19.4	290	4	6	14	23	57	74	99+
1. SINGLE DX	1408	9.3	45	2	3	8	12	17	22	31
2. MULTIPLE DX	3658	12.0	109	2	3	9	15	23	32	96
A. NOT OPERATED	4816	10.8	79	2	3	9	14	21	27	66
B. OPERATED	250	19.4	287	4	5	15	24	54	73	99+
TOTAL 0-19 YRS	536	9.4	51	2	2	8	13	18	22	31
20-34	450	8.6	45	2	3	8	10	16	20	40
35-49	639	8.9	41	2	3	8	11	16	21	32
50-64	1281	10.7	67	3	4	9	13	20	24	47
65+	2160	13.2	135	3	4	10	16	27	38	99+
GRAND TOTAL	**5066**	**11.2**	**92**	**2**	**3**	**9**	**14**	**21**	**28**	**78**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	7.4	34	1	2	6	10	15	20	26
20-34	99	6.2	13	1	2	6	9	11	13	14
35-49	46	6.5	15	1	2	6	9	11	12	20
50-64	56	9.1	48	1	2	9	12	17	18	40
65+	58	11.2	41	3	3	11	15	20	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	7.2	28	1	2	6	10	14	17	26
20-34	113	7.1	33	2	2	6	9	14	16	32
35-49	70	10.6	64	2	3	8	13	21	28	39
50-64	122	12.2	103	3	4	10	15	21	27	64
65+	177	17.2	234	3	5	14	21	38	49	99+
B. *Operated*										
0-19 YRS	12	12.4	49	2	3	12	16	23	24	24
20-34	12	19.0	287	7	8	13	20	38	65	70
35-49	7	29.9	328	5	8	28	36	59	64	64
50-64	13	20.5	152	9	10	17	30	59	91	99+
65+	16	29.3	273	6	8	29	46	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	7.7	32	1	2	6	10	15	19	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	646	11.2	120	2	3	9	14	21	32	80
B. *Operated*	60	22.0	239	5	7	19	30	57	80	99+
1. SINGLE DX	446	7.7	32	1	2	6	10	15	19	25
2. MULTIPLE DX	706	12.1	139	2	3	9	15	24	37	85
A. NOT OPERATED	1092	9.8	87	2	2	8	13	19	24	49
B. OPERATED	60	22.0	239	5	7	19	30	57	80	99+
TOTAL 0-19 YRS	363	7.5	32	1	2	6	10	15	19	26
20-34	224	7.3	44	2	2	6	9	14	15	30
35-49	123	10.2	85	1	2	8	12	21	28	46
50-64	191	11.9	97	2	3	10	15	21	30	71
65+	251	16.5	208	3	4	13	21	37	49	99+
GRAND TOTAL	**1152**	**10.4**	**102**	**2**	**2**	**8**	**13**	**21**	**28**	**64**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	8.4	29	2	3	7	11	16	20	24
20-34	84	6.8	21	1	2	6	8	12	17	21
35-49	97	8.5	27	1	3	8	11	16	19	23
50-64	165	9.4	29	3	3	8	12	17	20	26
65+	196	9.6	35	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	4	13.0	158	3	3	9	22	30	30	30
20-34	13	5.6	29	2	2	4	6	12	20	22
35-49	5	5.6	2	4	4	5	6	8	8	8
50-64	26	10.0	87	2	2	6	12	27	34	35
65+	25	6.3	14	2	3	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	7.2	30	1	2	5	11	14	17	27
20-34	201	9.1	55	2	3	7	12	16	21	35
35-49	276	10.1	57	3	3	8	12	18	24	50
50-64	593	11.7	77	3	4	9	14	22	30	60
65+	994	14.2	137	3	4	11	18	31	44	99+
B. *Operated*										
0-19 YRS	6	17.7	200	5	5	14	21	42	44	44
20-34	53	15.3	176	3	4	11	20	44	55	99+
35-49	76	21.5	323	4	5	19	34	68	99+	99+
50-64	171	23.7	425	4	5	18	38	77	99+	99+
65+	272	29.3	539	5	6	27	54	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	8.8	30	2	3	8	11	16	20	25
B. *Operated*	73	7.8	52	2	3	5	9	16	27	35
2. MULTIPLE DX										
A. *Not Operated*	2175	12.2	102	3	4	10	15	24	35	99+
B. *Operated*	578	25.2	458	4	5	20	44	95	99+	99+
1. SINGLE DX	758	8.7	32	2	3	7	11	16	20	29
2. MULTIPLE DX	2753	14.9	205	3	4	11	18	38	64	99+
A. NOT OPERATED	2860	11.4	87	3	4	9	14	22	31	82
B. OPERATED	651	23.3	442	3	4	18	40	87	99+	99+
TOTAL 0-19 YRS	264	8.2	37	2	2	7	11	15	20	28
20-34	351	9.4	71	2	2	7	12	19	22	56
35-49	454	11.6	114	3	3	8	14	24	36	99+
50-64	955	13.4	155	3	4	10	16	29	48	99+
65+	1487	16.2	236	3	4	11	21	44	78	99+
GRAND TOTAL	**3511**	**13.6**	**174**	**3**	**4**	**10**	**16**	**32**	**53**	**99+**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	5	1	1	4	5	7	8	8
20-34	14	4.4	9	1	1	4	7	9	10	11
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.6	5	1	1	4	5	6	7	7
20-34	68	4.5	11	<1	<1	4	7	9	10	16
35-49	8	3.6	10	<1	<1	3	6	8	8	8
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	9	9.6	68	1	2	7	18	22	22	22
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	9	6.7	34	1	1	6	9	16	19	19
20-34	102	5.6	11	1	1	6	8	10	12	15
35-49	7	7.0	11	<1	1	7	9	11	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.2	7	1	1	4	5	8	9	11
B. *Operated*	92	4.3	10	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	15	8.8	53	1	1	7	15	21	22	22
B. *Operated*	119	5.8	13	1	1	6	8	10	12	17
1. SINGLE DX	114	4.3	9	<1	1	4	6	8	10	13
2. MULTIPLE DX	134	6.1	18	1	1	6	8	11	13	21
A. NOT OPERATED	37	6.1	30	1	1	4	8	16	20	22
B. OPERATED	211	5.1	12	<1	1	5	7	9	11	16
TOTAL 0-19 YRS	33	4.5	14	1	1	4	6	8	11	19
20-34	193	5.3	14	1	1	5	7	10	11	19
35-49	17	5.2	11	<1	<1	5	8	9	11	12
50-64	4	5.3	15	<1	<1	5	8	9	9	9
65+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**248**	**5.3**	**15**	**<1**	**1**	**5**	**7**	**9**	**12**	**19**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.8	18	1	1	3	7	10	11	22
20-34	70	6.7	47	1	1	4	9	15	22	33
35-49	41	6.0	34	1	1	4	8	13	19	26
50-64	52	6.0	37	1	1	4	7	15	18	27
65+	52	7.3	81	1	1	4	9	19	31	48
B. *Operated*										
0-19 YRS	9	7.8	30	1	2	6	10	16	20	20
20-34	12	7.8	55	<1	1	7	9	22	23	23
35-49	14	11.1	68	2	4	8	17	24	29	30
50-64	6	7.0	5	4	4	7	8	10	10	10
65+	3	17.3	16	15	15	15	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	6.3	48	1	1	4	8	14	26	32
20-34	103	6.0	31	<1	1	4	8	12	18	27
35-49	111	8.5	111	1	1	5	11	16	25	60
50-64	158	9.4	87	1	2	7	12	20	32	61
65+	247	11.0	175	1	2	7	13	27	52	99+
B. *Operated*										
0-19 YRS	15	11.1	58	4	5	9	13	31	80	99+
20-34	28	12.0	56	2	5	10	15	24	26	31
35-49	33	15.3	148	1	3	12	18	35	46	51
50-64	51	14.4	118	4	6	11	17	24	39	61
65+	17	20.9	113	7	7	20	28	42	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	6.0	40	1	1	4	8	13	18	32
B. *Operated*	44	9.4	49	1	2	7	11	22	23	30
2. MULTIPLE DX										
A. *Not Operated*	740	8.8	109	1	1	6	11	19	28	89
B. *Operated*	144	14.6	111	4	5	11	18	31	40	99+
1. SINGLE DX	365	6.4	42	1	1	4	8	14	20	32
2. MULTIPLE DX	884	9.8	114	1	2	7	12	22	32	95
A. NOT OPERATED	1061	8.0	90	1	1	5	10	17	26	63
B. OPERATED	188	13.4	101	2	4	10	18	26	34	84
TOTAL 0-19 YRS	251	6.0	37	1	1	4	8	12	20	32
20-34	213	7.1	44	1	1	5	10	16	23	30
35-49	199	9.3	106	1	1	6	12	19	26	49
50-64	267	9.6	88	1	2	7	13	19	27	59
65+	319	11.0	162	1	2	7	14	28	49	99+
GRAND TOTAL	**1249**	**8.8**	**95**	**1**	**1**	**6**	**11**	**19**	**28**	**63**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	28	<1	1	4	8	15	17	17
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	4	12.3	53	5	5	12	18	19	19	19
50-64	3	11.0	36	5	5	11	15	17	17	17
65+	10	8.5	24	2	2	7	11	16	18	18
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	18.5	283	3	3	14	30	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.4	25	3	3	9	12	18	19	19
20-34	6	10.0	42	3	3	8	14	20	21	21
35-49	22	13.3	132	3	4	9	15	33	42	43
50-64	31	18.0	232	4	5	14	22	38	40	77
65+	104	20.8	323	4	5	14	33	48	75	99+
B. *Operated*										
0-19 YRS	4	23.0	546	10	10	12	35	58	58	58
20-34	4	10.5	68	4	4	8	16	22	22	22
35-49	7	18.7	109	9	10	17	30	82	99+	99+
50-64	14	20.1	163	7	8	19	22	28	53	60
65+	12	26.3	245	9	10	24	38	68	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	8.4	35	1	1	7	14	18	18	19
B. *Operated*	8	14.4	154	3	4	10	18	35	42	42
2. MULTIPLE DX										
A. *Not Operated*	190	17.5	251	3	4	12	23	41	59	99+
B. *Operated*	41	21.0	204	6	9	19	25	58	74	99+
1. SINGLE DX	38	9.7	62	1	2	8	14	18	19	42
2. MULTIPLE DX	231	18.1	244	3	4	13	23	43	60	99+
A. NOT OPERATED	220	16.3	231	3	4	12	19	38	50	99+
B. OPERATED	49	20.0	199	5	7	18	24	53	60	99+
TOTAL 0-19 YRS	44	9.9	82	2	3	9	13	18	19	58
20-34	12	10.1	51	1	2	8	16	21	22	22
35-49	34	14.1	115	3	4	11	19	41	43	99+
50-64	49	18.0	196	4	5	15	21	36	41	77
65+	130	20.3	302	3	5	14	32	49	73	99+
GRAND TOTAL	**269**	**16.9**	**226**	**3**	**4**	**12**	**21**	**41**	**59**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	13.6	51	3	4	14	19	21	24	36
20-34	9	12.7	66	3	5	10	14	26	32	32
35-49	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	13.4	125	2	4	12	18	21	29	69
20-34	21	13.2	55	5	6	11	18	23	30	34
35-49	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	15	16.2	97	3	5	14	26	29	30	30
20-34	6	10.0	20	5	5	8	15	16	16	16
35-49										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	13.4	51	3	4	13	18	21	24	36
B. *Operated*	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	124	13.3	112	2	4	11	18	21	29	61
B. *Operated*	21	14.4	81	3	5	14	22	28	29	30
1. SINGLE DX	81	12.9	54	2	4	13	17	21	24	36
2. MULTIPLE DX	145	13.4	107	2	5	12	18	22	29	53
A. NOT OPERATED	201	13.3	88	3	4	12	18	21	28	45
B. OPERATED	25	12.6	86	2	2	9	20	28	29	30
TOTAL 0-19 YRS	185	13.6	95	2	4	12	19	22	29	47
20-34	36	12.6	51	4	6	11	15	21	30	34
35-49	5	5.4	13	2	2	5	8	10	10	10
GRAND TOTAL	**226**	**13.2**	**88**	**2**	**4**	**12**	**18**	**22**	**29**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	9.2	65	1	3	7	12	16	23	40
20-34	37	11.0	83	2	3	9	14	18	35	43
35-49	14	8.5	29	2	3	7	13	16	16	16
50-64	8	9.6	27	4	4	10	13	17	18	18
65+										
B. *Operated*										
0-19 YRS	5	10.0	6	8	8	9	12	13	13	13
20-34	83	10.3	15	5	6	10	12	14	16	25
35-49	73	9.8	11	5	6	10	11	15	15	20
50-64	4	7.3	2	6	6	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	15.0	267	2	3	8	19	32	60	61
20-34	39	11.3	59	3	4	10	13	23	26	34
35-49	64	11.3	61	2	3	10	14	22	27	41
50-64	67	13.6	195	3	4	10	15	25	39	76
65+	27	15.3	179	2	3	14	23	33	68	99+
B. *Operated*										
0-19 YRS										
20-34	60	15.4	201	5	7	11	18	23	45	82
35-49	69	14.5	127	6	7	12	16	24	32	98
50-64	24	14.0	77	3	5	12	18	30	53	99+
65+	5	19.0	294	7	7	9	30	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.9	63	2	3	8	13	16	22	42
B. *Operated*	165	10.0	13	5	6	10	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	222	12.9	138	2	3	10	15	26	35	75
B. *Operated*	158	14.9	150	5	7	12	17	26	40	99
1. SINGLE DX	249	10.0	29	3	4	10	12	15	16	36
2. MULTIPLE DX	380	13.7	144	3	4	11	16	26	35	87
A. NOT OPERATED	306	12.1	119	2	3	10	14	24	34	68
B. OPERATED	323	12.4	86	5	7	10	13	20	26	85
TOTAL 0-19 YRS	55	11.9	156	2	3	8	15	27	38	61
20-34	219	12.0	89	3	4	10	13	21	26	62
35-49	220	11.6	67	3	5	10	14	18	25	56
50-64	103	13.1	148	3	4	10	15	26	38	88
65+	32	15.9	189	2	4	14	24	37	61	99+
GRAND TOTAL	**629**	**12.2**	**102**	**3**	**4**	**10**	**14**	**22**	**30**	**75**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.4	94	1	2	6	9	13	19	95
20-34	28	5.0	14	1	1	4	7	9	10	19
35-49	20	6.9	24	1	1	6	10	14	17	17
50-64	21	7.0	35	1	2	6	8	12	20	28
65+	24	10.7	99	1	3	7	12	24	34	42
B. *Operated*										
0-19 YRS	27	8.2	50	1	2	5	12	21	25	25
20-34	63	5.5	13	1	2	5	7	9	12	20
35-49	54	5.7	9	1	3	5	7	9	12	15
50-64	29	7.8	58	1	2	6	8	18	25	36
65+	17	8.4	32	2	2	7	12	18	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	10.8	152	1	2	7	15	25	45	85
20-34	53	9.3	91	2	2	7	11	20	27	58
35-49	66	8.5	89	2	2	6	11	19	25	94
50-64	55	11.3	64	3	4	9	15	24	32	96
65+	80	14.0	136	3	4	10	17	32	43	52
B. *Operated*										
0-19 YRS	28	14.4	152	1	3	12	18	36	41	51
20-34	71	9.3	162	2	3	6	9	15	42	75
35-49	83	8.0	69	1	3	5	8	18	23	47
50-64	59	10.7	73	1	2	8	15	23	29	36
65+	38	14.6	99	2	3	12	18	28	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	7.4	70	1	2	6	9	13	20	70
B. *Operated*	190	6.6	26	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	347	11.0	115	2	3	8	14	22	34	67
B. *Operated*	279	10.5	110	2	3	7	13	23	31	50
1. SINGLE DX	380	7.0	48	1	2	5	8	13	19	34
2. MULTIPLE DX	626	10.7	113	2	3	7	13	23	34	64
A. NOT OPERATED	537	9.7	102	1	2	7	12	20	30	69
B. OPERATED	469	8.9	80	1	2	6	10	19	26	46
TOTAL 0-19 YRS	245	9.6	122	1	2	6	12	20	28	90
20-34	215	7.6	85	1	2	5	8	13	21	56
35-49	223	7.5	57	1	2	5	9	15	21	53
50-64	164	9.9	64	2	3	7	13	22	29	39
65+	159	13.0	113	2	3	10	17	27	38	51
GRAND TOTAL	**1006**	**9.3**	**92**	**1**	**2**	**7**	**11**	**20**	**28**	**56**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.3	10	1	2	3	5	9	12	13
35-49	26	4.2	11	<1	1	3	6	7	11	16
50-64	35	6.6	18	1	2	6	8	11	15	22
65+	36	8.2	29	2	3	7	10	16	20	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	14.3	329	1	1	7	28	35	35	35
65+	4	6.0	35	<1	<1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.6	18	1	1	5	8	12	13	13
35-49	26	7.0	30	2	2	6	8	11	23	25
50-64	53	9.2	50	3	4	7	11	18	23	35
65+	117	9.0	77	3	4	7	10	17	21	47
B. *Operated*										
0-19 YRS										
20-34	2	16.5	265	5	5	16	28	28	28	28
35-49	5	6.6	21	3	3	5	9	14	14	14
50-64	13	14.8	331	2	3	10	20	33	63	70
65+	20	15.9	99	1	3	14	26	29	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.3	21	1	2	5	8	12	16	23
B. *Operated*	10	8.1	109	<1	<1	5	10	24	35	35
2. MULTIPLE DX										
A. *Not Operated*	204	8.7	62	2	3	7	10	17	22	34
B. *Operated*	40	14.4	168	2	3	11	21	27	33	70
1. SINGLE DX	119	6.4	28	1	1	5	8	13	16	27
2. MULTIPLE DX	244	9.6	83	2	3	7	11	19	25	37
A. NOT OPERATED	313	7.8	49	2	3	6	10	15	20	30
B. OPERATED	50	13.2	161	1	2	9	19	27	35	70
TOTAL 0-19 YRS										
20-34	22	5.9	36	1	1	4	7	13	19	28
35-49	60	5.6	21	1	1	5	7	10	15	25
50-64	104	9.2	83	2	3	7	10	18	23	51
65+	177	9.5	73	2	3	7	11	18	25	34
GRAND TOTAL	**363**	**8.6**	**67**	**2**	**2**	**6**	**10**	**17**	**23**	**35**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	5	1	1	3	5	7	9	10
20-34	6	3.8	16	1	1	2	6	10	11	11
35-49	12	4.2	10	1	2	3	5	8	12	13
50-64	11	6.0	15	2	2	5	8	13	14	14
65+	57	9.0	71	2	3	7	11	15	38	96
B. *Operated*										
0-19 YRS	2	27.0	98	20	20	27	34	34	34	34
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.6	21	1	2	4	8	12	14	22
20-34	32	6.8	54	1	2	5	7	12	21	39
35-49	58	7.4	47	2	2	5	9	15	20	41
50-64	112	9.8	95	1	2	7	13	20	23	53
65+	494	13.1	162	2	3	9	17	30	46	99+
B. *Operated*										
0-19 YRS	5	16.8	111	6	6	13	28	28	28	28
20-34	4	9.5	58	3	3	7	15	20	20	20
35-49	5	11.2	51	4	4	10	18	20	20	20
50-64	20	23.5	582	3	3	14	34	59	77	90
65+	35	34.4	784	2	5	27	47	82	92	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.6	46	1	2	5	9	13	16	64
B. *Operated*	3	23.0	97	15	15	20	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	788	11.1	131	2	2	7	14	25	39	99+
B. *Operated*	69	26.8	642	3	4	20	33	72	87	98
1. SINGLE DX	117	7.0	53	1	2	5	9	14	19	63
2. MULTIPLE DX	857	12.3	190	2	2	8	15	28	44	99+
A. NOT OPERATED	902	10.5	123	2	2	7	13	23	37	99+
B. OPERATED	72	26.7	618	3	4	20	33	69	86	98
TOTAL 0-19 YRS	127	5.9	34	1	2	4	8	13	19	30
20-34	42	6.6	49	1	1	5	7	12	21	39
35-49	75	7.1	43	2	2	5	9	15	20	38
50-64	143	11.4	178	2	2	7	15	22	37	78
65+	587	14.0	217	2	3	10	17	32	49	99+
GRAND TOTAL	**974**	**11.7**	**176**	**2**	**2**	**7**	**14**	**27**	**43**	**99**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	7.0	23	1	2	6	9	15	17	21
20-34	18	5.6	18	<1	1	5	9	12	13	13
35-49	28	5.2	15	1	1	4	8	12	14	14
50-64	28	8.2	26	2	2	7	12	17	18	19
65+	78	9.9	126	1	1	8	14	20	23	72
B. *Operated*										
0-19 YRS	10	11.6	52	5	5	8	15	24	26	26
20-34	3	5.3	16	3	3	3	8	10	10	10
35-49	10	13.9	71	4	4	13	18	26	33	33
50-64	9	17.1	61	6	8	17	24	27	29	29
65+	24	11.5	56	2	3	10	16	23	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	9.3	56	1	2	8	12	18	21	39
20-34	41	7.1	35	1	2	6	9	13	16	34
35-49	78	8.2	54	1	2	7	10	15	22	43
50-64	93	11.4	115	2	3	9	14	20	27	69
65+	405	12.9	168	2	3	10	16	26	41	99+
B. *Operated*										
0-19 YRS	14	10.9	55	3	5	9	11	26	28	28
20-34	16	9.4	27	4	5	9	10	16	22	25
35-49	51	11.1	45	3	4	10	14	18	23	41
50-64	51	14.6	57	5	6	13	19	26	30	36
65+	155	17.6	139	5	7	16	22	31	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	7.7	54	1	1	6	10	15	18	24
B. *Operated*	56	12.5	60	3	3	11	17	24	27	33
2. MULTIPLE DX										
A. *Not Operated*	746	11.3	126	2	3	8	14	22	32	85
B. *Operated*	287	15.1	106	4	6	13	19	26	33	51
1. SINGLE DX	324	8.5	58	1	2	7	12	17	21	28
2. MULTIPLE DX	1033	12.4	123	2	3	10	16	23	32	75
A. NOT OPERATED	1014	10.3	110	1	2	8	14	20	27	75
B. OPERATED	343	14.7	99	4	5	13	19	26	32	51
TOTAL 0-19 YRS	269	8.5	43	1	2	7	11	17	21	35
20-34	78	7.2	30	1	1	6	9	13	15	31
35-49	167	8.9	50	1	2	8	12	17	22	40
50-64	181	12.1	87	2	3	11	15	22	27	53
65+	662	13.6	157	2	3	11	17	26	37	90
GRAND TOTAL	**1357**	**11.4**	**110**	**2**	**3**	**9**	**15**	**22**	**29**	**69**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.7	16	5	5	8	12	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	5	10.4	34	4	4	14	15	15	15	15
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	13	5	5	7	10	13	13	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	7.8	32	1	2	5	14	15	15	15
B. *Operated*	1	24.0		24	24	24	24	24	24	24
1. SINGLE DX	4	8.0	13	5	5	7	10	13	13	13
2. MULTIPLE DX	11	9.3	53	1	2	5	15	19	24	24
A. NOT OPERATED	14	7.9	25	1	3	6	13	15	15	15
B. OPERATED	1	24.0		24	24	24	24	24	24	24
TOTAL 0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	8	9.8	25	4	4	10	14	15	15	15
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64	1	24.0		24	24	24	24	24	24	24
65+										
GRAND TOTAL	**15**	**8.9**	**41**	**1**	**3**	**6**	**14**	**15**	**22**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	5.5	23	1	2	4	7	10	15	25
20-34	24	5.4	18	1	1	5	7	11	16	16
35-49	31	5.6	23	1	1	4	9	14	15	16
50-64	48	5.4	21	<1	<1	4	9	11	16	16
65+	140	8.5	56	1	2	7	11	15	20	50
B. *Operated*										
0-19 YRS	17	9.0	27	1	2	8	12	15	20	22
20-34	9	7.1	24	<1	<1	6	11	14	14	14
35-49	13	9.9	18	3	4	10	13	15	17	17
50-64	24	12.4	45	2	5	12	17	21	24	30
65+	48	15.8	198	4	5	12	18	31	56	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	7.5	81	1	1	5	8	16	23	52
20-34	48	5.5	23	1	1	4	7	11	15	25
35-49	57	6.2	35	1	2	5	9	14	18	30
50-64	134	9.7	119	1	2	7	13	19	23	65
65+	616	11.8	172	1	2	8	15	26	39	98
B. *Operated*										
0-19 YRS	29	15.9	105	4	6	15	21	28	38	46
20-34	20	10.6	40	2	4	9	14	21	23	24
35-49	36	16.4	136	2	5	13	21	33	40	56
50-64	82	14.8	109	3	4	12	20	28	42	99+
65+	302	20.5	262	5	6	15	25	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	6.6	37	1	1	5	9	14	16	27
B. *Operated*	111	12.6	111	2	4	10	16	21	30	61
2. MULTIPLE DX										
A. *Not Operated*	964	10.4	143	1	2	7	13	23	33	89
B. *Operated*	469	18.5	214	4	6	14	23	41	56	99+
1. SINGLE DX	470	8.1	61	1	1	6	11	16	20	49
2. MULTIPLE DX	1433	13.0	180	1	2	9	17	28	43	96
A. NOT OPERATED	1323	9.3	117	1	2	6	11	20	28	74
B. OPERATED	580	17.3	199	4	5	13	22	37	55	99+
TOTAL 0-19 YRS	271	7.6	64	1	2	5	9	17	23	42
20-34	101	6.6	29	1	1	5	9	14	19	24
35-49	137	9.1	76	1	2	7	12	18	26	43
50-64	288	10.7	103	1	2	8	15	22	28	80
65+	1106	13.9	201	1	2	10	18	31	48	99
GRAND TOTAL	**1903**	**11.8**	**155**	**1**	**2**	**8**	**15**	**25**	**37**	**80**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.2	42	1	1	5	9	17	22	24
20-34	5	9.4	223	1	1	4	12	36	36	36
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.2	96	<1	1	2	4	11	26	48
20-34	17	4.0	5	2	2	4	5	8	9	9
35-49	18	5.7	13	3	3	4	6	12	15	16
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	19.5	265	8	8	31	83	99+	99+	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	7.7	75	1	1	5	9	20	29	36
B. *Operated*	3	18.0	16	14	14	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	67	5.2	40	1	1	4	6	10	13	43
B. *Operated*	4	12.0	163	4	4	8	48	99+	99+	99+
1. SINGLE DX	25	9.0	79	1	1	5	14	22	27	36
2. MULTIPLE DX	71	5.6	47	1	1	4	6	11	17	89
A. NOT OPERATED	89	5.8	49	1	1	4	7	11	17	43
B. OPERATED	7	14.6	97	4	4	16	26	79	99+	99+
TOTAL 0-19 YRS	43	6.2	71	1	1	3	8	15	20	48
20-34	24	5.7	54	1	2	4	5	10	23	36
35-49	21	7.8	52	3	3	5	10	25	59	99+
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
GRAND TOTAL	**96**	**6.5**	**57**	**1**	**1**	**4**	**8**	**16**	**23**	**76**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	7.0	79	1	2	4	8	15	19	32
20-34	35	5.7	16	2	2	5	8	12	15	18
35-49	19	5.7	14	1	1	6	9	10	11	11
50-64	20	5.4	14	<1	1	4	8	11	12	13
65+	38	6.2	30	1	2	4	8	14	19	23
B. *Operated*										
0-19 YRS	62	8.8	54	2	3	7	10	16	23	47
20-34	32	8.4	25	2	4	7	11	15	20	22
35-49	21	10.3	58	1	2	8	14	19	28	32
50-64	19	10.1	51	2	3	10	13	16	26	34
65+	21	12.7	39	5	6	11	15	24	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	7.8	78	1	1	6	9	15	26	68
20-34	48	7.9	41	2	2	6	9	16	21	33
35-49	39	9.0	43	2	3	7	12	18	24	28
50-64	90	9.7	95	1	2	7	11	19	26	58
65+	94	10.8	89	2	3	7	15	23	30	44
B. *Operated*										
0-19 YRS	46	13.1	174	2	2	9	16	24	42	74
20-34	42	10.2	31	3	4	9	13	18	25	99+
35-49	44	12.9	83	4	5	10	15	21	38	43
50-64	55	15.7	129	2	4	12	20	28	34	58
65+	78	17.7	232	3	4	13	22	37	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.6	57	1	2	4	8	14	18	28
B. *Operated*	155	9.6	47	2	3	8	12	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	395	9.1	77	1	2	7	11	19	27	51
B. *Operated*	265	14.5	149	3	4	11	18	29	39	74
1. SINGLE DX	451	7.6	56	1	2	6	10	15	21	32
2. MULTIPLE DX	660	11.2	113	2	3	8	14	24	34	58
A. NOT OPERATED	691	8.0	70	1	2	6	10	17	23	43
B. OPERATED	420	12.7	117	2	4	10	15	25	34	62
TOTAL 0-19 YRS	416	8.2	88	1	2	6	10	17	24	57
20-34	157	8.1	31	2	3	7	10	16	21	33
35-49	123	10.1	61	2	2	8	14	19	25	42
50-64	184	11.0	102	1	2	8	13	24	29	56
65+	231	12.5	139	2	3	9	16	27	37	54
GRAND TOTAL	**1111**	**9.8**	**93**	**1**	**2**	**7**	**12**	**20**	**28**	**50**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	909	2.3	4	1	1	2	3	4	5	9
20-34	90	2.5	4	1	1	2	3	4	6	12
35-49	12	2.7	4	<1	<1	2	4	6	7	7
50-64	6	6.0	18	1	1	7	8	12	12	12
65+	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	263	4.6	3	2	3	4	6	7	8	10
20-34	47	4.5	2	2	3	4	6	6	7	9
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	3	5.7	6	3	3	6	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	2.8	4	1	1	2	3	5	6	13
20-34	42	3.2	4	<1	1	3	4	6	7	8
35-49	7	3.6	7	1	1	3	6	7	7	7
50-64	3	6.0	19	3	3	4	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	102	5.7	13	2	3	5	7	9	12	23
20-34	28	5.5	4	3	3	5	7	9	9	11
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	5	8.2	8	4	4	8	10	12	12	12
65+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	2.4	4	1	1	2	3	4	6	9
B. *Operated*	317	4.6	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	285	2.9	4	1	1	2	4	5	7	13
B. *Operated*	139	5.7	11	3	3	5	7	9	11	18
1. SINGLE DX	1338	2.9	5	1	1	2	4	6	7	8
2. MULTIPLE DX	424	3.8	8	1	1	3	5	7	9	14
A. NOT OPERATED	1306	2.5	4	1	1	2	3	4	6	10
B. OPERATED	456	4.9	6	2	3	4	6	8	9	13
TOTAL 0-19 YRS	1507	3.0	6	1	1	2	4	6	7	12
20-34	207	3.5	5	1	1	3	5	6	7	10
35-49	25	3.2	4	<1	1	3	4	7	7	7
50-64	17	6.6	12	1	2	7	9	12	12	12
65+	6	3.2	6	1	1	2	5	7	7	7
GRAND TOTAL	**1762**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	10	1	1	3	5	8	11	17
20-34	7	3.0	3	2	2	2	3	6	7	7
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	4	6.5	14	2	2	6	9	11	11	11
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	45	3.7	14	<1	1	2	5	8	11	18
20-34	38	3.0	7	<1	<1	2	3	7	9	12
35-49	17	4.5	10	1	1	3	7	10	11	11
50-64	6	6.8	47	2	2	3	11	18	19	19
65+	10	6.0	12	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	27	1	2	5	7	12	13	31
20-34	10	4.5	5	2	2	4	5	8	9	9
35-49	4	7.3	18	4	4	6	10	13	13	13
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	19	6.0	37	2	2	2	9	15	20	24
20-34	18	6.8	35	<1	1	5	10	14	20	24
35-49	11	6.6	72	2	2	3	6	19	30	31
50-64	10	5.6	22	<1	<1	4	9	12	13	13
65+	10	7.7	68	1	1	5	6	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	9	1	1	3	5	8	11	16
B. *Operated*	116	3.9	13	<1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	71	5.7	23	1	2	4	7	11	13	29
B. *Operated*	68	6.5	42	1	2	4	9	15	24	30
1. SINGLE DX	203	4.1	11	1	1	3	5	8	11	18
2. MULTIPLE DX	139	6.1	32	1	2	4	8	13	18	31
A. NOT OPERATED	158	4.9	16	1	2	4	7	9	12	21
B. OPERATED	184	4.9	25	1	1	3	6	11	15	24
TOTAL 0-19 YRS	190	4.7	19	1	1	3	6	10	13	23
20-34	73	4.2	15	<1	1	3	5	9	11	22
35-49	34	5.6	30	1	2	4	8	11	13	31
50-64	22	5.9	24	1	1	4	9	12	15	19
65+	23	6.5	35	1	2	5	8	13	23	24
GRAND TOTAL	**342**	**4.9**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	27	18.9	415	1	1	10	32	38	63	86
35-49	10	5.8	36	1	1	3	10	15	19	19
50-64	4	19.0	653	2	2	8	33	57	57	57
65+	6	6.3	38	1	1	4	13	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.7	71	2	2	14	17	24	26	26
20-34	20	14.8	164	1	2	8	27	30	38	46
35-49	16	12.3	131	1	2	9	17	29	37	41
50-64	23	15.2	171	2	3	12	23	29	41	57
65+	36	12.9	143	3	3	10	18	50	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	6	28.2	550	8	8	17	52	62	63	63
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	13.0	307	1	1	6	16	37	54	85
B. *Operated*	2	14.0	162	5	5	14	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	102	13.7	143	2	3	10	22	30	49	99+
B. *Operated*	8	25.1	432	8	9	17	37	60	63	63
1. SINGLE DX	55	13.1	298	1	1	6	17	37	52	85
2. MULTIPLE DX	110	14.5	169	2	3	11	22	34	52	99+
A. NOT OPERATED	155	13.5	197	1	2	9	20	33	50	99+
B. OPERATED	10	22.9	376	5	6	17	23	57	63	63
TOTAL 0-19 YRS	13	7.5	70	1	1	3	14	20	25	26
20-34	50	16.9	292	1	2	10	28	37	46	86
35-49	26	9.8	102	1	2	7	13	26	31	41
50-64	33	18.0	290	2	3	12	23	53	57	63
65+	43	12.2	131	1	3	9	17	47	99+	99+
GRAND TOTAL	**165**	**14.0**	**211**	**1**	**2**	**10**	**21**	**36**	**52**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	9	<1	<1	2	4	4	11	14
20-34	20	8.8	170	1	1	6	10	15	38	60
35-49	17	14.2	460	1	1	5	29	91	99+	99+
50-64	57	17.7	397	1	2	11	21	66	80	99+
65+	259	21.1	469	2	4	13	30	70	95	99+
B. *Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49										
50-64	3	12.7	16	9	9	12	16	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.1	130	1	1	5	8	21	39	48
20-34	24	13.9	228	3	4	11	20	99+	99+	99+
35-49	35	21.4	429	3	6	16	32	80	95	99+
50-64	109	20.2	386	3	5	13	27	56	73	99+
65+	695	24.5	495	3	5	19	46	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	11.2	116	<1	<1	16	81	99+	99+	99+
35-49	6	29.0	389	6	7	33	52	90	99+	99+
50-64	12	33.2	616	8	10	33	99+	99+	99+	99+
65+	47	34.9	710	7	10	63	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	18.8	439	1	2	12	25	65	92	99+
B. *Operated*	4	17.3	95	9	9	14	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	886	23.1	472	3	5	18	40	96	99+	99+
B. *Operated*	70	32.4	644	6	9	52	99+	99+	99+	99+
1. SINGLE DX	374	18.7	435	1	2	12	25	64	92	99+
2. MULTIPLE DX	956	23.8	490	3	5	19	47	99+	99+	99+
A. NOT OPERATED	1256	21.8	466	2	4	16	35	89	99+	99+
B. OPERATED	74	31.6	624	6	9	50	99+	99+	99+	99+
TOTAL 0-19 YRS	40	5.9	84	<1	1	3	6	13	26	48
20-34	50	11.9	196	1	1	10	19	98	99+	99+
35-49	58	20.1	439	1	2	13	37	87	99+	99+
50-64	181	20.1	407	2	4	14	28	68	90	99+
65+	1001	24.1	505	3	5	18	46	99+	99+	99+
GRAND TOTAL	**1330**	**22.4**	**479**	**2**	**4**	**17**	**41**	**99**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49										
50-64										
65+	11	29.6	264	1	6	33	57	99+	99+	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64	4	29.5	303	13	13	43	59	99+	99+	99+
65+	103	25.8	487	4	6	20	57	99+	99+	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	6	45.8	817	20	21	60	93	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	29.6	264	1	6	33	57	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	108	26.1	478	4	6	21	57	99+	99+	99+
B. *Operated*	6	45.8	817	20	21	60	93	99+	99+	99+
1. SINGLE DX	11	29.6	264	1	6	33	57	99+	99+	99+
2. MULTIPLE DX	114	27.2	508	4	6	24	59	99+	99+	99+
A. NOT OPERATED	119	26.5	457	4	6	24	57	99+	99+	99+
B. OPERATED	6	45.8	817	20	21	60	93	99+	99+	99+
TOTAL YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64	4	29.5	303	13	13	43	59	99+	99+	99+
65+	120	27.1	494	4	6	25	59	99+	99+	99+
GRAND TOTAL	**125**	**27.4**	**485**	**4**	**7**	**25**	**58**	**99+**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	87	4.9	39	1	1	3	5	12	17	36
35-49	192	6.5	70	1	2	4	7	14	22	58
50-64	133	10.2	239	1	1	5	10	22	58	87
65+	43	13.9	238	2	2	11	18	43	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	84	1	1	7	14	23	24	24
20-34	165	6.3	62	1	1	4	7	13	23	48
35-49	397	7.9	82	1	2	5	10	18	26	49
50-64	386	11.7	211	2	2	7	14	29	50	99+
65+	130	15.1	315	2	3	9	16	46	70	99+
B. *Operated*										
0-19 YRS										
20-34	5	14.4	523	<1	<1	6	20	55	55	55
35-49	27	21.6	358	1	5	15	29	43	69	77
50-64	27	21.9	450	5	6	16	38	93	99+	99+
65+	9	41.8	658	6	11	42	61	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	7.9	135	1	1	4	8	17	35	98
B. *Operated*	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1084	9.9	160	1	2	6	12	24	38	99+
B. *Operated*	68	23.9	477	2	5	16	39	76	99	99+
1. SINGLE DX	461	7.9	134	1	1	5	8	17	35	98
2. MULTIPLE DX	1152	10.7	189	1	2	6	13	26	44	99+
A. NOT OPERATED	1543	9.3	153	1	2	5	11	22	37	99+
B. OPERATED	70	23.4	472	2	5	16	38	76	98	99+
TOTAL 0-19 YRS	10	6.3	61	1	1	2	12	19	24	24
20-34	257	6.0	63	1	1	4	7	12	22	51
35-49	617	8.1	98	1	2	5	10	19	28	67
50-64	547	11.8	234	1	2	7	14	31	57	99+
65+	182	16.1	343	2	3	10	18	53	94	99+
GRAND TOTAL	**1613**	**9.9**	**175**	**1**	**2**	**6**	**12**	**24**	**42**	**99+**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	43	1	1	4	6	17	21	21
20-34	20	8.6	98	<1	<1	4	12	25	31	32
35-49	10	6.7	23	1	1	6	9	14	16	16
50-64	5	8.0	42	1	1	6	12	18	18	18
65+	5	15.8	11	11	11	17	18	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	14.9	258	1	1	9	27	50	70	99+
20-34	56	9.4	156	1	1	5	13	20	50	98
35-49	28	12.9	152	2	3	9	19	39	52	99+
50-64	20	13.0	53	4	7	11	16	22	28	33
65+	20	11.7	59	3	4	11	16	26	64	99+
B. *Operated*										
0-19 YRS										
20-34	3	12.3	22	7	7	14	15	16	16	16
35-49	2	18.0	2	17	17	18	19	19	19	19
50-64	2	25.5	481	10	10	25	41	41	41	41
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.4	62	<1	1	6	13	20	22	32
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	149	11.7	146	1	2	8	16	28	52	99+
B. *Operated*	8	18.3	107	7	8	16	20	35	41	41
1. SINGLE DX	49	8.3	62	<1	1	6	12	20	22	32
2. MULTIPLE DX	157	12.1	146	1	2	9	17	28	51	99+
A. NOT OPERATED	197	10.9	128	1	1	8	15	25	41	99+
B. OPERATED	9	16.4	123	2	4	16	20	33	41	41
TOTAL 0-19 YRS	33	12.7	219	1	1	7	21	33	60	99+
20-34	80	9.2	134	<1	1	5	13	21	31	90
35-49	40	11.6	120	2	2	9	16	24	49	99+
50-64	27	13.0	81	1	5	10	17	23	34	41
65+	26	12.9	53	3	5	13	18	22	44	99+
GRAND TOTAL	**206**	**11.2**	**128**	**1**	**1**	**8**	**16**	**25**	**41**	**99+**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	32.4	574	4	5	34	55	86	99+	99+
20-34	381	22.2	360	2	3	17	32	49	65	91
35-49	185	18.7	273	2	3	16	26	45	72	99+
50-64	119	19.7	282	1	2	14	30	42	53	99
65+	28	22.2	206	5	6	22	37	42	45	48
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	39.6	421	3	13	44	56	86	99+	99+
20-34	129	24.6	391	3	5	20	37	58	78	99+
35-49	82	24.9	436	3	5	20	32	52	78	85
50-64	64	26.8	427	3	4	22	43	61	79	99+
65+	34	21.0	247	2	5	20	28	56	91	99+
B. *Operated*										
0-19 YRS										
20-34	12	32.3	382	2	4	30	51	69	94	99+
35-49	9	33.0	239	8	13	33	48	53	54	54
50-64	7	46.0	594	11	15	59	69	93	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	735	21.2	331	2	3	16	31	48	64	99+
B. *Operated*	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	318	25.1	399	3	5	21	37	58	79	99+
B. *Operated*	28	36.0	394	5	9	34	56	69	99+	99+
1. SINGLE DX	736	21.2	330	2	3	16	31	48	64	99+
2. MULTIPLE DX	346	26.0	406	3	5	21	41	60	79	99+
A. NOT OPERATED	1053	22.4	354	2	3	18	33	50	70	99+
B. OPERATED	29	35.6	383	5	10	33	55	68	99	99+
TOTAL 0-19 YRS	31	34.5	525	3	5	36	56	86	99+	99+
20-34	523	23.1	369	2	4	18	33	52	66	99+
35-49	276	21.0	331	2	3	17	28	49	73	99+
50-64	190	23.1	369	1	3	18	33	53	70	99+
65+	62	21.5	225	2	6	20	30	43	62	99+
GRAND TOTAL	**1082**	**22.8**	**359**	**2**	**3**	**18**	**33**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	21.4	472	4	4	11	35	57	63	63
20-34	29	18.2	352	1	2	15	26	70	99	99+
35-49	9	25.3	209	10	10	20	40	46	49	49
50-64	7	14.3	94	2	3	14	24	26	26	26
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	21.4	28	16	16	20	27	27	27	27
20-34	22	13.7	160	<1	1	10	21	31	40	47
35-49	6	18.5	251	2	2	16	27	41	43	43
50-64	2	18.0	2	17	17	18	19	19	19	19
65+	1	27.0		27	27	27	27	27	27	27
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34										
35-49	1	48.0		48	48	48	48	48	48	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	19.2	304	1	3	15	26	48	78	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	36	16.2	147	1	1	16	26	28	41	47
B. *Operated*	2	33.0	450	18	18	33	48	48	48	48
1. SINGLE DX	54	19.2	304	1	3	15	26	48	78	99+
2. MULTIPLE DX	38	17.1	166	1	2	17	27	34	45	48
A. NOT OPERATED	90	18.0	241	1	2	15	26	43	59	99+
B. OPERATED	2	33.0	450	18	18	33	48	48	48	48
TOTAL 0-19 YRS	14	21.1	264	4	4	17	27	46	59	63
20-34	51	16.3	270	1	1	12	24	43	80	99+
35-49	16	24.2	247	3	6	22	40	47	49	49
50-64	9	15.1	73	2	3	17	21	26	26	26
65+	2	17.0	200	7	7	17	27	27	27	27
GRAND TOTAL	**92**	**18.3**	**246**	**1**	**2**	**16**	**26**	**43**	**58**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	30.0	564	2	3	27	49	79	99+	99+
20-34	809	19.6	304	1	2	15	28	43	63	99+
35-49	410	17.7	249	1	3	13	26	40	53	99+
50-64	215	19.3	249	2	4	16	28	41	58	86
65+	43	17.0	211	4	4	14	23	49	80	99+
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	28.8	525	1	4	27	45	81	99+	99+
20-34	384	22.2	356	2	3	17	30	50	66	99+
35-49	200	22.7	334	2	3	19	35	52	65	99+
50-64	148	20.6	284	2	4	17	31	54	87	99+
65+	50	17.1	190	2	4	13	21	38	42	65
B. *Operated*										
0-19 YRS	4	56.5	2107	4	4	95	96	99+	99+	99+
20-34	31	36.3	630	6	10	33	58	92	99	99+
35-49	14	32.6	343	11	14	29	41	65	69	70
50-64	7	51.7	586	25	25	61	78	95	99+	99+
65+	2	47.5	545	31	31	64	91	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	19.9	313	1	3	15	29	46	65	99+
B. *Operated*	4	16.0	245	2	2	15	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	844	22.2	344	2	3	18	32	52	70	99+
B. *Operated*	58	39.0	650	7	11	33	66	95	99+	99+
1. SINGLE DX	1622	19.9	312	1	3	15	29	46	65	99+
2. MULTIPLE DX	902	23.3	380	2	4	19	34	56	77	99+
A. NOT OPERATED	2462	20.7	325	2	3	16	29	49	67	99+
B. OPERATED	62	37.5	652	4	10	32	65	94	99+	99+
TOTAL 0-19 YRS	207	30.2	584	2	4	27	50	83	99+	99+
20-34	1226	20.8	335	2	3	16	29	49	66	99+
35-49	625	19.6	286	2	3	15	29	44	57	99+
50-64	370	20.5	286	2	4	16	29	49	67	99+
65+	96	17.8	218	3	4	14	26	42	65	99+
GRAND TOTAL	**2524**	**21.1**	**339**	**2**	**3**	**16**	**30**	**50**	**69**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	25.0	215	3	3	32	33	33	33	33
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	25.0	215	3	3	32	33	33	33	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
1. SINGLE DX	4	25.0	215	3	3	32	33	33	33	33
2. MULTIPLE DX	3	4.3	17	1	1	3	7	9	9	9
A. NOT OPERATED	7	16.1	235	1	1	9	32	33	33	33
B. OPERATED										
TOTAL 0-19 YRS	7	16.1	235	1	1	9	32	33	33	33
GRAND TOTAL	**7**	**16.1**	**235**	**1**	**1**	**9**	**32**	**33**	**33**	**33**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	15.6	500	<1	1	5	18	56	68	89
20-34	303	13.5	200	1	2	9	18	31	41	68
35-49	400	15.1	174	2	3	13	21	31	39	81
50-64	447	18.4	157	3	4	17	25	35	43	69
65+	284	21.7	244	5	7	18	29	40	48	87
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	20.0	8	18	18	20	22	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.7	180	1	3	9	20	38	75	99+
20-34	263	15.4	240	1	2	10	22	35	51	84
35-49	361	16.9	248	3	4	11	22	38	51	76
50-64	473	20.8	229	4	6	18	27	44	53	83
65+	403	22.4	257	5	6	19	30	46	56	86
B. *Operated*										
0-19 YRS	4	25.0	143	12	12	24	34	40	40	40
20-34	21	30.5	706	3	5	35	58	94	99+	99+
35-49	27	28.6	286	9	9	24	37	49	58	84
50-64	43	36.2	458	9	13	33	51	81	92	99+
65+	34	37.6	645	13	14	38	74	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1471	17.1	204	2	3	14	23	35	45	75
B. *Operated*	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1521	19.3	249	3	4	15	26	42	54	85
B. *Operated*	129	33.7	504	7	10	31	50	85	99+	99+
1. SINGLE DX	1473	17.1	203	2	3	14	23	35	45	75
2. MULTIPLE DX	1650	20.4	284	3	4	16	28	45	58	98
A. NOT OPERATED	2992	18.2	228	2	4	15	24	37	49	80
B. OPERATED	131	33.5	499	7	10	30	49	85	99+	99+
TOTAL 0-19 YRS	62	15.5	368	1	1	8	20	54	65	99
20-34	587	14.9	244	1	2	9	21	35	50	90
35-49	788	16.4	217	2	3	13	22	35	46	81
50-64	965	20.3	218	3	5	18	27	41	52	85
65+	721	22.8	280	5	7	20	31	46	59	98
GRAND TOTAL	**3123**	**18.8**	**248**	**2**	**4**	**15**	**25**	**39**	**53**	**90**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	27.8	393	6	10	23	49	71	97	99+
20-34	328	19.8	258	3	4	15	28	42	57	82
35-49	310	18.7	217	2	4	16	26	37	52	81
50-64	209	19.9	202	3	6	17	25	40	48	78
65+	85	22.3	223	2	5	21	30	40	47	77
B. *Operated*										
0-19 YRS										
20-34	3	19.7	8	18	18	18	22	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	27.9	869	2	5	18	49	93	99	99+
20-34	213	23.9	382	3	5	19	32	53	74	99
35-49	199	20.7	214	3	4	18	29	42	51	99+
50-64	189	24.2	312	4	7	21	30	48	68	91
65+	111	23.0	230	4	7	21	31	48	55	99+
B. *Operated*										
0-19 YRS	2	44.5	5	43	43	44	46	46	46	46
20-34	20	33.3	361	10	17	25	49	70	89	99+
35-49	18	34.3	432	7	13	33	43	62	76	85
50-64	22	35.6	371	8	17	37	57	84	99+	99+
65+	3	36.3	1780	10	10	14	67	85	85	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	962	20.0	236	3	4	17	27	42	55	83
B. *Operated*	3	19.7	8	18	18	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	735	23.1	311	3	5	20	30	48	67	99+
B. *Operated*	65	34.8	404	8	13	33	49	75	87	99+
1. SINGLE DX	965	20.0	235	3	4	17	27	42	55	83
2. MULTIPLE DX	800	24.1	329	3	6	21	32	50	69	99+
A. NOT OPERATED	1697	21.3	271	3	5	18	28	45	58	98
B. OPERATED	68	34.2	396	8	14	30	47	70	85	99+
TOTAL 0-19 YRS	55	28.5	575	4	6	23	49	80	99	99+
20-34	564	21.8	315	3	4	18	30	48	63	96
35-49	527	20.0	230	2	4	17	27	42	54	88
50-64	420	22.7	273	4	7	19	28	46	63	94
65+	199	22.9	243	3	6	21	30	44	54	92
GRAND TOTAL	**1765**	**21.8**	**281**	**3**	**5**	**18**	**29**	**46**	**61**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	16.9	378	<1	1	8	27	47	66	99+
20-34	172	15.2	215	1	2	11	23	35	43	75
35-49	119	15.9	261	1	2	10	22	36	51	78
50-64	113	17.4	246	1	1	14	24	40	42	80
65+	95	18.5	311	1	2	14	27	41	59	96
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	16.5	294	<1	1	12	25	43	55	66
20-34	160	19.2	351	1	2	15	27	47	59	89
35-49	113	16.8	276	2	3	11	21	38	53	82
50-64	128	19.0	215	2	5	16	30	44	63	99+
65+	230	18.0	292	3	4	13	23	44	73	99+
B. *Operated*										
0-19 YRS	2	57.5	2965	19	19	57	96	96	96	96
20-34	7	25.9	314	6	7	24	47	87	99+	99+
35-49	6	37.7	643	7	9	28	64	72	73	73
50-64	9	14.1	40	6	6	13	17	24	25	25
65+	20	28.0	426	6	7	30	45	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	16.5	261	1	2	12	24	38	48	84
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	655	18.2	288	2	3	13	25	44	62	99+
B. *Operated*	44	27.5	477	6	7	24	41	93	99+	99+
1. SINGLE DX	542	16.5	261	1	2	12	24	38	48	84
2. MULTIPLE DX	699	18.8	304	2	3	14	27	45	64	99+
A. NOT OPERATED	1197	17.5	276	1	2	13	25	41	55	99+
B. OPERATED	44	27.5	477	6	7	24	41	93	99+	99+
TOTAL 0-19 YRS	69	17.9	424	<1	1	10	28	48	66	99
20-34	339	17.3	285	1	2	13	25	42	56	91
35-49	238	16.9	285	1	3	11	23	37	54	77
50-64	250	18.1	223	1	3	15	26	42	49	99+
65+	345	18.7	308	2	4	14	26	45	81	99+
GRAND TOTAL	**1241**	**17.8**	**286**	**1**	**2**	**13**	**25**	**42**	**61**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	6.8	120	<1	1	3	5	19	33	52
20-34	331	6.2	50	1	1	4	8	15	21	36
35-49	275	5.7	68	<1	1	3	7	12	17	50
50-64	229	6.4	45	1	1	4	8	14	20	36
65+	130	6.7	43	1	2	4	8	14	21	36
B. *Operated*										
0-19 YRS										
20-34	6	4.7	7	1	1	5	6	8	8	8
35-49	6	5.2	7	2	2	5	8	8	8	8
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.7	83	<1	1	3	7	18	30	45
20-34	406	7.5	86	1	1	5	9	16	25	45
35-49	413	7.1	66	1	1	4	8	16	25	41
50-64	430	7.8	54	1	1	6	10	16	23	37
65+	399	9.2	101	2	2	7	11	18	25	60
B. *Operated*										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	77	4.0	39	<1	1	1	5	10	14	32
35-49	36	9.5	140	1	1	5	12	27	37	49
50-64	28	13.5	104	2	4	12	15	26	30	53
65+	8	18.1	205	2	3	14	28	40	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	6.2	61	1	1	4	8	14	21	38
B. *Operated*	15	5.3	11	1	2	5	7	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	1759	7.8	77	1	1	5	10	16	25	46
B. *Operated*	154	7.8	99	1	1	4	10	20	30	49
1. SINGLE DX	1102	6.2	60	1	1	4	8	14	21	38
2. MULTIPLE DX	1913	7.8	79	1	1	5	10	16	25	46
A. NOT OPERATED	2846	7.2	71	1	1	4	9	16	23	42
B. OPERATED	169	7.6	91	1	1	4	10	17	28	48
TOTAL 0-19 YRS	238	6.8	100	<1	1	3	6	19	33	43
20-34	820	6.6	68	1	1	4	8	14	23	39
35-49	730	6.6	71	1	1	4	8	15	23	48
50-64	689	7.5	55	1	1	5	10	16	22	38
65+	538	8.7	90	2	2	6	10	17	24	57
GRAND TOTAL	**3015**	**7.2**	**73**	**1**	**1**	**4**	**9**	**16**	**23**	**42**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	12.6	210	1	2	7	15	33	34	70
20-34	563	11.1	143	1	2	7	14	26	34	63
35-49	454	11.1	118	2	2	8	14	25	36	52
50-64	305	13.6	127	2	3	10	18	31	38	63
65+	159	13.2	126	2	3	10	16	29	40	59
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	7	4	4	5	8	9	9	9
35-49	3	39.7	1045	5	5	45	63	69	69	69
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	13.7	168	1	2	9	19	33	37	54
20-34	795	14.3	185	2	2	10	20	32	43	66
35-49	665	13.2	150	2	2	9	17	30	39	59
50-64	491	15.0	157	2	3	11	21	31	41	70
65+	375	17.3	239	3	4	13	22	38	55	83
B. *Operated*										
0-19 YRS	10	31.0	1062	1	1	25	35	88	90	90
20-34	56	25.6	288	1	3	25	36	51	57	63
35-49	45	29.6	432	7	10	25	41	68	83	99+
50-64	31	28.1	391	5	8	27	33	52	78	90
65+	13	25.8	212	8	9	25	37	62	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	11.9	136	1	2	8	15	28	36	62
B. *Operated*	10	18.8	486	2	3	9	27	57	69	69
2. MULTIPLE DX										
A. *Not Operated*	2454	14.6	179	2	3	10	20	32	42	66
B. *Operated*	155	27.6	385	3	6	26	36	57	76	99
1. SINGLE DX	1593	11.9	138	1	2	8	15	28	37	63
2. MULTIPLE DX	2609	15.3	200	2	3	11	21	34	45	75
A. NOT OPERATED	4037	13.5	164	2	2	9	18	31	40	65
B. OPERATED	165	27.1	392	3	5	24	36	57	72	98
TOTAL 0-19 YRS	241	13.9	231	1	2	8	19	33	38	83
20-34	1417	13.5	180	1	2	9	18	31	43	64
35-49	1167	13.1	163	2	2	9	17	30	40	66
50-64	828	15.0	161	2	3	11	21	31	40	74
65+	549	16.3	210	3	4	12	21	36	52	84
GRAND TOTAL	**4202**	**14.1**	**179**	**2**	**2**	**10**	**19**	**32**	**42**	**68**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	8.3	185	<1	1	3	8	24	37	81
20-34	395	9.9	151	1	1	6	13	26	32	57
35-49	201	9.5	160	1	1	5	10	25	34	88
50-64	93	9.8	105	1	2	7	12	22	28	56
65+	46	8.5	67	1	2	5	11	19	27	41
B. *Operated*										
0-19 YRS	3	12.0	111	2	2	11	20	23	23	23
20-34	18	12.8	127	<1	1	12	18	30	37	40
35-49	6	14.3	152	3	3	11	18	35	37	37
50-64	3	9.0	84	1	1	7	16	19	19	19
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	12.7	227	<1	1	7	17	35	50	99+
20-34	639	11.9	162	1	1	8	17	29	39	91
35-49	353	13.4	202	1	1	9	18	35	43	65
50-64	207	12.4	172	1	1	8	17	30	45	92
65+	109	14.1	226	2	2	9	20	37	53	84
B. *Operated*										
0-19 YRS	16	17.8	320	<1	1	17	27	61	87	99+
20-34	50	15.0	245	<1	1	12	24	54	99+	99+
35-49	16	23.0	561	1	2	16	51	94	99+	99+
50-64	15	22.5	316	2	4	19	27	52	59	61
65+	8	31.0	650	2	6	25	58	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	9.4	153	1	1	5	11	25	33	67
B. *Operated*	31	12.5	113	<1	1	11	18	29	37	40
2. MULTIPLE DX										
A. *Not Operated*	1552	12.6	187	1	1	8	17	32	42	87
B. *Operated*	105	19.0	352	1	2	15	30	67	99+	99+
1. SINGLE DX	1007	9.5	152	1	1	5	12	25	33	66
2. MULTIPLE DX	1657	13.0	199	1	1	8	18	34	47	99+
A. NOT OPERATED	2528	11.3	176	1	1	7	15	29	40	80
B. OPERATED	136	17.5	303	1	2	13	27	51	99+	99+
TOTAL 0-19 YRS	504	10.8	214	<1	1	5	14	31	49	99+
20-34	1102	11.3	162	1	1	7	16	28	38	91
35-49	576	12.3	202	1	1	7	16	33	44	79
50-64	318	12.1	163	1	1	7	17	29	42	71
65+	164	13.3	219	2	2	8	18	35	51	97
GRAND TOTAL	**2664**	**11.6**	**184**	**1**	**1**	**7**	**16**	**29**	**41**	**91**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.5	26	<1	<1	1	2	4	5	27
20-34	316	5.3	41	<1	1	3	6	12	24	26
35-49	580	6.3	56	1	1	4	7	15	22	35
50-64	437	6.6	47	1	1	5	8	14	20	29
65+	112	6.3	71	1	1	4	8	12	23	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	13.0	331	2	2	3	26	34	34	34
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	47	<1	<1	1	3	7	21	39
20-34	589	6.5	59	1	1	4	7	16	25	37
35-49	1106	7.9	69	1	1	5	10	18	25	40
50-64	997	9.6	137	1	2	6	11	21	30	71
65+	371	12.2	149	1	2	8	16	27	37	95
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	28	14.4	185	2	2	10	20	31	46	59
35-49	57	13.0	73	1	2	13	20	24	28	95
50-64	62	19.3	251	1	3	15	35	48	71	99+
65+	24	24.7	522	2	2	15	41	76	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1516	6.0	51	1	1	4	7	14	22	29
B. *Operated*	6	10.0	180	<1	<1	3	18	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	3119	8.6	101	1	1	5	10	21	27	58
B. *Operated*	173	17.0	231	1	2	14	22	43	60	99+
1. SINGLE DX	1522	6.0	51	1	1	4	7	14	23	29
2. MULTIPLE DX	3292	9.1	111	1	1	6	11	22	29	64
A. NOT OPERATED	4635	7.8	86	1	1	5	9	19	25	49
B. OPERATED	179	16.7	230	1	2	14	22	42	59	99+
TOTAL 0-19 YRS	130	3.1	35	<1	<1	1	2	6	17	30
20-34	934	6.4	59	<1	1	4	7	17	24	35
35-49	1746	7.5	66	1	1	5	9	18	25	40
50-64	1496	9.2	122	1	2	6	11	20	29	67
65+	508	11.5	163	1	2	8	15	26	39	94
GRAND TOTAL	**4814**	**8.1**	**94**	**1**	**1**	**5**	**10**	**20**	**26**	**57**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.4	10	<1	<1	2	5	9	10	10
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	17.0		17	17	17	17	17	17	17
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	8.9	55	<1	1	5	14	19	24	24
35-49	8	11.3	83	1	1	12	18	24	25	25
50-64	2	22.0	98	15	15	22	29	29	29	29
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	1	35.0		35	35	35	35	35	35	35
50-64	1	33.0		33	33	33	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.3	22	<1	<1	2	6	11	16	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	10.6	73	1	1	11	15	24	26	29
B. *Operated*	3	32.7	6	30	30	33	34	35	35	35
1. SINGLE DX	14	4.3	22	<1	<1	2	6	11	16	17
2. MULTIPLE DX	26	13.2	116	1	2	13	21	30	33	35
A. NOT OPERATED	37	8.2	62	<1	1	5	14	20	25	29
B. OPERATED	3	32.7	6	30	30	33	34	35	35	35
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	7.2	62	<1	1	3	12	17	26	30
35-49	11	11.9	128	<1	1	11	19	29	34	35
50-64	4	23.5	78	15	15	23	31	33	33	33
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**40**	**10.1**	**100**	**<1**	**1**	**6**	**15**	**27**	**31**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	38	1	1	2	3	16	17	17
20-34	19	6.7	35	1	1	5	12	16	19	19
35-49	11	21.8	777	1	2	10	24	70	90	92
50-64	5	15.8	106	4	4	14	23	31	31	31
65+	1	36.0		36	36	36	36	36	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	11.3	271	1	1	5	15	24	54	64
20-34	48	11.9	98	1	1	10	16	24	27	53
35-49	26	17.2	469	2	3	9	19	36	77	91
50-64	16	12.4	33	4	6	11	15	21	25	26
65+	12	20.2	261	3	5	16	26	47	56	57
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	15.7	158	4	4	14	25	29	29	29
50-64	1	67.0		67	67	67	67	67	67	67
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	12.1	282	1	1	7	14	27	44	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	13.9	212	1	2	10	17	27	41	80
B. *Operated*	5	27.4	579	4	4	23	38	67	67	67
1. SINGLE DX	42	12.1	282	1	1	7	14	27	44	92
2. MULTIPLE DX	122	14.5	229	1	2	10	18	30	47	79
A. NOT OPERATED	159	13.5	229	1	1	9	17	27	40	89
B. OPERATED	5	27.4	579	4	4	23	38	67	67	67
TOTAL 0-19 YRS	21	9.4	210	1	1	4	9	23	42	64
20-34	68	10.6	86	1	1	9	15	22	26	49
35-49	40	18.4	512	1	3	10	22	45	82	92
50-64	22	15.6	178	4	5	11	16	27	45	67
65+	13	21.4	258	3	5	18	32	46	55	57
GRAND TOTAL	**164**	**13.9**	**242**	**1**	**1**	**10**	**17**	**29**	**46**	**89**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.2	1	<1	<1	1	1	2	2	3
20-34	53	1.2		<1	<1	1	1	2	2	3
35-49	19	2.3	3	<1	<1	1	3	5	6	6
50-64	21	4.3	60	1	1	2	4	6	20	37
65+	10	2.3	5	<1	<1	1	3	6	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	1.4	1	<1	<1	1	1	3	4	7
20-34	87	3.4	53	<1	<1	1	3	5	9	47
35-49	65	3.3	14	<1	1	2	4	6	10	21
50-64	63	5.9	71	<1	1	3	7	13	24	44
65+	38	4.9	22	<1	1	3	6	13	14	21
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	8	4.0	8	1	1	3	6	8	9	9
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	4	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	1.6	7	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	332	3.5	35	<1	<1	1	4	7	12	39
B. *Operated*	21	2.6	5	<1	<1	2	3	6	8	9
1. SINGLE DX	248	1.6	7	<1	<1	1	1	2	4	8
2. MULTIPLE DX	353	3.5	33	<1	<1	2	4	7	10	38
A. NOT OPERATED	580	2.7	24	<1	<1	1	2	5	9	27
B. OPERATED	21	2.6	5	<1	<1	2	3	6	8	9
TOTAL 0-19 YRS	226	1.3	1	<1	<1	1	1	2	2	6
20-34	148	2.6	33	<1	<1	1	2	4	7	43
35-49	87	3.0	11	<1	1	2	3	6	7	21
50-64	88	5.3	65	<1	1	3	6	10	22	42
65+	52	4.1	19	<1	<1	3	5	11	13	21
GRAND TOTAL	**601**	**2.7**	**23**	**<1**	**<1**	**1**	**2**	**5**	**9**	**26**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.6	115	<1	<1	1	4	21	35	41
20-34	20	1.5	1	<1	<1	1	2	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	10.3	56	4	4	9	16	19	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.8	165	<1	<1	2	4	19	44	51
20-34	29	7.6	58	<1	1	5	11	17	19	35
35-49	16	8.3	74	<1	1	4	13	25	26	26
50-64	10	8.9	38	2	3	7	11	18	24	24
65+	19	8.5	53	1	2	6	9	22	25	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.2	58	<1	<1	1	3	13	21	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	7.8	80	<1	1	5	11	18	26	46
B. *Operated*	2	19.0	162	10	10	19	28	28	28	28
1. SINGLE DX	45	4.2	58	<1	<1	1	3	13	21	41
2. MULTIPLE DX	99	8.0	83	<1	1	5	11	19	26	46
A. NOT OPERATED	142	6.7	75	<1	1	3	8	17	26	42
B. OPERATED	2	19.0	162	10	10	19	28	28	28	28
TOTAL 0-19 YRS	41	6.3	140	<1	<1	2	4	19	40	51
20-34	49	5.1	43	<1	<1	2	6	15	18	35
35-49	17	8.5	70	<1	1	4	13	24	26	26
50-64	13	9.5	64	2	2	6	11	25	27	28
65+	24	8.8	49	1	3	6	12	20	25	26
GRAND TOTAL	**144**	**6.9**	**78**	**<1**	**1**	**3**	**8**	**18**	**26**	**42**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	15	1	1	3	5	11	13	17
20-34	48	5.5	38	1	1	3	7	10	17	36
35-49	56	6.8	61	1	1	4	8	15	22	46
50-64	35	7.1	121	1	1	3	8	11	24	63
65+	16	6.3	21	1	2	6	8	9	17	20
B. *Operated*										
0-19 YRS	6	6.2	18	1	1	5	6	13	14	14
20-34	7	4.7	3	2	2	5	6	7	7	7
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	3	11.0	16	7	7	11	14	15	15	15
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	10	<1	1	4	6	9	10	15
20-34	77	5.5	42	<1	1	4	6	13	22	31
35-49	82	5.5	18	1	1	5	8	12	15	20
50-64	100	7.0	42	1	2	5	9	14	21	33
65+	54	10.1	140	1	1	7	13	20	24	75
B. *Operated*										
0-19 YRS										
20-34	6	7.3	15	3	3	7	10	13	13	13
35-49	16	12.7	193	1	2	10	15	21	49	60
50-64	7	13.9	148	3	3	11	22	34	36	36
65+	9	24.1	738	4	4	16	32	68	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.9	50	1	1	4	7	12	16	40
B. *Operated*	20	6.5	23	<1	1	5	7	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	369	6.4	49	1	1	4	8	14	20	33
B. *Operated*	38	14.8	296	2	3	10	16	34	50	90
1. SINGLE DX	237	5.9	47	1	1	4	7	12	16	37
2. MULTIPLE DX	407	7.2	77	1	1	5	9	15	22	36
A. NOT OPERATED	586	6.2	49	1	1	4	8	13	19	34
B. OPERATED	58	11.9	216	1	2	7	14	24	36	88
TOTAL 0-19 YRS	124	4.6	13	1	1	3	6	9	13	16
20-34	138	5.5	37	1	1	4	7	11	21	33
35-49	157	6.8	55	1	1	5	9	15	18	45
50-64	145	7.4	66	1	2	5	9	14	25	37
65+	80	10.9	198	1	2	7	13	21	33	86
GRAND TOTAL	**644**	**6.7**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	14.9	244	1	1	9	24	39	52	99+
20-34	211	6.6	79	1	1	4	8	14	21	34
35-49	130	7.2	68	1	1	4	8	19	28	40
50-64	63	9.4	137	1	1	6	10	24	33	67
65+	28	9.0	51	1	2	7	12	19	25	31
B. *Operated*										
0-19 YRS	2	16.0	8	14	14	16	18	18	18	18
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	15.0	254	1	2	9	24	44	55	99+
20-34	240	8.9	119	1	1	5	11	23	31	47
35-49	191	9.5	119	1	1	6	12	22	32	54
50-64	108	9.1	77	1	1	6	12	21	24	48
65+	83	9.7	83	2	2	7	13	20	32	48
B. *Operated*										
0-19 YRS	3	38.3	549	21	21	29	56	65	65	65
20-34	5	22.2	534	6	6	15	27	63	63	63
35-49	2	17.0	512	1	1	17	33	33	33	33
50-64	4	38.3	1414	5	5	29	65	90	90	90
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	9.6	143	1	1	5	12	27	34	82
B. *Operated*	5	15.4	24	8	8	16	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	824	10.6	149	1	1	6	14	28	38	70
B. *Operated*	14	29.5	701	2	5	19	41	67	85	90
1. SINGLE DX	623	9.7	143	1	1	5	12	26	34	81
2. MULTIPLE DX	838	10.9	163	1	1	6	14	29	41	71
A. NOT OPERATED	1442	10.2	147	1	1	6	13	27	35	70
B. OPERATED	19	25.8	552	3	5	17	32	64	79	90
TOTAL 0-19 YRS	393	15.1	253	1	2	9	24	42	54	99+
20-34	457	8.0	108	1	1	5	10	18	28	45
35-49	324	8.6	101	1	1	5	10	22	30	48
50-64	176	9.9	139	1	1	6	12	23	28	65
65+	111	9.5	75	1	2	7	13	19	31	43
GRAND TOTAL	**1461**	**10.4**	**155**	**1**	**1**	**6**	**13**	**28**	**37**	**76**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	12.7	187	1	2	7	17	33	41	65
20-34	513	10.1	177	1	1	5	12	25	40	71
35-49	330	11.3	140	1	2	7	14	26	33	60
50-64	261	12.3	123	2	3	9	17	27	35	55
65+	152	13.7	131	1	3	11	21	32	37	99+
B. *Operated*										
0-19 YRS	11	5.2	42	1	1	3	6	15	22	23
20-34	17	8.0	41	1	2	6	11	19	22	23
35-49	9	20.3	557	1	1	7	43	57	59	59
50-64	9	18.9	213	2	3	17	32	40	40	40
65+	3	11.7	16	8	8	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	16.1	295	1	2	9	25	39	59	96
20-34	600	10.6	171	1	1	6	13	25	35	75
35-49	502	10.1	124	1	2	6	12	22	33	59
50-64	483	12.4	147	2	3	8	16	27	40	83
65+	424	13.8	160	3	4	10	18	29	40	76
B. *Operated*										
0-19 YRS	28	16.8	245	2	2	14	26	60	99+	99+
20-34	53	18.7	317	1	2	15	24	44	56	99+
35-49	31	16.7	176	3	4	14	23	38	55	99+
50-64	37	25.3	472	2	5	18	36	63	68	[illegible]
65+	24	19.8	336	5	5	18	26	89	99+	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1688	11.6	161	1	2	7	15	29	38	[illegible]
B. *Operated*	49	11.9	190	1	1	7	15	35	41	59
2. MULTIPLE DX										
A. *Not Operated*	2428	12.4	180	1	2	8	16	30	41	75
B. *Operated*	173	19.6	319	2	3	16	26	55	77	99+
1. SINGLE DX	1737	11.6	162	1	2	7	15	29	39	68
2. MULTIPLE DX	2601	12.9	193	1	2	8	17	32	43	81
A. NOT OPERATED	4116	12.1	172	1	2	7	15	29	39	73
B. OPERATED	222	17.9	300	1	2	14	23	45	63	99+
TOTAL 0-19 YRS	890	14.3	242	1	2	8	21	35	47	89
20-34	1183	10.7	181	1	1	6	13	26	41	76
35-49	872	10.9	138	1	2	7	14	24	36	60
50-64	790	13.0	162	2	3	9	17	28	40	79
65+	603	14.0	159	2	3	10	18	30	41	99+
GRAND T[illegible]	**4338**	**12.4**	**181**	**1**	**2**	**8**	**16**	**31**	**42**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	15.9	336	<1	1	12	42	99+	99+	99+
20-34	7	7.0	28	1	2	7	13	75	99+	99+
35-49	2	13.0	8	11	11	13	15	15	15	15
50-64	1	28.0		28	28	28	28	28	28	28
65+										
B. *Operated*										
0-19 YRS	3	7.0	1	6	6	7	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	15.8	326	2	2	10	21	39	90	99+
20-34	52	17.8	352	2	2	11	26	50	64	99
35-49	8	23.9	380	1	1	24	46	84	99+	99+
50-64	11	28.2	605	3	4	25	60	76	97	99+
65+	3	14.3	182	1	1	14	24	28	28	28
B. *Operated*										
0-19 YRS	8	9.3	53	3	3	8	25	99+	99+	99+
20-34	3	6.7	12	3	3	7	9	10	10	10
35-49										
50-64	2	16.5	85	10	10	16	23	23	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	13.7	228	1	2	11	30	99+	99+	99+
B. *Operated*	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	131	18.1	362	2	2	12	26	59	81	99+
B. *Operated*	13	9.8	50	3	3	9	21	99+	99+	99+
1. SINGLE DX	28	13.0	207	1	2	10	23	99+	99+	99+
2. MULTIPLE DX	144	17.4	339	2	2	11	25	59	95	99+
A. NOT OPERATED	156	17.4	341	1	2	11	27	62	99+	99+
B. OPERATED	16	9.3	41	3	3	8	14	77	99+	99+
TOTAL 0-19 YRS	83	14.9	291	2	2	10	22	73	99+	99+
20-34	62	16.1	314	1	2	10	23	49	68	99+
35-49	10	21.7	317	1	2	21	37	76	98	99+
50-64	14	26.5	490	3	5	23	53	66	91	99+
65+	3	14.3	182	1	1	14	24	28	28	28
GRAND TOTAL	**172**	**16.6**	**319**	**2**	**2**	**11**	**25**	**62**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	10.8	37	2	3	11	13	17	21	26
20-34	39	9.7	27	3	4	9	13	16	20	26
35-49	15	9.0	22	2	3	9	12	15	16	17
50-64	9	18.3	173	3	3	16	33	36	37	37
65+	4	18.5	96	12	12	14	24	33	33	33
B. *Operated*										
0-19 YRS	17	13.6	16	9	9	12	16	20	21	22
20-34	11	15.8	222	3	4	9	26	41	45	45
35-49	7	19.1	158	6	6	23	27	37	39	39
50-64	7	9.1	67	1	1	9	13	22	24	24
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	15.0	82	3	5	13	19	27	35	64
20-34	15	8.1	41	<1	1	9	13	85	99+	99+
35-49	14	15.2	314	3	3	10	26	97	99+	99+
50-64	22	17.2	313	2	2	14	24	43	91	99+
65+	19	20.8	515	1	2	14	26	47	74	94
B. *Operated*										
0-19 YRS	36	24.2	317	5	8	17	28	54	64	78
20-34	13	27.3	633	1	1	24	43	55	83	90
35-49	22	23.0	285	3	6	22	36	74	99+	99+
50-64	11	14.9	165	1	1	11	29	57	94	99+
65+	9	34.6	821	7	9	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	10.9	42	2	3	11	14	17	22	34
B. *Operated*	43	14.4	101	2	4	12	19	28	39	45
2. MULTIPLE DX										
A. *Not Operated*	193	15.3	166	2	3	13	20	31	50	99+
B. *Operated*	91	24.3	388	2	5	21	38	76	99+	99+
1. SINGLE DX	293	11.4	52	2	3	11	14	19	25	39
2. MULTIPLE DX	284	18.1	254	2	3	14	25	46	92	99+
A. NOT OPERATED	443	12.8	101	2	3	12	15	25	33	99+
B. OPERATED	134	21.1	316	2	5	17	30	56	96	99+
TOTAL 0-19 YRS	359	13.7	94	2	4	12	16	24	29	59
20-34	78	13.2	194	1	3	9	15	39	45	99+
35-49	58	17.1	231	3	3	13	27	56	99+	99+
50-64	49	15.7	217	1	2	13	25	35	84	99+
65+	33	24.2	546	2	5	18	42	98	99+	99+
GRAND TOTAL	**577**	**14.7**	**163**	**2**	**3**	**12**	**18**	**31**	**46**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	4	16.8	[illegible]	9	9	12	23	34	34	34
50-64	30	11.8	51	3	4	12	15	26	94	99+
65+	81	16.0	323	2	3	10	20	45	81	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	10.3	42	4	4	9	15	19	19	19
65+	1	8.0		8	8	54	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	7.3	19	1	1	7	10	14	14	14
50-64	45	13.7	135	3	4	10	20	37	59	99+
65+	280	19.3	277	3	5	16	30	85	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	13.0	49	6	6	13	18	20	20	20
50-64	6	22.0	451	4	4	17	24	58	62	62
65+	30	30.7	443	6	8	36	68	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	15.0	250	2	3	11	18	41	82	99+
B. *Operated*	6	9.3	27	4	5	8	17	84	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	333	18.3	258	3	4	15	28	72	99+	99+
B. *Operated*	40	27.6	425	6	6	26	53	99+	99+	99+
1. SINGLE DX	123	14.8	241	2	3	11	18	42	90	99+
2. MULTIPLE DX	373	19.3	283	3	5	15	31	84	99+	99+
A. NOT OPERATED	450	17.4	257	3	4	14	25	64	99+	99+
B. OPERATED	46	25.2	410	5	6	23	52	99+	99+	99+
TOTAL 0-19 YRS										
20-34	5	12.8	286	1	1	7	19	42	42	42
35-49	14	11.2	64	2	5	9	13	21	31	34
50-64	85	13.4	123	3	4	11	18	36	64	99+
65+	392	19.5	309	3	4	15	32	86	99+	99+
GRAND TOTAL	**496**	**18.1**	**276**	**3**	**4**	**14**	**28**	**71**	**99+**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	15.5	148	3	4	10	22	35	40	40
20-34	115	10.8	133	2	3	9	12	17	25	73
35-49	118	13.4	176	3	4	9	16	25	41	78
50-64	61	14.3	167	2	3	11	22	30	54	99+
65+	7	29.7	980	6	7	23	28	84	98	98
B. *Operated*										
0-19 YRS	5	17.0	752	3	3	5	21	66	66	66
20-34	17	8.2	25	2	3	8	10	20	69	99+
35-49	19	13.2	139	1	3	11	20	41	74	99+
50-64	19	13.7	428	2	3	9	13	21	63	96
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	14.0	167	2	3	12	14	32	49	49
20-34	85	13.9	212	4	5	9	15	27	50	96
35-49	134	14.2	257	3	4	9	17	35	72	99+
50-64	109	16.7	273	2	4	12	24	50	99+	99+
65+	21	16.8	362	2	3	13	24	50	94	99+
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	27	14.8	139	2	3	13	30	99+	99+	99+
35-49	29	20.4	230	4	7	17	30	39	78	99+
50-64	33	22.3	447	2	4	18	51	99+	99+	99+
65+	5	27.8	1059	12	12	14	86	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	13.0	180	2	3	9	16	25	36	96
B. *Operated*	60	12.2	239	2	3	8	13	26	78	99+
2. MULTIPLE DX										
A. *Not Operated*	359	15.0	254	3	4	10	19	37	77	99+
B. *Operated*	96	19.7	316	2	4	16	31	98	99+	99+
1. SINGLE DX	369	12.9	189	2	3	9	15	25	40	99
2. MULTIPLE DX	455	16.0	270	2	4	11	22	49	98	99+
A. NOT OPERATED	668	14.1	220	2	4	10	17	31	59	99+
B. OPERATED	156	16.8	298	2	3	13	25	73	99+	99+
TOTAL 0-19 YRS	25	14.8	234	3	3	10	14	40	53	66
20-34	244	12.2	156	2	3	9	14	27	46	99+
35-49	300	14.4	217	3	4	10	17	34	59	99+
50-64	222	16.6	286	2	3	12	24	54	99+	99+
65+	33	21.2	577	2	3	14	26	90	99	99+
GRAND TOTAL	**824**	**14.6**	**236**	**2**	**4**	**10**	**18**	**35**	**75**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	641	4.4	19	1		3	6	9	13	26
20-34	365	4.1	25	<1	1	3	5	9	13	23
35-49	189	4.5	18	1	1	3	6	9	14	23
50-64	112	5.6	55	1	1	3	6	13	18	41
65+	81	5.8	27	1	1	4	7	14	17	25
B. *Operated*										
0-19 YRS	8	17.8	186	3	4	14	26	39	42	42
20-34	7	8.0	48	1	1	5	14	17	18	18
35-49	8	13.6	103	1	2	12	20	29	31	31
50-64	10	8.7	69	2	2	6	11	21	30	30
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	7.2	69	1	1	5	9	15	24	46
20-34	340	7.0	87	1	1	4	8	16	25	97
35-49	237	7.2	49	1	1	5	10	17	22	31
50-64	241	8.4	102	1	2	6	10	19	26	61
65+	225	10.5	132	1	2	7	12	22	32	69
B. *Operated*										
0-19 YRS	33	12.8	126	2	2	10	16	36	44	99+
20-34	30	13.7	294	<1	1	7	18	38	64	67
35-49	29	12.0	125	1	2	9	14	25	40	47
50-64	24	17.1	366	2	2	10	19	57	83	99+
65+	25	21.5	392	1	4	14	31	58	67	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1388	4.5	24	1	1	3	6	10	14	23
B. *Operated*	34	11.8	105	1	2	10	15	30	33	42
2. MULTIPLE DX										
A. *Not Operated*	1537	7.8	86	1	1	5	10	17	25	58
B. *Operated*	141	15.1	254	1	2	10	18	39	60	99+
1. SINGLE DX	1422	4.7	27	1	1	3	6	10	15	27
2. MULTIPLE DX	1678	8.4	104	1	1	5	10	19	29	65
A. NOT OPERATED	2925	6.3	59	1	1	4	8	14	21	43
B. OPERATED	175	14.5	226	1	2	10	18	37	54	94
TOTAL 0-19 YRS	1176	5.9	48	1	1	4	7	13	20	43
20-34	742	5.9	69	1	1	3	7	13	20	64
35-49	463	6.5	46	1	1	4	8	15	21	31
50-64	387	8.1	109	1	1	5	10	18	27	72
65+	332	10.1	139	1	2	6	12	22	32	67
GRAND TOTAL	**3100**	**6.7**	**72**	**1**	**1**	**4**	**8**	**15**	**22**	**56**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	9.2	177	1	2	5	11	32	99+	99+
20-34	98	10.3	276	1	2	6	11	18	53	99
35-49	66	9.9	155	1	1	7	13	21	33	98
50-64	100	11.0	127	1	2	7	15	23	32	85
65+	106	13.7	215	3	3	9	18	36	61	99+
B. *Operated*										
0-19 YRS	102	8.1	59	1	2	6	10	18	26	71
20-34	91	10.5	103	1	2	7	13	24	36	46
35-49	75	9.5	105	1	2	6	13	21	25	60
50-64	74	10.7	67	1	3	9	16	21	26	86
65+	44	10.6	101	1	2	7	16	27	40	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	9.8	119	2	2	7	12	30	79	99+
20-34	131	11.5	185	1	2	8	18	76	99+	99+
35-49	125	12.9	264	2	2	8	15	47	98	99+
50-64	240	16.4	304	3	4	11	21	42	77	99+
65+	370	19.9	355	3	5	15	32	80	99+	99+
B. *Operated*										
0-19 YRS	164	12.7	242	2	3	8	15	31	51	92
20-34	166	11.7	180	1	2	7	15	28	54	99+
35-49	162	13.7	233	2	2	8	18	36	57	99+
50-64	166	15.9	232	2	3	12	22	40	67	99+
65+	178	21.1	425	2	3	15	35	61	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	10.9	193	1	2	7	13	27	53	99+
B. *Operated*	386	9.7	85	1	2	7	13	22	29	60
2. MULTIPLE DX										
A. *Not Operated*	1077	15.3	281	2	3	10	22	56	99+	99+
B. *Operated*	836	15.1	275	2	2	10	20	41	62	99+
1. SINGLE DX	865	10.4	145	1	2	7	13	24	38	99+
2. MULTIPLE DX	1913	15.2	278	2	3	10	21	48	94	99+
A. NOT OPERATED	1556	13.9	258	2	2	9	19	46	99+	99+
B. OPERATED	1222	13.4	221	2	2	9	18	36	56	99+
TOTAL 0-19 YRS	586	10.2	156	2	2	7	12	27	55	99+
20-34	486	11.2	186	1	2	7	15	31	62	99+
35-49	428	12.1	209	1	2	8	14	32	60	99+
50-64	580	14.6	228	2	3	10	19	35	62	99+
65+	698	18.7	344	2	4	13	29	61	99+	99+
GRAND TOTAL	**2776**	**13.7**	**242**	**2**	**2**	**9**	**18**	**39**	**76**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	11	1	1	3	5	7	8	15
20-34	302	3.1	7	1	1	2	4	7	8	11
35-49	202	3.2	10	1	1	2	4	6	8	16
50-64	79	4.0	14	1	1	3	4	9	12	18
65+	22	3.8	13	<1	1	3	4	8	11	16
B. *Operated*										
0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	31	5.2	9	1	1	5	8	9	10	11
35-49	27	5.5	14	1	2	5	7	9	13	18
50-64	6	7.2	27	1	1	5	13	14	14	14
65+	3	15.3	110	5	5	15	23	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.1	7	1	1	3	6	8	10	11
20-34	181	4.0	12	1	1	3	5	8	11	19
35-49	160	4.7	22	1	1	3	6	10	13	23
50-64	79	5.8	19	1	1	4	7	12	16	19
65+	30	7.3	23	2	3	6	11	14	17	18
B. *Operated*										
0-19 YRS	4	7.5	22	1	1	8	10	12	12	12
20-34	20	8.5	40	1	2	7	13	16	21	25
35-49	25	7.9	42	2	3	5	10	20	21	23
50-64	15	7.2	18	2	2	7	12	14	74	99+
65+	7	5.4	12	1	1	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	3.3	9	1	1	2	4	7	8	16
B. *Operated*	71	5.8	19	1	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	511	4.7	17	1	1	3	6	10	13	19
B. *Operated*	71	7.6	32	2	2	6	11	16	20	83
1. SINGLE DX	818	3.5	11	1	1	3	4	7	9	17
2. MULTIPLE DX	582	5.1	20	1	1	4	7	11	15	21
A. NOT OPERATED	1258	3.9	13	1	1	3	5	8	11	18
B. OPERATED	142	6.7	26	1	2	5	9	14	18	31
TOTAL 0-19 YRS	211	3.8	10	1	1	3	5	7	9	12
20-34	534	3.8	11	1	1	3	5	8	10	18
35-49	414	4.2	18	1	1	3	5	8	12	21
50-64	179	5.1	18	1	1	4	7	12	15	19
65+	62	6.2	27	1	1	4	8	14	16	25
GRAND TOTAL	**1400**	**4.2**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.0		2	2	2	2	2	2	2
50-64	7	5.7	15	2	2	4	9	12	12	12
65+	5	2.6	2	2	2	2	3	5	5	5
B. *Operated*										
0-19 YRS	14	1.6		<1	<1	1	2	2	3	3
20-34	176	2.0	1	<1	<1	2	2	3	4	7
35-49	232	2.3	2	<1	1	2	3	4	5	7
50-64	272	2.7	7	<1	1	2	3	4	5	13
65+	129	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	6.5	93	1	1	3	4	24	26	26
35-49	7	3.0	6	1	1	2	4	7	8	8
50-64	8	5.0	19	1	1	4	6	12	15	15
65+	8	6.5	42	2	2	4	9	18	20	20
B. *Operated*										
0-19 YRS	7	3.6	10	<1	<1	3	5	9	10	10
20-34	48	3.6	11	<1	<1	3	4	8	10	17
35-49	85	3.6	11	1	1	2	4	8	10	18
50-64	157	3.7	12	1	2	3	4	7	11	17
65+	111	5.2	68	1	2	3	5	10	13	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	8	1	2	2	4	8	11	12
B. *Operated*	823	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	30	5.2	34	1	1	3	5	13	20	26
B. *Operated*	408	4.1	27	1	1	3	4	8	12	25
1. SINGLE DX	844	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	438	4.1	28	1	1	3	4	8	12	26
A. NOT OPERATED	51	4.4	24	1	2	2	5	11	15	26
B. OPERATED	1231	3.0	12	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	22	2.3	4	<1	<1	2	3	4	7	10
20-34	233	2.5	6	<1	<1	2	3	4	5	15
35-49	330	2.6	5	<1	1	2	3	5	7	12
50-64	444	3.1	9	1	1	2	3	5	8	15
65+	253	3.9	35	1	1	2	4	7	12	26
GRAND TOTAL	**1282**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	9.1	168	<1	1	6	8	20	45	61
20-34	96	8.5	83	1	1	5	10	23	27	41
35-49	91	5.9	35	1	1	4	7	12	14	36
50-64	107	9.2	104	1	2	6	10	22	33	54
65+	68	9.1	73	1	1	6	12	22	27	40
B. *Operated*										
0-19 YRS	50	4.9	32	1	2	4	6	8	9	40
20-34	267	5.1	17	1	2	4	7	10	12	23
35-49	298	5.1	19	1	2	4	7	10	13	23
50-64	244	4.5	20	1	2	3	5	9	16	25
65+	116	7.1	73	1	2	4	8	15	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.3	32	1	2	6	12	18	19	20
20-34	73	8.0	145	1	1	5	8	15	32	94
35-49	104	9.8	139	2	2	7	11	22	36	94
50-64	179	11.4	171	2	2	8	14	23	35	88
65+	187	13.6	154	2	3	10	17	29	36	84
B. *Operated*										
0-19 YRS	43	12.0	220	1	2	7	14	29	57	99+
20-34	116	7.6	54	1	2	6	9	16	22	99+
35-49	168	8.1	63	2	2	6	11	16	23	56
50-64	218	8.9	172	1	2	5	9	23	33	96
65+	132	13.2	220	2	2	8	16	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	8.2	83	1	1	5	9	20	27	46
B. *Operated*	975	5.2	26	1	2	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	569	11.2	153	2	2	8	13	24	36	90
B. *Operated*	677	9.5	140	2	2	6	11	23	35	99+
1. SINGLE DX	1368	6.1	44	1	2	4	7	12	19	36
2. MULTIPLE DX	1246	10.3	147	2	2	7	12	23	36	99
A. NOT OPERATED	962	10.0	127	1	2	7	12	22	34	75
B. OPERATED	1652	6.9	77	1	2	4	8	15	23	61
TOTAL 0-19 YRS	150	8.4	120	1	2	5	9	18	28	84
20-34	552	6.6	55	1	2	4	8	14	20	60
35-49	661	6.7	54	1	2	5	8	13	19	40
50-64	748	8.1	119	1	2	5	9	18	28	79
65+	503	11.4	149	2	2	8	14	29	37	90
GRAND TOTAL	**2614**	**8.1**	**98**	**1**	**2**	**5**	**9**	**18**	**27**	**66**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	11	5.3	12	<1	<1	6	8	9	11	11
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	13	6.0	6	1	2	6	7	9	10	10
65+	8	6.6	7	1	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	33	7.6	20	1	3	6	10	14	15	21
20-34	70	7.2	19	2	3	6	9	12	14	27
35-49	55	7.3	15	2	3	7	10	13	15	17
50-64	125	8.1	22	2	3	7	11	14	16	25
65+	104	9.0	28	2	3	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	4.8	7	<1	<1	6	7	7	7	7
35-49	5	5.6	14	2	2	6	8	11	11	11
50-64	12	5.3	8	1	1	6	7	8	9	9
65+	11	8.6	11	3	4	9	10	13	14	14
B. *Operated*										
0-19 YRS	8	8.8	3	7	7	8	10	11	12	12
20-34	33	7.5	12	4	4	7	8	12	14	20
35-49	45	7.4	10	2	4	7	9	10	14	16
50-64	133	8.7	22	3	4	8	11	15	18	26
65+	158	9.9	40	3	4	8	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.6	8	1	1	6	7	9	10	11
B. *Operated*	387	8.1	22	2	3	7	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	34	6.4	11	1	2	6	9	10	13	14
B. *Operated*	377	9.0	28	3	4	8	11	15	19	27
1. SINGLE DX	425	7.8	22	2	3	7	10	14	17	23
2. MULTIPLE DX	411	8.8	27	2	4	8	10	14	18	27
A. NOT OPERATED	72	5.9	10	1	1	6	8	9	11	14
B. OPERATED	764	8.5	25	2	3	7	11	15	18	26
TOTAL 0-19 YRS	44	7.7	16	2	3	7	9	13	15	21
20-34	119	7.0	16	2	3	7	8	11	14	23
35-49	109	7.1	13	2	2	7	9	12	15	17
50-64	283	8.2	21	2	3	7	10	14	17	25
65+	281	9.4	34	3	4	8	12	17	20	33
GRAND TOTAL	**836**	**8.3**	**24**	**2**	**3**	**7**	**10**	**14**	**18**	**26**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3		1	1	1	2	2	2	2
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	24	2.9	9	1	1	1	3	8	10	10
65+	28	4.8	21	1	1	4	6	10	13	24
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	7	5.1	3	2	2	6	7	7	7	7
35-49	29	4.9	10	2	2	4	7	10	11	14
50-64	96	5.9	19	2	2	4	8	12	14	24
65+	145	6.0	16	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	4.3	8	<1	<1	6	6	6	6	6
50-64	11	6.9	33	1	2	5	10	17	19	19
65+	31	6.2	25	1	2	5	8	13	18	22
B. *Operated*										
0-19 YRS	3	21.7	670	2	2	12	41	51	51	51
20-34	7	8.7	10	3	4	9	11	13	13	13
35-49	13	8.8	53	2	2	6	11	18	26	28
50-64	68	8.7	45	3	4	7	10	16	24	39
65+	169	9.3	41	2	3	8	12	19	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	15	1	1	3	5	8	10	22
B. *Operated*	278	5.9	19	2	2	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	48	6.0	25	1	1	5	7	14	18	22
B. *Operated*	260	9.2	48	2	3	8	11	18	22	39
1. SINGLE DX	340	5.5	19	1	2	4	7	11	13	24
2. MULTIPLE DX	308	8.7	46	2	2	7	11	17	21	37
A. NOT OPERATED	110	4.7	20	1	1	3	6	10	14	23
B. OPERATED	538	7.5	36	2	2	6	10	14	19	30
TOTAL 0-19 YRS	6	17.7	424	2	2	8	35	49	51	51
20-34	21	5.0	14	<1	1	4	7	10	12	13
35-49	49	5.9	23	2	2	5	7	11	15	28
50-64	199	6.5	30	1	2	5	8	13	17	26
65+	373	7.4	32	2	2	6	10	15	19	26
GRAND TOTAL	**648**	**7.0**	**34**	**2**	**2**	**5**	**9**	**13**	**19**	**28**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	2.5	6	1	1	2	4	6	6	6
50-64	8	6.0	29	1	1	4	9	14	16	16
65+	13	9.4	255	1	1	4	11	28	53	59
B. *Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	5	6.0	3	4	4	6	7	8	8	8
35-49	6	5.2	9	3	3	4	6	10	11	11
50-64	39	6.0	6	2	3	6	8	10	11	11
65+	35	7.7	29	2	2	6	9	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	31	1	1	4	9	14	14	14
20-34	5	4.4	1	3	3	5	5	5	5	5
35-49	6	6.5	24	1	1	5	12	13	13	13
50-64	13	4.7	10	1	1	4	7	9	11	11
65+	26	9.7	115	2	2	6	12	29	57	99+
B. *Operated*										
0-19 YRS	7	13.4	113	2	3	7	24	28	28	28
20-34	15	6.3	58	1	2	4	6	11	27	32
35-49	15	7.4	20	2	3	6	10	14	17	18
50-64	25	6.8	25	2	3	6	8	15	20	22
65+	60	9.5	42	2	3	7	12	19	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.4	127	1	1	2	7	14	22	59
B. *Operated*	87	6.7	16	2	3	6	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	54	7.4	66	1	1	5	9	15	29	97
B. *Operated*	122	8.5	43	2	3	7	10	18	23	32
1. SINGLE DX	116	6.6	43	1	1	6	8	11	16	36
2. MULTIPLE DX	176	8.2	50	2	2	6	10	18	23	44
A. NOT OPERATED	83	7.1	86	1	1	4	9	15	25	86
B. OPERATED	209	7.8	33	2	3	6	9	16	21	30
TOTAL 0-19 YRS	15	9.0	80	1	1	6	13	27	28	28
20-34	27	5.6	33	1	2	4	6	10	14	32
35-49	31	6.2	18	1	2	5	9	12	14	18
50-64	85	6.0	14	1	2	6	8	10	12	21
65+	134	9.1	71	2	2	7	11	20	24	65
GRAND TOTAL	**292**	**7.6**	**48**	**1**	**2**	**6**	**9**	**16**	**21**	**42**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	22	4.8	2	2	3	5	5	7	7	7
65+	96	5.4	5	1	2	5	7	7	8	13
B. *Operated*										
YRS										
35-49	150	5.8	9	2	3	6	7	9	12	19
50-64	984	5.5	6	2	3	5	7	8	10	14
65+	2595	6.0	10	2	3	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	7	4.3	27	<1	<1	1	7	13	14	14
50-64	30	3.8	15	<1	<1	2	5	8	13	18
65+	127	4.8	23	1	1	3	6	11	13	49
B. *Operated*										
YRS										
35-49	117	7.3	27	2	2	7	8	12	15	32
50-64	837	6.6	15	2	3	6	8	11	14	21
65+	3172	7.3	33	2	3	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.2	5	1	2	5	7	7	8	12
B. *Operated*	3729	5.8	9	2	3	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	164	4.6	22	<1	1	3	6	10	13	33
B. *Operated*	4126	7.2	30	2	3	6	8	13	16	28
1. SINGLE DX	3850	5.8	9	2	3	5	7	9	11	16
2. MULTIPLE DX	4290	7.1	30	2	3	6	8	13	16	28
A. NOT OPERATED	285	4.9	15	<1	1	5	7	9	12	22
B. OPERATED	7855	6.5	20	2	3	6	7	11	14	22
TOTAL YRS										
35-49	277	6.4	18	2	2	6	7	10	13	21
50-64	1873	5.9	11	2	3	5	7	9	12	18
65+	5990	6.7	23	2	3	6	7	12	14	24
GRAND TOTAL	**8140**	**6.5**	**20**	**2**	**3**	**6**	**7**	**11**	**14**	**22**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	4.3	1	3	3	5	5	5	5	5
35-49	3	5.3		5	5	5	6	6	6	6
50-64	4	5.3	2	4	4	5	6	7	7	7
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	52	4.2	4	2	2	4	5	7	8	11
20-34	36	4.9	5	2	2	4	6	7	11	12
35-49	40	5.7	23	2	2	5	7	10	14	28
50-64	51	5.1	5	2	2	5	7	8	9	11
65+	30	4.6	9	2	2	4	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	24	8.0	99	2	2	4	10	14	26	50
20-34	29	5.3	16	2	2	4	7	9	10	22
35-49	43	6.1	9	2	3	5	7	10	14	14
50-64	65	7.5	42	2	3	6	8	12	18	42
65+	66	6.7	13	3	3	6	8	13	15	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	2	1	2	5	5	6	7	7
B. *Operated*	209	4.9	9	2	2	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	12	3.8	4	1	1	4	5	6	7	7
B. *Operated*	227	6.8	30	2	3	6	8	13	15	46
1. SINGLE DX	227	4.8	8	2	2	5	6	7	10	16
2. MULTIPLE DX	239	6.6	29	2	3	6	8	12	14	45
A. NOT OPERATED	30	4.1	3	1	1	5	5	6	7	7
B. OPERATED	436	5.9	21	2	2	5	7	10	14	28
TOTAL 0-19 YRS	79	5.3	36	2	2	4	6	9	13	40
20-34	73	5.1	9	2	2	4	6	9	10	20
35-49	89	5.8	15	2	2	5	7	10	14	23
50-64	124	6.3	26	2	3	5	7	10	13	32
65+	101	6.0	12	2	3	5	7	11	14	58
GRAND TOTAL	**466**	**5.8**	**20**	**2**	**2**	**5**	**7**	**9**	**14**	**27**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	5	<1	1	2	3	6	8	10
20-34	15	3.7	5	1	2	3	5	8	8	8
35-49	11	6.8	16	1	2	6	10	12	13	13
50-64	6	4.0	3	2	2	4	5	7	7	7
65+	3	7.0	25	2	2	7	11	12	12	12
B. *Operated*										
0-19 YRS	1635	2.1	7	1	1	2	2	3	3	5
20-34	315	2.3	1	1	2	2	3	3	3	6
35-49	96	2.6	3	1	2	2	3	3	6	11
50-64	44	2.4	1	1	2	2	3	3	4	6
65+	23	3.3	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	1.7	6	<1	<1	1	1	2	4	17
20-34	9	2.8	5	<1	<1	2	3	7	8	8
35-49	6	3.7	5	2	2	3	4	8	8	8
50-64	13	8.1	32	2	2	7	12	17	19	19
65+	9	8.4	26	3	3	7	13	16	18	18
B. *Operated*										
0-19 YRS	337	2.1	2	1	1	2	2	3	4	9
20-34	100	2.6	4	1	2	2	3	3	5	14
35-49	50	2.8	4	1	2	2	3	4	9	12
50-64	41	4.4	42	1	2	2	4	8	12	41
65+	27	8.3	81	2	2	4	9	23	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.9	10	1	1	3	6	9	11	13
B. *Operated*	2113	2.2	6	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	111	3.2	17	<1	<1	1	3	8	13	19
B. *Operated*	555	2.7	11	1	1	2	3	4	7	23
1. SINGLE DX	2175	2.2	6	1	1	2	2	3	3	8
2. MULTIPLE DX	666	2.8	12	<1	1	2	3	4	8	21
A. NOT OPERATED	173	3.4	14	<1	<1	2	4	8	12	18
B. OPERATED	2668	2.3	7	1	1	2	2	3	4	9
TOTAL 0-19 YRS	2073	2.1	6	1	1	2	2	3	3	7
20-34	439	2.4	2	1	2	2	3	3	4	8
35-49	163	3.0	5	1	2	2	3	6	9	12
50-64	104	4.0	24	1	2	2	4	8	12	29
65+	62	6.4	46	2	2	4	8	13	22	37
GRAND TOTAL	**2841**	**2.4**	**8**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	3.1	9	<1	<1	2	4	7	10	15
20-34	53	3.5	8	1	1	2	6	9	9	11
35-49	43	4.5	19	<1	1	3	5	11	15	20
50-64	62	4.2	23	<1	1	3	5	9	13	31
65+	59	7.6	103	<1	1	5	9	16	33	96
B. *Operated*										
0-19 YRS	125	2.5	8	<1	<1	1	3	6	8	41
20-34	123	3.8	20	<1	<1	2	4	8	12	48
35-49	200	2.7	5	<1	<1	2	3	6	7	11
50-64	286	3.0	6	<1	<1	2	3	6	9	12
65+	333	3.9	13	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	6.0	30	1	1	5	8	12	16	29
20-34	26	3.7	8	<1	<1	3	5	9	10	11
35-49	27	5.4	24	1	1	4	7	15	18	19
50-64	60	7.1	35	1	1	5	10	17	19	22
65+	90	9.3	81	1	2	7	12	19	33	78
B. *Operated*										
0-19 YRS	37	4.5	13	<1	1	3	7	10	11	16
20-34	61	4.3	9	<1	1	3	5	9	10	16
35-49	98	4.9	48	<1	<1	3	5	10	19	41
50-64	182	5.4	41	1	1	3	6	10	17	38
65+	292	5.6	31	1	2	3	7	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	4.2	28	<1	<1	3	5	9	13	29
B. *Operated*	1067	3.3	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	347	6.8	45	1	1	5	9	15	19	39
B. *Operated*	670	5.2	33	1	1	3	6	11	16	34
1. SINGLE DX	1460	3.5	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX	1017	5.8	38	1	1	4	7	13	17	35
A. NOT OPERATED	740	5.4	38	<1	1	4	7	12	17	34
B. OPERATED	1737	4.0	20	<1	1	3	5	8	11	25
TOTAL 0-19 YRS	482	3.9	17	<1	<1	3	5	9	12	23
20-34	263	3.9	14	<1	<1	3	5	8	10	23
35-49	368	3.7	20	<1	<1	2	4	8	11	24
50-64	590	4.3	23	<1	1	3	5	9	13	24
65+	774	5.4	38	1	2	3	6	12	16	41
GRAND TOTAL	**2477**	**4.4**	**26**	**<1**	**1**	**3**	**5**	**9**	**14**	**30**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	4.9	11	1	2	4	6	9	11	17
20-34	110	6.1	17	2	2	5	9	11	13	23
35-49	56	5.4	11	1	2	5	7	11	12	14
50-64	63	7.0	16	2	3	6	9	14	16	18
65+	46	6.8	15	1	2	6	9	12	15	17
B. *Operated*										
0-19 YRS	30	6.3	47	<1	1	4	7	16	25	28
20-34	51	5.3	23	1	2	4	6	11	14	24
35-49	26	4.8	10	1	1	4	6	9	12	13
50-64	41	7.5	79	1	2	4	10	15	16	55
65+	53	6.1	15	2	2	5	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	6.4	20	2	2	6	7	13	16	25
20-34	84	6.0	15	1	2	6	8	12	14	18
35-49	53	6.5	30	1	2	5	8	13	16	29
50-64	76	7.6	23	2	2	7	10	15	17	22
65+	111	10.2	127	2	3	7	11	20	29	69
B. *Operated*										
0-19 YRS	20	6.5	19	1	2	4	11	13	13	13
20-34	55	6.6	21	2	3	5	7	14	17	23
35-49	51	7.8	30	2	2	7	9	15	19	29
50-64	81	8.7	56	2	2	6	11	22	26	79
65+	138	9.5	113	2	2	6	11	18	25	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	5.9	15	1	2	5	8	11	13	18
B. *Operated*	201	6.0	34	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	411	7.6	52	1	2	6	9	14	18	41
B. *Operated*	345	8.4	68	2	2	6	10	17	23	59
1. SINGLE DX	591	5.9	21	1	2	5	8	11	14	23
2. MULTIPLE DX	756	8.0	60	2	2	6	9	16	21	45
A. NOT OPERATED	801	6.8	35	1	2	5	8	12	16	27
B. OPERATED	546	7.5	57	2	2	5	9	16	22	36
TOTAL 0-19 YRS	252	5.7	19	1	2	5	7	11	13	25
20-34	300	6.0	18	1	2	5	8	12	14	22
35-49	186	6.3	22	1	2	5	8	12	14	28
50-64	261	7.8	41	2	2	6	10	15	19	35
65+	348	8.9	92	2	2	6	10	17	22	68
GRAND TOTAL	**1347**	**7.1**	**44**	**2**	**2**	**5**	**9**	**14**	**18**	**33**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	7	<1	<1	2	6	8	8	8
20-34	6	5.3	15	<1	<1	5	9	10	10	10
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	12	5.2	15	1	1	5	7	11	12	12
65+	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
0-19 YRS	9	2.6	6	<1	<1	2	3	7	9	9
20-34	8	4.1	10	1	1	3	6	9	10	10
35-49	5	4.6	29	1	1	2	6	14	14	14
50-64	6	4.2	7	1	1	4	6	8	8	8
65+	4	12.8	76	5	5	11	20	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	13	<1	<1	2	4	9	13	14
20-34	14	5.7	23	1	1	4	10	13	15	15
35-49	13	7.7	26	1	1	9	11	13	18	19
50-64	11	6.3	17	1	1	6	10	12	14	14
65+	17	14.0	362	2	3	9	11	67	89	99+
B. *Operated*										
0-19 YRS	6	3.3	8	1	1	2	3	8	9	9
20-34	8	5.6	4	2	3	6	7	8	8	8
35-49	9	4.2	6	2	2	4	5	55	99+	99+
50-64	29	7.3	44	1	2	5	8	14	21	33
65+	11	6.4	4	2	3	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.8	12	<1	1	4	7	10	11	12
B. *Operated*	32	4.8	26	1	1	3	6	11	17	23
2. MULTIPLE DX										
A. *Not Operated*	70	7.7	113	1	1	5	10	14	19	94
B. *Operated*	63	6.1	24	1	2	5	8	10	16	91
1. SINGLE DX	73	4.8	18	<1	1	3	7	10	12	22
2. MULTIPLE DX	133	6.9	71	1	1	5	9	13	18	99+
A. NOT OPERATED	111	6.6	77	1	1	5	9	12	15	83
B. OPERATED	95	5.7	25	1	2	5	7	10	16	69
TOTAL 0-19 YRS	46	3.2	9	<1	<1	2	4	8	9	14
20-34	36	5.3	14	1	1	5	7	10	13	15
35-49	30	5.9	20	1	1	5	10	13	19	99+
50-64	58	6.3	29	1	1	5	8	13	15	32
65+	36	10.9	186	3	4	7	10	22	66	99+
GRAND TOTAL	**206**	**6.2**	**53**	**1**	**1**	**5**	**8**	**12**	**15**	**84**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	793	4.4	24	1	1	3	5	9	12	19
20-34	21	3.6	5	1	1	3	4	7	9	10
35-49	10	2.9	8	<1	<1	2	3	7	10	10
50-64	11	4.0	9	1	1	3	6	8	11	11
65+	8	4.4	8	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	1527	1.9	7	<1	<1	1	2	3	5	12
20-34	260	3.1	3	<1	1	3	3	5	6	11
35-49	197	3.2	5	<1	1	3	4	5	7	18
50-64	113	3.1	6	<1	1	3	3	5	7	49
65+	41	3.0	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1724	5.4	23	1	2	4	7	10	13	26
20-34	43	4.3	9	<1	1	4	5	8	9	17
35-49	21	4.1	6	<1	1	3	6	8	9	9
50-64	17	7.2	70	1	2	5	8	14	29	36
65+	34	7.5	26	1	1	7	10	15	16	22
B. *Operated*										
0-19 YRS	1582	2.9	15	<1	1	2	2	5	8	19
20-34	346	4.1	9	1	2	3	5	8	9	16
35-49	246	4.5	15	1	2	3	5	8	10	18
50-64	197	4.5	13	1	2	3	6	8	10	18
65+	32	4.8	17	2	2	3	6	9	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	4.4	23	1	1	3	5	9	12	18
B. *Operated*	2138	2.3	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1839	5.4	23	1	2	4	7	10	14	26
B. *Operated*	2403	3.4	15	<1	1	2	3	7	9	18
1. SINGLE DX	2981	2.9	12	<1	<1	2	3	6	8	15
2. MULTIPLE DX	4242	4.3	19	1	1	3	5	9	12	22
A. NOT OPERATED	2682	5.1	23	1	1	4	6	10	13	24
B. OPERATED	4541	2.9	11	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	5626	3.6	18	<1	<1	2	4	8	11	20
20-34	670	3.7	7	<1	2	3	4	7	8	14
35-49	474	3.9	11	<1	2	3	5	7	9	18
50-64	338	4.1	14	<1	2	3	5	8	11	21
65+	115	5.0	18	<1	1	3	7	10	14	21
GRAND TOTAL	**7223**	**3.7**	**17**	**<1**	**<1**	**2**	**4**	**8**	**11**	**20**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	4.8	13	1	1	4	7	10	11	17
20-34	35	4.1	5	<1	1	4	5	7	8	12
35-49	12	5.6	16	1	2	5	7	13	14	14
50-64	13	6.2	22	<1	<1	5	9	13	16	17
65+	8	4.9	5	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	198	3.2	12	<1	<1	2	4	7	10	21
20-34	50	4.1	5	1	1	4	5	6	9	12
35-49	42	3.9	6	<1	1	4	5	7	9	12
50-64	41	4.0	4	<1	1	4	5	7	8	8
65+	12	7.0	86	<1	<1	3	9	20	31	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	6.6	27	1	2	5	8	13	16	25
20-34	28	6.0	36	1	2	4	7	9	23	28
35-49	27	6.3	13	2	2	5	9	10	12	18
50-64	22	6.7	39	1	1	5	8	15	22	27
65+	25	9.0	104	1	2	6	10	14	32	51
B. *Operated*										
0-19 YRS	222	4.6	36	<1	1	2	5	12	15	29
20-34	74	4.8	6	2	2	4	6	8	10	15
35-49	45	4.8	6	2	2	4	6	9	10	11
50-64	39	4.9	17	<1	1	4	5	9	12	25
65+	23	8.9	155	2	2	5	9	14	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	4.8	12	1	1	4	7	9	12	17
B. *Operated*	343	3.6	12	<1	<1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	402	6.7	32	1	2	5	8	13	17	27
B. *Operated*	403	4.9	33	1	1	3	5	10	14	27
1. SINGLE DX	614	4.2	13	<1	1	3	5	9	11	17
2. MULTIPLE DX	805	5.8	33	1	2	4	7	12	15	27
A. NOT OPERATED	673	6.0	25	1	2	5	8	11	14	26
B. OPERATED	746	4.3	24	<1	1	3	5	8	12	25
TOTAL 0-19 YRS	923	5.0	24	<1	1	3	7	11	14	24
20-34	187	4.7	10	1	2	4	5	8	9	20
35-49	126	4.9	9	1	2	4	6	9	10	15
50-64	115	5.1	18	<1	1	4	6	10	13	26
65+	68	8.1	105	1	2	5	9	14	27	61
GRAND TOTAL	**1419**	**5.1**	**25**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.0	10	<1	1	3	5	10	12	12
20-34	90	4.0	10	1	1	3	5	7	8	20
35-49	114	4.4	12	1	1	3	6	9	12	18
50-64	135	4.4	12	1	1	3	6	9	12	18
65+	158	4.9	21	1	1	3	6	11	12	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	7.0	27	2	2	5	10	16	16	16
35-49	18	4.8	25	1	2	3	5	10	17	22
50-64	17	5.2	9	1	1	6	7	9	11	11
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.9	12	1	2	4	6	8	14	16
20-34	54	5.4	28	<1	1	4	6	12	15	30
35-49	69	4.2	8	1	1	4	6	8	11	13
50-64	194	5.5	18	1	2	4	7	10	14	22
65+	310	7.6	43	2	2	6	9	14	18	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	7.6	14	4	4	7	10	13	14	14
35-49	6	4.8	10	1	1	5	8	8	8	8
50-64	16	9.6	59	2	2	8	13	15	28	33
65+	11	14.2	404	3	4	7	15	39	70	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.5	14	1	1	3	6	9	11	19
B. *Operated*	48	5.1	18	1	2	4	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	644	6.3	31	1	2	5	8	12	15	29
B. *Operated*	41	9.7	137	2	3	7	11	16	24	73
1. SINGLE DX	563	4.5	15	1	1	3	6	9	12	20
2. MULTIPLE DX	685	6.5	38	1	2	5	8	13	16	30
A. NOT OPERATED	1159	5.5	24	1	2	4	7	11	14	24
B. OPERATED	89	7.2	77	2	2	5	8	14	16	57
TOTAL 0-19 YRS	37	4.5	10	1	1	4	6	9	12	16
20-34	160	4.8	18	1	1	4	6	9	13	25
35-49	207	4.4	12	1	1	3	6	9	11	18
50-64	362	5.2	18	1	2	4	7	10	13	20
65+	482	6.8	46	1	2	5	9	13	17	33
GRAND TOTAL	**1248**	**5.6**	**28**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	12	2.8	3	1	1	2	3	6	7	7
20-34	123	3.3	1	2	2	3	4	5	6	7
35-49	168	3.7	2	2	2	3	4	6	6	7
50-64	146	3.4	2	2	2	3	4	5	6	8
65+	30	3.7	2	2	2	3	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	9	1.8	1	<1	<1	1	3	4	4	4
50-64	4	4.0	5	<1	<1	4	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	37	4.2	5	2	3	3	5	7	7	13
35-49	54	3.9	4	2	2	3	5	6	8	13
50-64	52	4.4	11	2	2	4	5	7	9	22
65+	21	5.0	50	1	2	3	5	7	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	4	<1	<1	4	5	5	5	5
B. *Operated*	479	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.7	3	<1	<1	3	4	5	6	6
B. *Operated*	169	4.2	12	2	2	3	5	7	8	20
1. SINGLE DX	486	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	186	4.1	11	1	2	3	5	7	8	19
A. NOT OPERATED	24	2.8	3	<1	<1	3	5	5	6	6
B. OPERATED	648	3.7	5	2	2	3	4	6	6	11
TOTAL 0-19 YRS	17	2.8	2	1	2	2	3	6	7	7
20-34	165	3.5	2	2	2	3	4	5	6	9
35-49	234	3.6	3	2	2	3	4	6	6	10
50-64	204	3.6	4	2	2	3	4	6	7	12
65+	52	4.3	21	2	2	3	5	6	8	34
GRAND TOTAL	**672**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**6**	**11**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	44	<1	<1	3	4	7	9	42
20-34	24	3.7	3	1	1	3	5	6	7	7
35-49	21	4.8	25	<1	1	3	5	10	16	23
50-64	19	6.7	48	2	2	4	7	19	25	26
65+	6	3.5	8	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	318	3.2	7	<1	<1	3	4	6	8	16
20-34	283	2.9	2	2	2	3	3	4	5	8
35-49	164	3.1	8	1	2	3	3	4	6	21
50-64	113	2.9	2	<1	2	3	3	4	5	10
65+	32	3.4	6	<1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	76	<1	1	3	5	11	28	43
20-34	24	4.3	8	1	2	3	6	7	10	14
35-49	27	5.0	17	1	2	3	7	12	14	15
50-64	21	4.5	12	<1	1	4	6	9	12	15
65+	17	11.0	191	1	2	6	13	27	48	57
B. *Operated*										
0-19 YRS	246	4.0	17	1	2	3	5	8	10	20
20-34	249	3.3	5	2	2	3	4	5	7	12
35-49	186	3.3	4	1	2	3	4	6	8	11
50-64	142	3.8	9	2	2	3	4	7	10	19
65+	44	4.0	14	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	30	1	1	3	5	8	11	33
B. *Operated*	910	3.1	5	<1	1	3	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	124	5.8	57	1	1	4	6	12	15	47
B. *Operated*	867	3.6	9	1	2	3	4	7	9	16
1. SINGLE DX	1018	3.2	8	<1	1	3	4	5	7	15
2. MULTIPLE DX	991	3.9	16	1	2	3	4	7	10	20
A. NOT OPERATED	232	5.2	45	1	1	3	6	10	14	42
B. OPERATED	1777	3.3	7	1	2	3	4	6	8	14
TOTAL 0-19 YRS	637	3.7	17	<1	<1	3	4	7	9	21
20-34	580	3.1	3	2	2	3	4	5	7	10
35-49	398	3.4	8	1	2	3	4	6	8	15
50-64	295	3.7	10	2	2	3	4	6	9	20
65+	99	5.0	47	1	2	3	5	9	14	44
GRAND TOTAL	**2009**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	12.5	84	3	4	10	14	24	35	44
20-34	17	11.8	61	3	4	10	14	24	30	32
35-49	5	17.4	169	4	4	18	23	38	38	38
50-64	3	13.3	69	4	4	16	19	20	20	20
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	10.2	45	2	2	10	13	22	24	26
20-34	18	9.7	74	1	1	9	14	21	28	33
35-49	6	5.3	14	<1	<1	5	6	11	12	12
50-64	12	13.3	238	3	3	7	13	45	46	46
65+	16	11.6	58	3	3	11	14	24	27	28
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	30.3	176	11	11	34	38	41	41	41
35-49	4	10.0	33	3	3	10	14	17	17	17
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	12.7	82	3	4	10	15	25	34	43
B. *Operated*	4	13.5	23	9	9	12	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	81	10.5	80	1	2	8	13	22	27	46
B. *Operated*	11	18.5	177	3	3	14	31	38	41	41
1. SINGLE DX	100	12.7	80	3	4	11	15	24	33	43
2. MULTIPLE DX	92	11.4	96	1	2	10	14	24	33	46
A. NOT OPERATED	177	11.7	82	2	3	10	14	24	31	45
B. OPERATED	15	17.1	136	3	3	14	24	36	40	41
TOTAL 0-19 YRS	102	11.8	73	2	3	10	14	23	29	43
20-34	41	12.6	105	1	2	10	15	32	34	41
35-49	16	11.2	88	1	3	9	17	20	33	38
50-64	16	13.4	184	3	3	7	15	42	46	46
65+	17	12.4	65	3	3	11	16	25	27	28
GRAND TOTAL	**192**	**12.1**	**88**	**2**	**3**	**10**	**14**	**24**	**33**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	95.0		95	95	95	95	95	95	95
20-34	6	5.3	22	1	1	4	6	13	14	14
35-49	6	8.3	67	2	2	4	13	22	23	23
50-64	21	4.9	23	1	1	3	7	12	16	18
65+	20	7.2	44	1	1	5	10	16	21	26
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	34	6.4	28	1	2	3	10	13	17	21
35-49	72	6.5	29	2	2	3	11	14	15	23
50-64	53	6.3	28	1	2	3	13	15	16	97
65+	12	9.2	47	1	1	10	13	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.8	21	6	6	13	16	16	16	16
20-34	26	6.7	34	2	2	5	8	15	21	26
35-49	72	9.1	68	1	2	7	11	19	25	48
50-64	145	8.6	41	1	2	7	11	17	24	32
65+	155	12.4	170	2	3	9	15	23	37	99+
B. *Operated*										
0-19 YRS	6	16.5	146	2	2	16	29	31	31	31
20-34	34	8.5	38	1	2	8	13	17	17	24
35-49	83	11.5	103	2	2	10	15	26	31	51
50-64	175	11.4	107	1	2	11	16	22	27	44
65+	59	15.8	236	1	2	13	22	38	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.8	181	1	1	4	9	15	22	92
B. *Operated*	175	6.5	29	1	2	3	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	403	10.1	98	1	2	8	13	19	26	78
B. *Operated*	357	11.9	124	2	2	11	16	25	31	48
1. SINGLE DX	229	6.8	65	1	2	3	11	14	17	40
2. MULTIPLE DX	760	11.0	111	1	2	9	15	22	29	57
A. NOT OPERATED	457	9.8	108	1	2	7	13	19	26	81
B. OPERATED	532	10.2	99	2	2	8	14	21	28	46
TOTAL 0-19 YRS	16	16.4	525	2	2	10	18	31	76	95
20-34	100	7.1	33	1	2	5	11	16	17	25
35-49	233	9.1	72	2	2	7	12	19	25	42
50-64	394	9.3	72	1	2	7	14	20	25	40
65+	246	12.7	174	1	2	9	16	26	39	95
GRAND TOTAL	**989**	**10.0**	**103**	**1**	**2**	**8**	**14**	**21**	**27**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.1	15	2	2	5	8	12	13	14
20-34	65	5.9	18	1	1	5	8	10	15	21
35-49	147	6.6	37	1	2	5	8	12	18	33
50-64	233	6.2	23	1	2	5	8	12	16	23
65+	246	7.8	79	2	2	5	9	13	19	60
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	18	5.3	20	1	1	3	8	11	14	16
35-49	11	5.5	33	1	1	2	9	14	18	18
50-64	16	4.6	60	1	1	1	4	13	25	30
65+	5	10.0	32	1	1	12	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.1	29	1	1	4	12	15	17	18
20-34	93	7.2	48	1	2	5	9	13	17	44
35-49	311	7.2	28	2	2	6	9	13	19	30
50-64	787	8.0	60	2	2	6	10	15	21	45
65+	1261	10.2	97	2	3	7	13	21	30	86
B. *Operated*										
0-19 YRS	5	12.0	75	4	4	9	17	26	26	26
20-34	27	8.2	28	2	2	7	11	16	19	22
35-49	37	9.9	51	3	3	8	13	22	27	29
50-64	103	13.3	185	2	3	10	18	24	39	99+
65+	87	13.6	126	2	3	10	20	25	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	706	6.8	45	1	2	5	8	13	17	31
B. *Operated*	54	5.4	35	1	1	2	9	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	2475	9.0	76	2	2	7	11	18	25	55
B. *Operated*	259	12.4	130	2	3	9	16	24	29	88
1. SINGLE DX	760	6.7	44	1	2	5	8	13	17	30
2. MULTIPLE DX	2734	9.3	82	2	2	7	11	19	26	56
A. NOT OPERATED	3181	8.5	70	2	2	6	10	17	23	51
B. OPERATED	313	11.1	120	1	2	8	15	23	29	85
TOTAL 0-19 YRS	47	6.9	30	1	1	5	10	14	17	26
20-34	203	6.8	33	1	2	5	9	13	16	29
35-49	506	7.2	33	1	2	6	9	13	19	30
50-64	1139	8.1	67	1	2	6	10	16	22	52
65+	1599	10.0	97	2	3	7	12	21	28	64
GRAND TOTAL	**3494**	**8.7**	**75**	**2**	**2**	**6**	**11**	**18**	**24**	**54**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	7.1	29	2	2	5	11	15	17	17
50-64	26	8.5	47	2	3	7	9	18	27	29
65+	75	8.7	38	3	3	7	12	15	18	37
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	7.8	18	2	2	8	10	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	32	6.5	22	1	2	6	8	11	16	24
50-64	153	10.2	72	2	3	9	13	20	26	98
65+	432	12.6	114	3	4	10	16	27	35	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	11.4	57	1	2	12	15	22	25	25
50-64	21	19.8	446	2	4	13	20	48	73	91
65+	30	23.2	385	5	7	16	40	70	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.6	39	2	3	7	11	16	18	34
B. *Operated*	8	6.9	16	2	2	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	620	11.7	101	2	3	9	14	23	32	99+
B. *Operated*	61	20.0	363	2	5	14	25	60	81	99+
1. SINGLE DX	117	8.4	37	2	3	7	11	15	18	33
2. MULTIPLE DX	681	12.4	130	2	3	10	15	26	37	99+
A. NOT OPERATED	729	11.2	93	2	3	9	14	22	30	99+
B. OPERATED	69	18.4	340	2	3	12	23	50	75	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	6.3	20	2	2	6	10	11	11	11
35-49	51	7.3	31	1	2	6	10	15	18	25
50-64	204	10.9	114	2	3	9	13	21	32	95
65+	538	12.7	126	3	4	10	16	27	37	99+
GRAND TOTAL	**798**	**11.8**	**118**	**2**	**3**	**9**	**14**	**24**	**35**	**99+**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	29	3	3	7	12	15	15	15
20-34	5	4.0	4	2	2	4	5	7	7	7
35-49	8	5.9	16	3	3	5	6	13	15	15
50-64	14	4.9	10	1	1	5	7	9	9	9
65+	13	14.3	173	2	2	10	18	34	45	48
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	6.5	42	2	2	4	10	16	16	16
35-49	7	15.3	43	4	5	17	19	23	24	24
50-64	12	10.2	28	1	3	10	13	17	20	20
65+	7	10.3	51	2	2	13	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	11	3	3	7	11	12	12	12
20-34	13	13.5	146	1	2	7	19	35	37	38
35-49	14	10.4	77	1	3	8	12	25	31	33
50-64	60	8.4	54	1	1	7	11	16	22	36
65+	74	16.6	231	2	5	11	20	34	52	77
B. *Operated*										
0-19 YRS	7	16.4	235	4	4	11	23	43	47	47
20-34	19	11.7	61	1	2	10	18	23	27	28
35-49	30	15.5	119	3	4	15	20	30	37	50
50-64	54	19.8	128	2	7	20	25	38	56	99+
65+	35	19.3	169	3	3	18	27	42	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	8.0	74	1	2	6	9	17	23	48
B. *Operated*	31	10.8	41	2	2	11	16	19	20	24
2. MULTIPLE DX										
A. *Not Operated*	167	12.6	152	1	2	10	16	27	35	71
B. *Operated*	145	17.6	137	3	4	16	24	38	43	99+
1. SINGLE DX	75	9.2	61	1	2	7	14	18	20	44
2. MULTIPLE DX	312	14.9	151	2	3	11	20	33	42	86
A. NOT OPERATED	211	11.7	139	1	2	8	15	24	34	64
B. OPERATED	176	16.4	126	2	3	15	22	34	42	99+
TOTAL 0-19 YRS	18	11.3	109	3	3	8	12	22	38	47
20-34	41	10.8	85	1	2	7	16	24	31	38
35-49	59	13.0	96	3	3	10	19	25	33	49
50-64	140	12.6	109	1	2	10	19	26	36	99+
65+	129	16.8	200	2	3	13	21	40	44	82
GRAND TOTAL	**387**	**13.8**	**138**	**1**	**2**	**11**	**19**	**30**	**40**	**76**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	12.7	31	5	5	13	17	20	20	20
20-34	36	13.9	41	4	5	13	18	24	26	26
35-49	423	13.3	30	5	7	13	16	20	22	30
50-64	1073	14.2	34	5	8	14	17	21	24	30
65+	904	15.6	51	5	8	15	20	24	28	41
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	13.3	191	2	2	10	17	36	41	41
50-64	22	20.4	142	5	11	17	29	39	45	52
65+	15	23.8	137	10	12	21	27	38	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	44	15.8	44	5	9	15	19	24	27	38
35-49	660	14.4	42	6	8	14	17	21	25	38
50-64	2223	15.8	57	6	9	14	19	25	30	43
65+	3036	18.0	108	6	9	16	21	30	38	71
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	6	6.8	21	2	2	7	11	12	12	12
35-49	63	18.5	117	4	8	16	22	30	43	62
50-64	220	21.0	146	8	11	18	26	36	48	99+
65+	278	25.0	230	10	13	22	32	51	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2442	14.6	41	5	8	14	18	22	26	36
B. *Operated*	45	20.2	151	3	8	17	26	38	44	57
2. MULTIPLE DX										
A. *Not Operated*	5965	16.8	83	6	9	15	20	27	33	56
B. *Operated*	568	22.5	190	8	11	19	28	42	63	99+
1. SINGLE DX	2487	14.7	43	5	8	14	18	22	26	36
2. MULTIPLE DX	6533	17.3	95	6	9	15	21	28	36	68
A. NOT OPERATED	8407	16.1	71	6	8	15	19	26	31	51
B. OPERATED	613	22.4	187	8	11	19	28	42	61	99+
TOTAL 0-19 YRS	9	14.1	25	5	6	15	18	20	20	20
20-34	87	14.3	45	3	5	14	18	23	25	36
35-49	1153	14.2	44	5	7	13	17	21	25	39
50-64	3538	15.7	58	6	8	14	19	24	30	45
65+	4233	17.9	108	6	9	16	21	30	38	82
GRAND TOTAL	**9020**	**16.5**	**82**	**6**	**8**	**15**	**20**	**27**	**33**	**59**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	14	2.9	8	1	1	2	4	6	10	11
35-49	157	5.4	23	1	1	4	7	11	15	34
50-64	370	5.6	16	1	2	5	7	11	14	19
65+	350	6.4	26	2	2	5	8	13	17	24
B. *Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	28	3.3	6	1	2	2	3	8	10	10
50-64	29	6.0	61	1	2	3	6	15	27	34
65+	3	6.7	25	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.7	29	4	4	9	13	18	19	19
20-34	15	4.5	27	<1	1	3	5	12	18	20
35-49	282	6.6	32	1	2	5	8	13	17	37
50-64	1080	7.1	33	1	2	6	9	13	16	27
65+	1656	8.9	65	2	2	7	11	17	23	40
B. *Operated*										
0-19 YRS										
20-34	4	11.5	60	3	3	11	17	21	21	21
35-49	74	8.2	42	1	2	7	12	17	19	31
50-64	236	10.5	69	2	2	10	14	21	26	38
65+	87	15.7	128	1	3	14	20	30	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	5.8	21	1	2	5	7	12	15	23
B. *Operated*	63	4.7	33	1	2	3	5	11	14	33
2. MULTIPLE DX										
A. *Not Operated*	3040	8.0	51	2	2	6	10	15	20	37
B. *Operated*	401	11.3	83	2	2	10	15	22	29	47
1. SINGLE DX	957	5.8	22	1	2	4	7	12	15	23
2. MULTIPLE DX	3441	8.4	56	2	2	6	11	16	21	38
A. NOT OPERATED	3934	7.5	45	1	2	6	9	15	19	35
B. OPERATED	464	10.4	81	1	2	9	14	21	28	46
TOTAL 0-19 YRS	10	7.6	32	<1	1	6	10	16	19	19
20-34	36	4.6	26	1	1	3	5	12	18	21
35-49	541	6.3	31	1	2	5	8	14	17	35
50-64	1715	7.2	37	1	2	6	9	14	18	30
65+	2096	8.8	64	2	2	7	11	17	23	40
GRAND TOTAL	**4398**	**7.8**	**50**	**1**	**2**	**6**	**10**	**15**	**20**	**36**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.0	17	1	1	6	10	10	10	10
35-49	138	7.8	31	2	3	6	10	16	19	27
50-64	440	7.9	24	2	3	8	11	14	16	25
65+	408	8.7	30	2	3	8	11	16	20	28
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	12	9.5	11	4	4	10	12	13	14	14
50-64	23	11.9	60	1	2	11	15	21	28	35
65+	4	17.8	134	10	10	13	24	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	1	6	6	8	8	8	8	8
20-34	13	7.2	24	2	3	5	10	13	18	19
35-49	243	7.9	34	2	2	6	11	14	18	33
50-64	1111	9.3	40	2	3	8	12	16	21	33
65+	1743	11.0	69	3	4	9	14	21	26	48
B. *Operated*										
0-19 YRS										
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	62	13.0	48	3	5	12	15	22	27	35
50-64	194	16.3	96	4	6	14	21	30	35	47
65+	106	20.4	193	5	8	17	27	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	8.2	28	2	3	7	11	15	18	25
B. *Operated*	40	11.7	53	2	3	11	13	19	30	35
2. MULTIPLE DX										
A. *Not Operated*	3115	10.2	57	2	3	9	13	18	24	41
B. *Operated*	365	16.8	123	4	6	14	21	31	36	59
1. SINGLE DX	1031	8.4	29	2	3	8	11	15	18	26
2. MULTIPLE DX	3480	10.9	68	3	3	9	14	20	26	44
A. NOT OPERATED	4106	9.7	50	2	3	8	12	17	23	36
B. OPERATED	405	16.3	118	4	6	14	20	30	35	58
TOTAL 0-19 YRS	5	7.2	1	6	6	8	8	8	6	8
20-34	22	6.5	19	1	2	5	10	11	15	19
35-49	455	8.6	37	2	3	7	12	16	20	33
50-64	1768	9.8	48	2	3	8	13	18	23	36
65+	2261	11.1	73	3	3	9	14	21	27	48
GRAND TOTAL	**4511**	**10.3**	**60**	**2**	**3**	**9**	**13**	**19**	**24**	**39**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	15	3.9	12	1	1	3	4	10	12	13
35-49	150	6.9	38	1	1	5	10	14	17	23
50-64	383	6.5	27	1	1	5	9	14	17	27
65+	451	8.9	60	2	2	7	11	17	23	38
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	23	5.7	20	1	2	3	10	13	14	14
35-49	221	5.6	40	1	1	3	10	13	17	26
50-64	545	6.1	35	1	1	3	11	14	16	25
65+	101	7.8	78	1	1	3	13	20	28	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	8	3	3	6	9	56	99+	99+
20-34	20	8.4	30	1	1	9	13	14	17	19
35-49	335	7.2	30	1	2	6	10	14	17	23
50-64	1444	9.3	66	1	2	7	12	18	23	42
65+	2946	12.1	126	2	3	9	15	25	35	95
B. *Operated*										
0-19 YRS	6	6.0	87	2	2	2	3	23	25	25
20-34	48	6.8	47	1	1	4	11	15	21	30
35-49	504	8.7	82	1	1	4	12	19	26	43
50-64	1384	9.5	85	1	1	7	14	21	27	46
65+	478	15.0	217	1	2	13	21	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	7.6	45	1	2	6	10	15	20	29
B. *Operated*	894	6.1	41	1	1	3	11	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	4754	10.8	103	2	3	8	14	22	30	72
B. *Operated*	2420	10.5	116	1	1	8	15	24	31	60
1. SINGLE DX	1894	6.9	43	1	1	4	11	15	18	29
2. MULTIPLE DX	7174	10.7	108	1	2	8	14	22	30	67
A. NOT OPERATED	5754	10.3	95	2	2	8	13	21	28	67
B. OPERATED	3314	9.3	100	1	1	5	14	21	28	51
TOTAL 0-19 YRS	20	5.4	30	1	2	4	7	17	59	99+
20-34	106	6.4	34	1	1	4	10	14	16	27
35-49	1210	7.5	56	1	1	4	11	16	21	40
50-64	3756	8.6	66	1	1	7	13	18	23	40
65+	3976	12.0	132	2	3	9	15	25	36	86
GRAND TOTAL	**9068**	**9.9**	**97**	**1**	**2**	**8**	**13**	**21**	**28**	**61**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	78	2	2	16	20	21	21	21
20-34	37	9.5	27	2	4	9	12	15	21	25
35-49	63	10.9	24	5	6	10	14	16	19	28
50-64	86	11.9	33	3	6	11	15	18	22	33
65+	64	13.7	60	3	5	13	16	25	27	44
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	18.7	40	15	15	15	23	26	26	26
35-49	8	15.1	22	8	9	16	19	21	21	21
50-64	16	13.8	28	4	8	15	17	20	23	24
65+	7	13.3	35	5	6	15	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	18.3	74	9	9	20	24	26	26	26
20-34	35	11.8	41	5	6	11	13	17	24	37
35-49	102	13.5	42	6	7	12	17	21	25	37
50-64	224	14.4	59	5	7	13	17	24	30	42
65+	303	17.6	134	6	7	15	21	30	39	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	13.3	26	4	6	13	16	21	23	23
35-49	39	16.9	93	7	9	15	21	29	36	51
50-64	50	17.7	66	6	9	17	20	29	36	41
65+	64	19.4	77	9	10	17	23	35	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	11.8	39	3	5	11	15	19	24	34
B. *Operated*	35	14.4	28	6	8	15	18	20	23	26
2. MULTIPLE DX										
A. *Not Operated*	667	15.6	93	5	7	13	19	26	34	76
B. *Operated*	167	17.7	75	7	9	16	22	30	36	42
1. SINGLE DX	289	12.1	38	3	5	11	15	20	24	32
2. MULTIPLE DX	834	16.0	90	6	7	14	20	26	35	60
A. NOT OPERATED	921	14.5	81	5	6	13	18	25	31	58
B. OPERATED	202	17.2	69	7	9	16	20	27	36	42
TOTAL 0-19 YRS	9	14.2	65	2	3	13	20	24	26	26
20-34	88	11.3	36	3	4	11	14	17	23	33
35-49	212	13.4	49	6	6	11	17	22	25	38
50-64	376	14.2	55	5	7	13	17	24	30	41
65+	438	17.2	116	5	7	15	21	29	38	83
GRAND TOTAL	**1123**	**15.0**	**80**	**5**	**7**	**13**	**18**	**25**	**33**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	14.7	289	2	2	8	27	34	34	34
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	21.0	449	6	6	13	34	52	52	52
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	49.0		49	49	49	49	49	49	49
35-49										
50-64	1	40.0		40	40	40	40	40	40	40
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	20.4	379	6	6	8	37	48	48	48
20-34	7	35.7	322	13	15	30	43	64	69	69
35-49	18	23.8	173	3	7	27	30	39	49	55
50-64	13	26.3	159	7	11	30	34	39	49	51
65+	11	27.2	198	12	13	19	43	45	45	45
B. *Operated*										
0-19 YRS	1	71.0		71	71	71	71	71	71	71
20-34	3	44.3	32	38	38	46	48	49	49	49
35-49	1	30.0		30	30	30	30	30	30	30
50-64	3	36.3	86	30	30	32	43	47	47	47
65+	8	36.9	124	15	21	39	47	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.0	254	2	4	13	24	45	52	52
B. *Operated*	2	44.5	41	40	40	44	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	54	26.3	211	6	8	28	34	45	50	68
B. *Operated*	16	39.9	156	20	30	39	47	67	90	99+
1. SINGLE DX	11	22.8	322	2	4	17	38	50	52	52
2. MULTIPLE DX	70	29.4	229	6	11	30	41	48	55	94
A. NOT OPERATED	63	25.1	222	5	6	25	34	45	51	67
B. OPERATED	18	40.4	142	22	30	40	48	63	87	99+
TOTAL 0-19 YRS	6	28.8	730	6	6	21	48	69	71	71
20-34	14	34.0	328	3	7	36	46	51	65	69
35-49	20	23.6	163	3	8	27	30	38	48	55
50-64	21	27.4	200	6	8	30	35	49	51	52
65+	20	30.8	178	13	14	33	44	48	73	99+
GRAND TOTAL	**81**	**28.5**	**243**	**6**	**8**	**30**	**41**	**49**	**53**	**91**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	4	4
20-34	33	2.5	11	<1	<1	1	3	4	5	19
35-49	55	2.2	3	<1	<1	1	3	5	7	8
50-64	98	2.9	6	<1	1	2	4	6	8	12
65+	63	4.2	19	1	1	4	5	8	10	29
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.7	2	1	1	2	4	5	6	6
20-34	37	3.5	9	1	1	3	4	7	10	15
35-49	78	4.6	46	1	1	3	5	9	11	45
50-64	158	5.2	25	<1	1	4	7	12	15	23
65+	184	7.1	44	1	1	5	9	15	19	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	13.0		13	13	13	13	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	6.0	15	1	1	6	9	11	11	11
65+	11	12.7	76	5	5	12	15	26	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	3.0	9	<1	1	2	4	6	8	12
B. *Operated*	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	471	5.6	35	1	1	4	8	12	17	26
B. *Operated*	21	10.1	54	2	3	7	13	18	27	34
1. SINGLE DX	266	3.0	9	<1	1	2	4	6	8	12
2. MULTIPLE DX	492	5.8	37	1	1	4	8	13	18	27
A. NOT OPERATED	732	4.7	28	1	1	3	6	10	14	24
B. OPERATED	26	8.9	51	1	2	7	13	15	24	34
TOTAL 0-19 YRS	29	2.4	2	1	1	2	3	4	5	6
20-34	73	3.3	13	<1	1	2	4	7	12	18
35-49	134	3.7	30	<1	1	2	4	7	9	23
50-64	264	4.4	19	<1	1	3	6	10	12	22
65+	258	6.6	42	1	1	4	8	14	19	34
GRAND TOTAL	**758**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	2.4	5	<1	<1	1	3	5	7	10
35-49	72	3.1	5	<1	1	2	4	6	7	11
50-64	193	4.3	19	1	1	3	6	10	12	25
65+	207	5.9	61	1	1	5	7	11	16	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	2.8		2	2	3	3	3	3	3
50-64	3	10.3	30	4	4	13	14	14	14	14
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	14	1	1	4	6	11	13	13
20-34	51	4.0	19	<1	1	3	5	9	14	24
35-49	128	4.9	32	1	1	3	6	11	15	30
50-64	600	6.6	42	1	1	5	8	14	18	32
65+	1233	8.9	73	2	2	7	11	18	25	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	8.2	13	4	4	7	8	14	15	15
50-64	43	13.3	116	1	2	11	16	26	44	46
65+	87	18.9	259	3	6	16	24	36	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	4.7	35	1	1	3	6	9	12	27
B. *Operated*	9	4.9	25	1	1	3	[illegible]	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2020	7.8	62	1	2	6	10	16	23	40
B. *Operated*	136	16.7	211	2	5	13	19	31	45	82
1. SINGLE DX	505	4.7	35	1	1	3	6	9	12	27
2. MULTIPLE DX	2156	8.4	76	1	2	6	11	18	25	48
A. NOT OPERATED	2516	7.2	58	1	1	5	9	15	21	39
B. OPERATED	145	15.9	208	2	3	12	19	31	44	81
TOTAL 0-19 YRS	9	4.8	13	1	1	4	6	10	13	13
20-34	74	3.5	15	<1	1	2	4	8	11	22
35-49	210	4.3	23	1	1	3	5	8	14	24
50-64	839	6.4	44	1	1	4	8	14	18	32
65+	1529	9.0	89	1	2	7	11	19	26	66
GRAND TOTAL	**2661**	**7.7**	**70**	**1**	**1**	**5**	**10**	**16**	**23**	**43**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	6	<1	1	2	4	6	8	12
20-34	53	3.9	10	1	1	3	5	8	13	97
35-49	116	3.5	7	1	1	3	5	7	8	14
50-64	208	4.9	20	1	1	4	6	11	13	23
65+	241	6.2	31	1	1	5	8	12	17	27
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	7.6	9	3	3	8	9	11	11	11
35-49	17	6.8	22	1	2	5	9	14	17	18
50-64	50	6.9	25	1	2	6	9	13	16	26
65+	117	8.9	28	3	4	8	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.7	24	<1	1	4	8	13	16	19
20-34	82	5.1	77	<1	1	3	5	11	14	58
35-49	216	6.0	36	1	1	4	8	12	15	36
50-64	629	6.9	42	1	2	5	9	14	19	29
65+	1090	9.5	81	2	2	7	12	20	28	54
B. *Operated*										
0-19 YRS	6	11.0	229	1	1	5	11	38	41	41
20-34	12	8.6	83	1	2	4	10	24	31	32
35-49	40	11.0	79	1	2	11	15	18	25	49
50-64	168	11.0	62	3	3	9	15	20	24	91
65+	523	13.8	103	3	4	11	18	27	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	5.0	22	1	1	4	6	11	13	23
B. *Operated*	192	8.1	27	2	3	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	2049	8.1	65	1	2	6	10	16	22	47
B. *Operated*	749	12.9	95	3	4	11	17	25	32	66
1. SINGLE DX	835	5.7	25	1	1	4	8	12	16	24
2. MULTIPLE DX	2798	9.4	78	1	2	7	12	20	26	52
A. NOT OPERATED	2692	7.4	57	1	2	5	9	15	21	46
B. OPERATED	941	11.9	85	3	3	10	15	24	30	59
TOTAL 0-19 YRS	66	5.0	36	<1	1	3	6	12	14	37
20-34	152	5.0	53	1	1	3	6	11	15	74
35-49	389	5.8	35	1	1	4	7	12	16	31
50-64	1055	7.2	43	1	2	5	9	16	20	32
65+	1971	10.2	83	2	3	8	13	21	29	55
GRAND TOTAL	**3633**	**8.5**	**68**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	19	10.4	119	2	3	8	11	18	37	51
50-64	142	9.3	80	1	3	7	12	15	19	71
65+	913	10.3	93	2	3	8	13	20	29	60
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	10.3	209	1	1	3	21	27	27	27
65+	8	19.3	209	2	3	16	30	40	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	8.7	37	2	2	7	11	18	21	26
20-34	14	10.6	106	2	2	8	11	26	37	40
35-49	138	8.9	63	2	3	6	12	18	22	34
50-64	1141	11.2	95	3	3	9	14	21	28	61
65+	6208	13.8	161	3	4	10	17	29	43	99+
B. *Operated*										
0-19 YRS	2	34.5	1625	6	6	34	63	63	63	63
20-34	7	10.9	91	<1	<1	11	19	23	24	24
35-49	15	13.9	275	4	5	14	23	31	62	72
50-64	89	18.7	194	4	6	15	24	35	52	73
65+	364	23.4	303	6	8	20	30	59	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	10.2	91	2	3	8	13	19	28	62
B. *Operated*	11	16.8	205	1	2	13	28	36	43	44
2. MULTIPLE DX										
A. *Not Operated*	7544	13.3	150	3	4	10	16	27	40	99+
B. *Operated*	477	22.2	286	5	7	19	28	52	82	99+
1. SINGLE DX	1092	10.2	93	2	3	8	13	19	29	61
2. MULTIPLE DX	8021	13.8	162	3	4	10	17	29	43	99+
A. NOT OPERATED	8625	12.9	143	3	4	10	16	27	38	99+
B. OPERATED	488	22.1	284	5	7	18	28	52	81	99+
TOTAL 0-19 YRS	47	9.6	98	2	2	7	11	19	23	63
20-34	26	9.2	87	1	2	7	11	24	28	40
35-49	172	9.9	94	2	3	7	13	18	25	54
50-64	1375	11.5	104	3	3	9	15	22	29	67
65+	7493	13.8	165	3	4	10	17	29	44	99+
GRAND TOTAL	**9113**	**13.4**	**155**	**3**	**4**	**10**	**16**	**28**	**41**	**99+**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.8	51	1	2	4	7	15	22	33
20-34	129	6.1	18	1	2	5	9	13	14	38
35-49	129	6.4	27	1	2	5	9	14	16	25
50-64	93	6.7	26	1	2	5	9	13	17	24
65+	72	8.9	48	1	2	7	12	18	22	31
B. *Operated*										
0-19 YRS	22	3.1	5	1	2	3	3	5	10	11
20-34	30	3.6	15	1	1	2	3	9	15	17
35-49	55	5.1	27	1	2	3	6	13	18	23
50-64	71	6.0	122	1	1	3	7	13	20	74
65+	42	6.8	91	1	1	3	10	16	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	8.1	74	1	1	4	11	20	30	34
20-34	126	8.2	59	2	2	6	11	17	26	42
35-49	184	8.1	39	2	2	7	11	16	19	31
50-64	355	11.2	111	2	3	8	14	24	30	53
65+	497	12.6	132	2	3	10	16	27	36	90
B. *Operated*										
0-19 YRS	21	13.2	155	2	2	12	18	32	42	48
20-34	38	10.0	60	1	2	8	15	22	24	26
35-49	81	10.7	100	1	2	8	15	23	35	46
50-64	226	11.0	107	1	1	8	18	25	32	62
65+	135	15.4	182	1	2	14	22	34	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	6.8	30	1	2	5	9	14	17	30
B. *Operated*	220	5.3	67	1	1	3	5	13	18	38
2. MULTIPLE DX										
A. *Not Operated*	1202	10.9	105	2	3	8	14	23	31	63
B. *Operated*	501	12.2	128	1	2	9	19	27	37	54
1. SINGLE DX	686	6.3	42	1	2	4	9	13	17	31
2. MULTIPLE DX	1703	11.3	112	1	2	8	15	24	32	61
A. NOT OPERATED	1668	9.7	87	2	2	7	12	21	28	59
B. OPERATED	721	10.1	119	1	2	5	15	24	32	51
TOTAL 0-19 YRS	126	7.6	75	1	2	4	11	18	30	40
20-34	323	7.2	41	1	2	5	10	15	20	36
35-49	449	7.7	48	1	2	6	10	16	20	36
50-64	745	10.1	104	1	2	7	14	22	29	52
65+	746	12.4	135	2	2	10	16	27	37	80
GRAND TOTAL	**2389**	**9.8**	**97**	**1**	**2**	**7**	**13**	**22**	**29**	**55**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	13.9	153	<1	2	12	19	34	35	35
65+	15	12.9	338	2	3	11	17	95	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	62.0		62	62	62	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	15	18.7	172	4	5	15	23	42	48	50
65+	110	16.0	219	2	4	11	20	42	53	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	20.0	131	6	7	16	27	37	39	39
65+	13	28.3	662	3	5	20	41	67	87	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	12.8	254	1	2	11	16	68	99+	99+
B. *Operated*	2	32.5	1741	3	3	32	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	127	16.1	211	2	4	12	21	42	53	99+
B. *Operated*	20	25.4	476	4	6	19	35	51	76	92
1. SINGLE DX	27	14.2	329	1	2	11	17	70	99+	99+
2. MULTIPLE DX	147	17.4	254	2	4	12	23	42	53	99+
A. NOT OPERATED	152	15.6	218	2	3	12	20	42	55	99+
B. OPERATED	22	26.0	518	3	5	19	39	61	74	92
TOTAL 0-19 YRS										
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	32	17.2	155	3	4	14	25	36	42	50
65+	139	17.1	294	2	3	12	22	51	66	99+
GRAND TOTAL	**174**	**16.9**	**265**	**2**	**3**	**12**	**22**	**42**	**59**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	5.0	47	<1	<1	2	7	17	17	17
50-64	7	11.0	192	<1	<1	2	19	34	37	37
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	11	22.7	53	13	15	24	26	32	39	40
35-49	16	26.1	137	10	11	30	36	39	41	42
50-64	11	23.1	501	2	3	21	39	82	97	99+
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	16.6	158	3	3	11	30	30	30	30
50-64	8	8.9	46	<1	<1	9	15	68	99+	99+
65+	17	21.3	432	2	3	13	33	56	67	72
B. *Operated*										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34	5	20.0	99	5	6	24	31	93	99+	99+
35-49	33	37.1	545	4	10	34	54	91	99	99+
50-64	28	31.9	259	11	17	31	47	99+	99+	99+
65+	16	37.0	426	9	13	45	66	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.2	85	<1	<1	2	5	18	28	37
B. *Operated*	40	23.9	199	4	8	24	35	40	57	99+
2. MULTIPLE DX										
A. *Not Operated*	32	16.9	291	<1	1	13	25	49	70	99+
B. *Operated*	83	34.4	401	7	13	33	58	99+	99+	99+
1. SINGLE DX	60	18.0	230	<1	1	16	30	39	41	97
2. MULTIPLE DX	115	29.5	429	3	6	30	49	94	99+	99+
A. NOT OPERATED	52	12.8	236	<1	<1	8	18	35	56	99
B. OPERATED	123	31.0	357	6	11	31	46	91	99+	99+
TOTAL 0-19 YRS	7	15.6	255	<1	<1	17	22	41	45	45
20-34	19	18.9	103	1	4	22	25	35	70	99+
35-49	59	29.6	452	2	4	30	42	63	93	99+
50-64	54	24.0	344	<1	2	24	39	88	99+	99+
65+	36	26.8	491	2	3	20	54	86	99+	99+
GRAND TOTAL	**175**	**25.6**	**389**	**1**	**3**	**24**	**40**	**71**	**99+**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	14.0	98	7	7	14	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	66.0	50	61	61	85	99+	99+	99+	99+
50-64	2	76.0	392	62	65	99+	99+	99+	99+	99+
65+	4	71.0	153	56	58	83	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	14.0	98	7	7	14	21	21	21	21
B. *Operated*	9	64.4	512	30	57	95	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	11	55.3	836	9	16	86	99+	99+	99+	99+
A. NOT OPERATED	2	14.0	98	7	7	14	21	21	21	21
B. OPERATED	9	64.4	512	30	57	95	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	66.0	50	61	61	85	99+	99+	99+	99+
50-64	2	76.0	392	62	65	99+	99+	99+	99+	99+
65+	6	52.0	978	7	13	79	99+	99+	99+	99+
GRAND TOTAL	**11**	**55.3**	**836**	**9**	**16**	**86**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	9	<1	<1	3	6	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	8	10.6	65	1	1	10	15	22	25	25
65+	9	31.1	824	<1	2	33	82	99+	99+	99+
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	6	12.7	55	5	5	9	22	22	22	22
35-49	4	13.0	60	4	4	16	41	99+	99+	99+
50-64	11	13.6	94	5	5	10	23	54	93	99+
65+	17	18.6	213	7	7	12	21	44	53	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	23.3	1023	<1	<1	13	20	80	87	87
50-64	17	13.5	79	2	5	13	18	75	99+	99+
65+	26	34.1	924	5	6	30	73	99	99+	99+
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	15	79	99+	99+	99+
20-34	4	14.0	18	10	10	13	17	19	19	19
35-49	13	16.8	142	5	7	14	28	99+	99+	99+
50-64	19	26.9	709	8	9	22	91	99+	99+	99+
65+	31	36.6	601	6	10	38	56	90	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	17.7	474	<1	1	11	29	91	99+	99+
B. *Operated*	39	15.8	134	5	6	11	22	39	76	99+
2. MULTIPLE DX										
A. *Not Operated*	49	25.6	706	3	5	17	37	99	99+	99+
B. *Operated*	69	28.2	556	7	8	22	55	99+	99+	99+
1. SINGLE DX	61	16.5	252	2	3	11	23	57	99+	99+
2. MULTIPLE DX	118	27.1	614	5	7	20	50	99+	99+	99+
A. NOT OPERATED	71	23.2	640	1	3	15	37	97	99+	99+
B. OPERATED	108	23.7	437	5	7	19	42	98	99+	99+
TOTAL 0-19 YRS	7	8.3	49	<1	1	8	17	76	99+	99+
20-34	11	12.8	35	5	7	10	18	22	22	22
35-49	23	17.9	331	3	4	15	27	98	99+	99+
50-64	55	17.7	332	3	6	15	28	99+	99+	99+
65+	83	31.5	670	5	7	27	56	93	99+	99+
GRAND TOTAL	**179**	**23.5**	**514**	**3**	**5**	**16**	**38**	**98**	**99+**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34										
35-49										
50-64	2	28.5	85	22	22	28	35	35	35	35
65+	13	33.9	496	12	13	32	61	79	95	99+
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49	3	25.7	2	24	24	26	63	99+	99+	99+
50-64	1	15.0		15	15	57	99+	99+	99+	99+
65+	4	19.5	122	13	13	15	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	32.2	422	12	13	32	49	74	92	99+
B. *Operated*	9	21.6	61	13	14	25	68	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	28.4	311	13	13	26	49	99+	99+	99+
A. NOT OPERATED	16	32.2	422	12	13	32	49	74	92	99+
B. OPERATED	9	21.6	61	13	14	25	68	99+	99+	99+
TOTAL 0-19 YRS	2	20.5	25	17	17	20	24	24	24	24
20-34										
35-49	3	25.7	2	24	24	26	63	99+	99+	99+
50-64	3	24.0	103	15	15	28	67	99+	99+	99+
65+	17	30.5	434	12	13	32	57	91	99+	99+
GRAND TOTAL	**25**	**28.4**	**311**	**13**	**13**	**26**	**49**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	12.8	52	4	4	13	18	20	20	20
50-64	13	13.8	107	1	3	13	20	29	35	36
65+	9	12.8	157	2	2	6	25	32	33	33
B. *Operated*										
0-19 YRS										
20-34	5	6.4	7	5	5	5	7	11	11	11
35-49	12	10.3	68	2	2	9	15	21	28	29
50-64	82	8.9	51	1	2	8	12	17	22	38
65+	91	8.9	49	1	2	7	13	17	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	9.8	104	1	1	9	24	86	99+	99+
50-64	41	10.4	79	1	2	9	15	23	38	99+
65+	52	14.4	223	2	2	9	18	41	53	99
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	18.0	153	1	3	12	27	35	37	37
35-49	27	11.0	50	1	2	10	14	21	25	30
50-64	251	13.0	108	2	3	10	17	24	31	58
65+	252	12.4	106	2	3	10	15	25	33	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	13.1	104	2	3	9	19	30	33	36
B. *Operated*	190	8.9	50	1	2	7	13	17	22	37
2. MULTIPLE DX										
A. *Not Operated*	99	12.5	158	1	2	9	16	36	52	99+
B. *Operated*	538	12.7	105	2	3	11	16	25	32	60
1. SINGLE DX	217	9.5	58	1	2	8	13	18	25	37
2. MULTIPLE DX	637	12.6	113	2	2	10	16	26	36	81
A. NOT OPERATED	126	12.6	146	1	2	9	16	34	47	99+
B. OPERATED	728	11.7	93	2	2	10	15	23	31	56
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	13	12.8	113	2	4	11	15	30	36	37
35-49	49	10.9	57	1	2	10	15	22	29	99+
50-64	387	11.9	95	2	2	10	16	23	31	58
65+	404	11.9	112	1	2	9	15	25	34	71
GRAND TOTAL	**854**	**11.8**	**101**	**2**	**2**	**10**	**15**	**24**	**33**	**64**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	24.0	242	13	13	24	35	35	35	35
35-49	1	5.0		5	5	5	5	5	5	5
50-64	8	25.6	339	2	2	26	40	49	52	52
65+	10	24.8	351	4	5	21	36	55	59	59
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	3	43.0	273	24	24	52	77	99+	99+	99+
50-64	19	21.4	518	4	5	16	34	97	99+	99+
65+	16	19.8	389	5	7	12	28	32	69	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	21	24.1	308	2	3	24	37	51	55	59
B. *Operated*	39	22.4	450	4	6	17	32	88	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	60	23.0	395	3	5	18	34	59	97	99+
A. NOT OPERATED	21	24.1	308	2	3	24	37	51	55	59
B. OPERATED	39	22.4	450	4	6	17	32	88	99+	99+
TOTAL 0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	24.0	242	13	13	24	35	35	35	35
35-49	4	33.5	543	5	5	51	65	99+	99+	99+
50-64	27	22.7	454	2	4	16	39	81	99+	99+
65+	26	21.7	366	4	6	16	30	49	64	85
GRAND TOTAL	**60**	**23.0**	**395**	**3**	**5**	**18**	**34**	**59**	**97**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	8.7	54	3	3	6	14	17	17	17
35-49	10	12.5	161	<1	1	9	16	33	42	42
50-64	27	15.0	311	3	3	8	18	30	65	75
65+	81	14.6	154	2	3	12	21	33	48	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	9.4	91	2	2	4	15	25	25	25
35-49	15	7.7	14	1	4	8	10	13	14	15
50-64	12	15.7	473	1	2	10	18	39	75	81
65+	11	14.7	552	1	2	7	14	46	80	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	41	16	16	20	25	25	25	25
20-34	5	14.2	17	7	7	16	16	17	17	17
35-49	28	23.6	501	6	6	13	34	42	87	97
50-64	154	17.3	278	4	5	13	23	54	84	99+
65+	417	21.9	408	4	5	15	33	77	99+	99+
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	6	11.8	85	3	3	9	18	26	27	27
35-49	21	15.1	375	2	3	9	13	44	70	71
50-64	67	18.6	309	3	4	13	23	43	61	99+
65+	44	17.8	232	3	5	16	27	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	14.3	183	2	3	11	19	32	48	99+
B. *Operated*	44	11.8	276	1	2	7	13	21	42	83
2. MULTIPLE DX										
A. *Not Operated*	606	20.8	378	4	5	15	30	72	99+	99+
B. *Operated*	139	17.8	293	3	3	12	24	54	78	99+
1. SINGLE DX	166	13.7	207-	2	2	10	17	30	44	97
2. MULTIPLE DX	745	20.2	363	4	5	14	29	68	99+	99+
A. NOT OPERATED	728	19.7	351	4	5	14	28	63	99+	99+
B. OPERATED	183	16.4	294	3	3	12	20	49	72	99+
TOTAL 0-19 YRS	5	23.4	442	8	8	16	33	59	59	59
20-34	19	11.3	58	2	3	12	17	22	26	27
35-49	74	16.5	349	2	4	11	19	38	64	94
50-64	260	17.3	295	3	4	12	22	50	75	99+
65+	553	20.4	366	3	5	15	30	73	99+	99+
GRAND TOTAL	**911**	**19.0**	**341**	**3**	**5**	**13**	**26**	**61**	**94**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	12.0	131	2	3	17	99+	99+	99+	99+
50-64	41	27.5	567	5	6	24	63	99+	99+	99+
65+	124	36.0	670	5	8	34	72	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	44.5	3785	<1	<1	44	88	88	88	88
35-49	7	28.0	407	10	11	19	38	61	66	66
50-64	10	24.5	490	3	5	14	38	57	76	76
65+	14	39.3	1042	6	8	56	99	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	173	32.9	650	5	7	32	70	99+	99+	99+
B. *Operated*	33	32.7	809	4	8	24	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	206	32.8	671	5	7	31	70	99+	99+	99+
A. NOT OPERATED	173	32.9	650	5	7	32	70	99+	99+	99+
B. OPERATED	33	32.7	809	4	8	24	70	99+	99+	99+
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	36.7	2076	<1	<1	21	71	88	88	88
35-49	13	20.6	327	3	5	18	52	99+	99+	99+
50-64	51	26.9	543	5	6	21	49	99+	99+	99+
65+	138	36.3	702	5	8	35	73	99+	99+	99+
GRAND TOTAL	**206**	**32.8**	**671**	**5**	**7**	**31**	**70**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	6	2.2	2	1	1	2	3	4	4	4
35-49	33	5.0	10	1	1	5	7	10	10	13
50-64	116	5.1	18	1	1	4	6	11	13	24
65+	339	6.1	42	1	1	4	7	12	18	38
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	8	6.3	12	2	2	7	9	10	11	11
35-49	14	4.6	8	1	1	4	7	8	10	10
50-64	56	6.7	46	1	2	4	8	17	19	33
65+	42	6.3	45	1	1	4	8	10	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	4	1	1	3	4	6	8	8
20-34	10	5.6	30	1	1	5	6	13	20	20
35-49	40	5.5	10	1	2	5	8	10	12	13
50-64	307	7.5	81	1	2	5	8	15	20	36
65+	1312	9.8	116	2	2	7	12	20	31	99+
B. *Operated*										
0-19 YRS										
20-34	4	14.3	98	7	7	11	21	28	28	28
35-49	32	8.4	31	2	2	8	11	15	20	26
50-64	145	10.0	63	1	2	8	14	20	29	53
65+	178	13.2	170	1	3	10	18	34	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	5.7	34	1	1	4	7	11	16	37
B. *Operated*	122	6.3	38	1	1	4	8	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	1679	9.2	108	2	2	6	11	19	28	97
B. *Operated*	359	11.5	117	1	2	9	15	26	40	99+
1. SINGLE DX	619	5.8	35	1	1	4	7	12	16	36
2. MULTIPLE DX	2038	9.6	110	2	2	7	12	20	31	99+
A. NOT OPERATED	2176	8.4	93	1	2	6	10	17	25	89
B. OPERATED	481	10.2	102	1	2	7	14	23	31	99+
TOTAL 0-19 YRS	15	3.4	3	1	2	3	4	5	7	8
20-34	28	6.3	38	1	1	5	7	14	21	28
35-49	119	6.0	17	1	2	5	9	11	13	22
50-64	624	7.6	64	1	2	5	9	16	21	36
65+	1871	9.4	110	1	2	6	12	20	31	99+
GRAND TOTAL	**2657**	**8.8**	**95**	**1**	**2**	**6**	**11**	**19**	**28**	**94**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	11	1	1	3	7	10	11	11
20-34	9	6.7	12	2	3	6	9	12	13	13
35-49	24	7.9	30	1	2	7	12	17	41	99+
50-64	116	14.5	277	2	2	9	18	54	74	99+
65+	490	16.8	280	2	3	11	24	43	61	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	5	10.0	159	1	1	6	14	32	32	32
50-64	15	12.3	87	1	2	13	18	35	81	99+
65+	11	18.0	217	5	6	16	25	69	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.8	197	1	2	7	13	41	43	43
20-34	11	6.8	54	1	1	3	11	19	22	22
35-49	34	9.7	67	1	1	9	15	19	30	33
50-64	334	18.3	336	3	4	12	24	48	77	99+
65+	1525	24.0	483	3	5	17	39	83	99+	99+
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	14.3	43	7	7	12	17	25	26	26
35-49	14	13.9	67	5	5	13	17	22	33	36
50-64	64	19.3	363	3	5	13	30	61	96	99+
65+	141	31.3	418	7	10	33	72	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	15.6	267	2	3	10	21	43	61	99+
B. *Operated*	34	13.5	133	1	3	11	21	36	87	99+
2. MULTIPLE DX										
A. *Not Operated*	1916	22.6	455	3	5	15	36	76	99+	99+
B. *Operated*	226	26.3	410	5	7	26	50	99+	99+	99+
1. SINGLE DX	689	15.5	261	2	3	10	21	43	61	99+
2. MULTIPLE DX	2142	23.0	451	3	5	16	37	82	99+	99+
A. NOT OPERATED	2571	20.8	416	3	4	14	32	67	99+	99+
B. OPERATED	260	24.6	392	4	6	22	46	99+	99+	99+
TOTAL 0-19 YRS	30	8.1	99	1	1	6	9	16	40	43
20-34	28	8.6	41	1	1	8	12	17	22	26
35-49	77	9.9	62	1	2	8	15	21	32	82
50-64	529	17.4	322	2	4	11	23	50	83	99+
65+	2167	22.8	445	3	4	17	37	78	99+	99+
GRAND TOTAL	**2831**	**21.2**	**415**	**3**	**4**	**15**	**34**	**71**	**99+**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	77.0		77	77	77	77	77	77	77
20-34										
35-49	12	22.2	471	5	6	13	30	51	78	82
50-64	99	27.2	491	5	8	24	44	91	99+	99+
65+	412	33.0	613	5	7	32	66	99+	99+	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	5	33.2	1269	8	8	14	54	92	92	92
50-64	20	33.9	613	5	7	33	58	98	99+	99+
65+	39	37.5	793	9	12	50	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	524	31.7	595	5	7	30	63	99+	99+	99+
B. *Operated*	66	36.0	743	7	11	41	90	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	590	32.2	612	5	8	30	66	99+	99+	99+
A. NOT OPERATED	524	31.7	595	5	7	30	63	99+	99+	99+
B. OPERATED	66	36.0	743	7	11	41	90	99+	99+	99+
TOTAL 0-19 YRS	2	44.0	2178	11	11	44	77	77	77	77
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	17	25.4	668	5	6	14	32	74	88	92
50-64	119	28.3	513	5	8	24	50	96	99+	99+
65+	451	33.4	628	5	8	32	70	99+	99+	99+
GRAND TOTAL	**590**	**32.2**	**612**	**5**	**8**	**30**	**66**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	17	8.9	191	<1	1	4	8	22	46	58
50-64	47	7.0	29	1	2	6	9	14	20	22
65+	246	11.1	159	2	2	7	14	30	52	99+
B. *Operated*										
0-19 YRS										
20-34	11	9.1	53	2	2	10	12	21	24	24
35-49	9	10.4	80	1	1	7	14	24	30	30
50-64	30	10.0	287	1	1	3	10	25	27	89
65+	22	10.4	188	1	1	5	16	25	42	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.3	150	<1	<1	8	22	31	32	32
20-34	12	5.0	23	1	1	4	6	12	17	18
35-49	34	9.5	146	1	2	5	13	30	54	99+
50-64	192	11.8	171	1	2	9	16	55	99+	99+
65+	1092	18.9	381	3	3	13	34	90	99+	99+
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	7	20.1	245	3	4	17	23	47	52	52
35-49	22	24.0	549	3	4	13	35	73	89	99+
50-64	67	13.4	216	1	2	8	20	41	77	99+
65+	100	23.2	533	2	4	19	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	10.3	141	1	2	7	13	24	46	99+
B. *Operated*	72	10.0	190	1	1	5	12	24	30	82
2. MULTIPLE DX										
A. *Not Operated*	1336	17.5	350	2	3	12	30	84	99+	99+
B. *Operated*	197	19.9	431	2	3	15	35	95	99+	99+
1. SINGLE DX	387	10.2	149	1	2	7	13	24	39	99+
2. MULTIPLE DX	1533	17.8	360	2	3	12	31	86	99+	99+
A. NOT OPERATED	1651	16.1	318	2	3	10	25	71	99+	99+
B. OPERATED	269	17.3	384	1	2	11	28	80	99+	99+
TOTAL 0-19 YRS	9	12.7	146	<1	1	5	24	31	32	32
20-34	33	9.3	109	1	1	5	13	20	25	52
35-49	82	13.4	290	1	2	7	16	36	66	99+
50-64	336	11.3	172	1	2	8	15	41	99+	99+
65+	1460	17.7	362	2	3	12	30	82	99+	99+
GRAND TOTAL	**1920**	**16.3**	**327**	**2**	**3**	**10**	**25**	**72**	**99+**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	12.0	47	3	3	14	16	21	21	21
50-64	29	10.8	50	1	2	11	16	19	20	31
65+	66	10.3	126	1	2	6	15	24	41	94
B. *Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	36	9.3	39	1	1	10	13	17	22	24
50-64	141	8.6	36	1	1	8	12	16	19	25
65+	145	9.4	52	1	1	8	13	16	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.5	613	2	2	37	84	99+	99+	99+
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	10	8.2	16	2	2	9	12	13	13	13
50-64	76	14.2	192	2	3	11	17	26	41	98
65+	355	15.7	237	2	3	11	24	54	99+	99+
B. *Operated*										
0-19 YRS										
20-34	10	21.1	464	8	8	13	20	54	80	80
35-49	84	12.1	69	2	3	11	15	22	27	47
50-64	473	15.4	196	1	3	13	18	31	51	99+
65+	588	19.4	325	1	2	15	27	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	10.5	98	1	2	8	15	21	29	82
B. *Operated*	325	9.0	43	1	1	9	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	445	15.2	225	2	3	11	22	51	99+	99+
B. *Operated*	1155	17.2	260	1	3	14	22	44	77	99+
1. SINGLE DX	426	9.3	56	1	1	8	13	18	22	41
2. MULTIPLE DX	1600	16.7	251	1	3	13	22	46	85	99+
A. NOT OPERATED	546	14.4	205	2	3	11	20	47	99+	99+
B. OPERATED	1480	15.4	224	1	2	12	19	37	63	99+
TOTAL 0-19 YRS	2	19.5	613	2	2	37	84	99+	99+	99+
20-34	16	15.4	350	1	2	11	17	27	64	80
35-49	135	11.0	58	1	2	11	14	20	23	36
50-64	719	13.7	165	1	2	12	16	27	43	96
65+	1154	16.5	265	1	2	13	23	50	99+	99+
GRAND TOTAL	**2026**	**15.1**	**219**	**1**	**2**	**12**	**19**	**39**	**69**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.8	34	<1	<1	2	7	15	15	15
65+	24	9.0	217	<1	<1	4	12	15	34	74
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	11.0	62	1	1	11	16	20	20	20
50-64	20	13.7	46	3	5	12	16	20	27	35
65+	63	13.6	45	3	4	13	16	21	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	21.7	464	5	5	14	38	46	46	46
50-64	17	8.8	48	1	2	6	14	24	70	99+
65+	108	14.4	236	2	3	9	17	32	57	88
B. *Operated*										
0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34										
35-49	9	18.2	95	8	9	15	22	33	41	41
50-64	147	17.5	138	4	8	15	21	31	43	67
65+	319	19.8	158	6	9	17	24	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	8.0	170	<1	<1	4	12	14	17	74
B. *Operated*	88	13.5	45	3	5	13	16	21	23	39
2. MULTIPLE DX										
A. *Not Operated*	129	13.7	217	2	2	9	17	31	57	99+
B. *Operated*	477	19.1	151	5	9	16	22	34	49	88
1. SINGLE DX	120	12.0	83	1	2	12	15	20	23	51
2. MULTIPLE DX	606	17.9	169	3	5	15	21	34	51	95
A. NOT OPERATED	161	12.6	212	1	2	8	15	26	56	97
B. OPERATED	565	18.2	138	4	8	16	21	33	46	77
TOTAL 0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34	4	6.3	31	1	1	6	11	12	12	12
35-49	17	16.2	143	2	3	14	20	37	44	46
50-64	189	16.0	127	2	4	14	19	29	42	69
65+	514	17.4	173	2	4	15	21	33	52	94
GRAND TOTAL	**726**	**17.0**	**160**	**2**	**4**	**15**	**21**	**33**	**48**	**82**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	9	<1	<1	4	6	7	7	7
65+	2	8.0	98	<1	<1	7	15	15	15	15
B. *Operated*										
0-19 YRS	3	19.0	273	8	8	11	31	38	38	38
20-34	7	12.1	200	2	2	5	15	37	42	42
35-49	10	15.5	236	3	5	11	13	39	57	57
50-64	15	10.5	59	1	2	9	14	25	26	26
65+	25	14.8	219	2	2	11	18	26	52	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	17.5	190	8	8	12	25	38	38	38
65+	9	12.6	107	3	4	8	16	30	36	36
B. *Operated*										
0-19 YRS										
20-34	4	17.5	210	2	2	15	26	37	37	37
35-49	10	11.0	68	2	2	9	22	23	23	23
50-64	53	15.7	231	2	3	12	18	35	55	99+
65+	53	17.8	346	2	2	13	20	38	67	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.6	34	<1	<1	4	9	15	15	15
B. *Operated*	60	13.7	174	2	3	10	16	26	45	65
2. MULTIPLE DX										
A. *Not Operated*	15	12.9	118	2	3	8	14	36	37	38
B. *Operated*	120	16.3	266	2	3	12	19	35	56	96
1. SINGLE DX	65	13.1	168	1	2	10	15	26	43	65
2. MULTIPLE DX	135	15.9	250	2	3	12	19	36	53	96
A. NOT OPERATED	20	11.1	105	<1	1	8	14	28	37	38
B. OPERATED	180	15.5	236	2	3	11	18	34	51	94
TOTAL 0-19 YRS	3	19.0	273	8	8	11	31	38	38	38
20-34	12	13.6	176	2	2	9	16	38	41	42
35-49	21	12.7	148	2	3	10	15	23	38	57
50-64	75	14.3	191	1	3	11	17	27	42	98
65+	89	16.2	280	2	2	12	19	35	56	86
GRAND TOTAL	**200**	**15.0**	**224**	**2**	**2**	**11**	**17**	**34**	**47**	**93**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.9	24	2	3	7	12	16	17	17
35-49	17	10.8	60	<1	2	9	14	20	28	32
50-64	16	10.6	70	1	2	9	14	23	30	33
65+	19	11.2	50	3	4	9	15	20	25	30
B. *Operated*										
0-19 YRS	2	21.0	800	1	1	21	41	41	41	41
20-34	11	8.4	33	2	2	8	11	17	21	21
35-49	70	8.7	44	1	1	8	12	18	22	25
50-64	219	9.4	44	1	1	9	13	18	21	29
65+	190	10.4	65	1	2	9	14	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	7.2	21	1	1	9	10	12	12	12
35-49	10	9.1	45	<1	1	8	13	19	20	20
50-64	42	9.8	70	<1	1	9	14	21	27	39
65+	82	12.8	155	2	3	9	16	26	34	68
B. *Operated*										
0-19 YRS	3	15.7	134	8	8	10	24	29	29	29
20-34	11	12.9	146	2	2	11	14	31	43	44
35-49	95	11.7	51	2	2	11	15	20	25	76
50-64	454	15.9	135	1	4	14	19	29	39	98
65+	476	18.0	211	2	4	14	23	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.6	53	1	3	9	14	20	27	33
B. *Operated*	492	9.7	54	1	2	9	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	140	11.4	118	1	2	9	15	24	28	67
B. *Operated*	1039	16.4	165	2	4	14	20	32	47	99+
1. SINGLE DX	551	9.8	54	1	2	9	14	19	22	33
2. MULTIPLE DX	1179	15.8	162	1	3	13	19	31	46	99+
A. NOT OPERATED	199	11.2	98	1	2	9	15	22	29	57
B. OPERATED	1531	14.3	139	1	2	12	18	28	39	87
TOTAL 0-19 YRS	6	16.2	237	1	2	9	29	40	41	41
20-34	34	9.8	66	2	2	9	12	17	23	44
35-49	192	10.4	50	1	2	11	15	19	23	41
50-64	731	13.5	112	1	2	12	17	25	32	70
65+	767	15.4	176	2	3	13	19	31	46	99+
GRAND TOTAL	**1730**	**13.9**	**136**	**1**	**2**	**12**	**18**	**27**	**37**	**77**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	24	2	3	4	5	13	19	21
20-34	10	9.3	167	1	1	4	12	29	44	44
35-49	22	6.1	51	<1	1	3	7	13	21	33
50-64	44	6.3	48	1	1	4	7	15	22	33
65+	57	8.0	36	1	2	6	11	17	21	28
B. *Operated*										
0-19 YRS	11	7.2	23	2	2	6	11	14	16	16
20-34	29	8.7	101	1	2	5	9	17	30	51
35-49	56	8.0	41	2	2	6	10	16	20	37
50-64	173	9.2	73	1	1	8	12	17	22	42
65+	127	9.5	97	1	1	7	14	19	25	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	3	2	2	5	6	7	7	7
20-34	14	15.1	217	<1	1	10	22	45	47	47
35-49	35	9.1	102	2	3	6	8	23	26	55
50-64	110	10.5	119	1	2	7	13	21	31	56
65+	205	15.0	262	2	3	10	18	35	50	99+
B. *Operated*										
0-19 YRS	12	12.0	65	5	5	10	13	27	30	31
20-34	34	16.6	272	2	3	11	23	37	75	99+
35-49	130	15.7	174	2	4	13	20	31	52	99+
50-64	399	15.9	218	1	2	13	20	34	55	99+
65+	416	18.8	309	2	3	15	23	48	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	7.1	48	1	2	5	9	15	21	33
B. *Operated*	396	9.1	77	1	1	7	12	18	23	47
2. MULTIPLE DX										
A. *Not Operated*	371	12.9	204	2	2	8	16	29	43	92
B. *Operated*	991	17.0	252	2	3	14	21	39	67	99+
1. SINGLE DX	547	8.5	69	1	1	6	12	17	23	42
2. MULTIPLE DX	1362	15.9	242	2	3	12	20	36	59	99+
A. NOT OPERATED	522	11.2	165	1	2	7	14	26	36	89
B. OPERATED	1367	14.8	215	1	2	12	19	33	54	99+
TOTAL 0-19 YRS	48	7.5	36	2	2	5	10	15	21	31
20-34	87	12.9	201	1	2	8	15	34	45	95
35-49	243	12.1	136	2	2	9	16	24	37	99+
50-64	726	12.9	169	1	2	10	17	27	42	99+
65+	805	15.6	259	2	2	12	20	37	61	99+
GRAND TOTAL	**1909**	**13.8**	**204**	**1**	**2**	**10**	**18**	**31**	**48**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	9.8	19	4	5	9	13	15	17	22
20-34	115	8.3	28	2	3	7	11	15	17	30
35-49	172	8.9	22	2	4	8	11	15	16	23
50-64	210	9.7	36	3	4	8	13	17	19	27
65+	211	10.8	43	3	4	10	13	19	23	34
B. *Operated*										
0-19 YRS	9	10.1	48	3	3	9	14	21	23	23
20-34	54	8.2	27	1	2	8	10	16	18	24
35-49	39	10.9	78	1	3	8	14	20	32	43
50-64	42	10.3	40	2	2	10	15	19	21	24
65+	36	12.7	58	2	3	13	18	22	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.8	44	1	2	7	11	17	25	28
20-34	85	9.8	48	2	3	8	13	20	24	34
35-49	163	11.1	55	3	4	10	14	18	24	44
50-64	363	11.7	64	3	4	10	14	20	28	40
65+	461	13.8	102	4	5	11	17	25	30	59
B. *Operated*										
0-19 YRS	11	13.5	83	1	3	12	19	28	30	30
20-34	35	11.6	41	3	6	9	16	21	26	29
35-49	65	13.5	86	3	4	12	16	25	36	93
50-64	114	17.6	185	3	6	15	20	32	46	69
65+	119	19.0	194	4	7	15	23	35	46	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	9.6	33	3	4	8	12	16	20	28
B. *Operated*	180	10.3	50	2	3	9	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	1087	12.3	79	3	4	10	15	22	28	45
B. *Operated*	344	16.6	157	3	6	14	20	31	42	72
1. SINGLE DX	916	9.7	37	2	3	8	13	17	21	30
2. MULTIPLE DX	1431	13.3	101	3	5	11	16	24	31	61
A. NOT OPERATED	1823	11.2	62	3	4	9	14	19	25	41
B. OPERATED	524	14.4	129	3	4	12	18	27	35	68
TOTAL 0-19 YRS	63	10.2	40	2	4	9	13	18	24	30
20-34	289	9.1	36	2	3	8	11	17	21	29
35-49	439	10.6	51	3	4	9	13	18	23	43
50-64	729	12.0	80	3	4	10	15	21	27	54
65+	827	13.8	104	4	5	11	17	25	31	60
GRAND TOTAL	**2347**	**11.9**	**79**	**3**	**4**	**10**	**15**	**21**	**27**	**47**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	18	4.9	16	1	1	4	8	10	14	16
35-49	35	9.8	64	1	3	7	14	23	28	31
50-64	76	15.0	173	4	5	12	17	26	37	84
65+	104	17.8	281	2	4	12	22	47	59	89
B. *Operated*										
0-19 YRS	31	3.6	5	<1	2	3	4	7	9	10
20-34	644	4.7	10	2	3	4	5	7	8	14
35-49	1027	5.3	12	2	3	4	6	8	10	21
50-64	906	6.5	32	3	3	5	7	11	15	37
65+	211	9.6	110	3	3	6	10	22	35	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	11	10.5	93	<1	1	7	15	28	30	30
35-49	47	11.6	134	1	1	8	14	32	36	52
50-64	120	16.0	184	2	3	12	22	31	40	77
65+	328	24.3	395	4	6	18	36	59	74	99+
B. *Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	143	6.7	52	2	3	5	7	11	16	74
35-49	384	7.3	66	2	3	5	8	13	18	39
50-64	525	10.2	119	3	3	6	11	22	32	56
65+	256	19.7	354	3	4	12	30	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	14.6	205	2	3	10	17	31	48	82
B. *Operated*	2819	5.9	27	2	3	5	6	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	508	20.8	336	3	4	16	28	50	67	99+
B. *Operated*	1312	10.8	163	3	3	6	11	25	39	78
1. SINGLE DX	3055	6.5	46	2	3	5	7	11	17	41
2. MULTIPLE DX	1820	13.6	231	3	3	8	17	34	49	90
A. NOT OPERATED	744	18.8	303	2	4	14	24	43	61	99+
B. OPERATED	4131	7.4	75	2	3	5	8	13	23	51
TOTAL 0-19 YRS	40	4.0	10	1	2	3	4	8	10	18
20-34	816	5.2	20	2	3	4	6	8	10	24
35-49	1493	6.1	33	2	3	5	7	10	15	29
50-64	1627	8.8	87	3	3	6	9	18	26	49
65+	899	18.8	334	3	4	12	27	49	66	99+
GRAND TOTAL	**4875**	**9.2**	**127**	**2**	**3**	**5**	**9**	**20**	**33**	**68**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	6	6
20-34	50	3.1	5	<1	1	2	5	6	8	11
35-49	63	3.9	5	<1	1	4	5	7	9	12
50-64	48	4.0	6	1	1	4	6	7	9	11
65+	36	5.5	22	1	2	4	7	11	16	21
B. *Operated*										
0-19 YRS	16	4.8	3	2	3	5	6	7	7	7
20-34	605	5.4	5	3	3	5	6	8	9	12
35-49	773	5.9	7	3	3	5	7	9	10	15
50-64	563	6.0	7	3	4	6	7	9	10	14
65+	162	6.7	30	3	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	50	4.4	11	1	1	4	6	9	10	17
35-49	55	5.9	38	<1	1	5	7	10	14	35
50-64	80	5.5	19	1	1	4	7	11	15	22
65+	87	8.5	42	2	2	7	12	18	22	31
B. *Operated*										
0-19 YRS	20	5.3	7	1	2	5	7	9	10	12
20-34	531	5.9	8	3	3	5	7	9	11	17
35-49	840	6.5	12	3	4	6	7	10	13	20
50-64	645	7.4	23	3	4	6	8	11	15	25
65+	272	8.9	44	3	4	7	10	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	4.0	9	1	1	3	5	7	10	15
B. *Operated*	2119	5.8	8	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	275	6.3	31	1	1	5	8	13	18	29
B. *Operated*	2308	6.9	18	3	4	6	8	11	14	25
1. SINGLE DX	2324	5.7	9	2	3	5	7	9	10	14
2. MULTIPLE DX	2583	6.8	20	3	3	6	8	11	14	25
A. NOT OPERATED	480	5.3	23	1	1	4	7	11	15	24
B. OPERATED	4427	6.4	14	3	4	6	7	10	12	21
TOTAL 0-19 YRS	47	4.7	5	1	2	4	6	8	8	12
20-34	1236	5.5	7	2	3	5	6	8	10	15
35-49	1731	6.1	10	3	3	5	7	9	11	19
50-64	1336	6.6	16	3	3	6	8	10	13	21
65+	557	8.0	40	2	3	6	9	14	19	33
GRAND TOTAL	**4907**	**6.3**	**15**	**3**	**3**	**6**	**7**	**10**	**12**	**21**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	16	<1	1	3	7	10	15	15
20-34	87	7.5	22	1	1	7	10	14	15	23
35-49	83	8.5	35	2	3	8	11	14	16	38
50-64	105	8.8	34	2	2	8	12	15	21	28
65+	144	9.2	34	2	3	8	12	16	21	27
B. *Operated*										
0-19 YRS	48	5.6	16	1	2	4	6	14	15	15
20-34	116	5.7	23	2	2	4	7	12	15	24
35-49	86	7.4	42	2	2	5	10	15	20	37
50-64	92	8.5	27	2	4	7	11	14	17	29
65+	56	10.0	43	1	2	9	15	20	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.8	28	1	2	5	9	14	18	24
20-34	81	8.6	45	1	2	8	12	16	18	37
35-49	125	10.6	78	2	3	9	13	21	26	[illegible]8
50-64	279	11.2	82	2	3	9	14	23	29	50
65+	447	12.2	120	2	3	9	15	25	34	64
B. *Operated*										
0-19 YRS	25	9.0	43	1	3	9	12	18	21	26
20-34	119	6.9	49	1	2	4	9	16	22	34
35-49	85	12.0	118	2	3	9	15	25	29	60
50-64	151	16.0	165	3	4	13	21	32	49	69
65+	166	18.4	191	3	5	15	23	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	8.3	32	1	2	7	11	15	18	26
B. *Operated*	398	7.3	32	2	2	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	965	11.2	96	2	3	9	14	22	30	56
B. *Operated*	546	13.8	154	2	3	11	19	28	40	75
1. SINGLE DX	848	7.9	32	2	2	7	11	15	18	26
2. MULTIPLE DX	1511	12.2	118	2	3	9	16	25	33	62
A. NOT OPERATED	1415	10.3	77	2	2	8	13	20	26	51
B. OPERATED	944	11.1	113	2	2	8	15	23	31	61
TOTAL 0-19 YRS	137	6.3	25	1	1	5	9	14	17	24
20-34	403	7.0	36	1	2	5	10	14	18	31
35-49	379	9.7	72	2	3	8	12	19	25	46
50-64	627	11.6	93	2	3	9	14	23	31	54
65+	813	12.8	123	2	3	10	16	25	35	70
GRAND TOTAL	**2359**	**10.6**	**91**	**2**	**2**	**8**	**14**	**21**	**28**	**56**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7663	3.7	10	1	1	3	5	7	9	14
20-34	323	3.3	7	1	1	3	4	5	7	11
35-49	105	4.1	9	1	1	3	5	7	9	17
50-64	71	5.5	22	2	2	4	6	13	16	26
65+	105	5.6	38	1	2	4	7	9	12	36
B. *Operated*										
0-19 YRS	385	3.0	7	2	2	2	3	5	7	14
20-34	85	3.6	17	1	2	3	4	4	7	29
35-49	19	4.0	6	<1	1	4	6	8	8	8
50-64	10	3.0	3	<1	<1	3	5	6	6	6
65+	7	5.1	13	2	2	4	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6720	5.2	22	1	2	4	7	10	13	24
20-34	404	4.3	10	1	1	3	5	8	10	18
35-49	210	6.0	39	1	2	4	7	11	14	26
50-64	233	7.6	39	2	2	6	9	14	19	37
65+	520	9.7	88	2	3	7	11	18	28	56
B. *Operated*										
0-19 YRS	192	6.0	42	1	2	3	8	13	18	30
20-34	42	4.9	13	1	2	4	6	11	12	17
35-49	24	5.5	20	1	2	4	9	14	38	99+
50-64	30	9.0	45	2	2	6	15	19	20	25
65+	29	13.4	131	2	2	10	22	30	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8267	3.7	10	1	1	3	5	7	9	15
B. *Operated*	506	3.2	9	1	2	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	8087	5.5	28	1	2	4	7	10	14	28
B. *Operated*	317	6.8	50	1	2	4	9	16	21	51
1. SINGLE DX	8773	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	8404	5.6	29	1	2	4	7	11	14	28
A. NOT OPERATED	16354	4.6	20	1	1	3	6	9	12	22
B. OPERATED	823	4.6	28	1	2	3	4	10	15	29
TOTAL 0-19 YRS	14960	4.4	16	1	1	3	5	8	11	20
20-34	854	3.9	10	1	1	3	5	7	9	17
35-49	358	5.3	28	1	2	4	7	10	13	25
50-64	344	7.1	36	2	2	5	9	14	19	35
65+	661	9.1	84	2	3	7	10	18	27	59
GRAND TOTAL	**17177**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3980	5.3	20	1	2	4	7	10	12	22
20-34	93	4.2	5	1	2	3	5	7	9	13
35-49	80	5.0	10	1	2	4	6	10	11	15
50-64	125	5.9	12	2	2	5	7	11	14	17
65+	185	7.6	24	2	3	7	9	13	17	28
B. *Operated*										
0-19 YRS	5	10.6	16	7	7	9	13	17	17	17
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	12.3	180	1	1	6	26	31	32	32
65+	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2499	6.4	26	2	2	5	8	12	15	27
20-34	157	5.2	11	1	2	4	7	9	12	17
35-49	175	6.6	37	2	2	5	8	12	18	24
50-64	484	8.3	44	2	3	7	10	15	20	41
65+	1103	10.4	65	3	3	8	13	20	26	46
B. *Operated*										
0-19 YRS	28	14.5	167	1	3	13	17	30	37	66
20-34	3	8.0	25	3	3	8	12	13	13	13
35-49	12	9.3	24	3	4	8	12	16	19	20
50-64	26	10.3	64	3	3	7	14	16	30	36
65+	43	19.5	211	4	6	17	25	38	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4463	5.4	20	1	2	4	7	10	12	22
B. *Operated*	17	9.3	72	1	2	7	10	24	30	32
2. MULTIPLE DX										
A. *Not Operated*	4418	7.6	41	2	2	6	9	14	19	35
B. *Operated*	112	14.7	156	2	4	12	18	31	37	68
1. SINGLE DX	4480	5.4	20	1	2	4	7	10	12	22
2. MULTIPLE DX	4530	7.7	45	2	2	6	9	15	20	36
A. NOT OPERATED	8881	6.5	32	2	2	5	8	12	16	30
B. OPERATED	129	14.0	147	2	3	11	17	30	36	67
TOTAL 0-19 YRS	6512	5.8	24	1	2	5	7	10	14	25
20-34	255	4.8	10	1	2	4	6	9	11	16
35-49	268	6.2	29	2	2	5	8	11	15	21
50-64	641	7.9	41	2	3	6	10	14	19	36
65+	1334	10.3	68	3	3	8	13	20	26	46
GRAND TOTAL	**9010**	**6.6**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**32**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	3	<1	1	3	4	5	7	9
20-34	52	3.0	1	1	2	3	4	4	4	7
35-49	19	3.1	2	1	1	3	4	4	6	8
50-64	6	3.5	2	2	2	3	5	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	632	3.1	1	2	2	3	4	5	5	7
20-34	1413	3.0	2	2	2	3	3	4	5	7
35-49	469	3.0	10	1	2	3	3	4	5	9
50-64	248	3.1	2	2	2	3	3	5	5	10
65+	42	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	13	<1	<1	2	4	8	13	14
20-34	49	3.4	10	<1	1	3	4	6	8	19
35-49	31	2.7	2	1	1	3	3	4	4	8
50-64	9	2.8	3	1	1	2	3	6	7	7
65+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	408	3.3	3	2	2	3	4	5	7	10
20-34	1174	3.3	3	2	2	3	4	5	6	10
35-49	533	3.4	4	1	2	3	4	5	7	11
50-64	323	3.7	6	2	2	3	4	6	7	15
65+	75	3.4	4	1	2	3	4	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.1	2	1	1	3	4	4	5	8
B. *Operated*	2804	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	3.2	7	<1	1	3	4	5	8	16
B. *Operated*	2513	3.4	3	2	2	3	4	5	7	11
1. SINGLE DX	2905	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX	2617	3.4	3	1	2	3	4	5	7	11
A. NOT OPERATED	205	3.1	4	1	1	3	4	4	6	13
B. OPERATED	5317	3.2	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1074	3.2	2	2	2	3	4	5	6	8
20-34	2688	3.1	2	2	2	3	4	4	5	9
35-49	1052	3.2	6	1	2	3	4	5	6	10
50-64	586	3.4	4	2	2	3	4	5	7	13
65+	122	3.2	3	1	2	3	3	5	6	12
GRAND TOTAL	**5522**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.6	1	<1	1	3	3	4	4	4
20-34	45	2.8	2	1	2	2	3	4	5	8
35-49	67	3.0	3	1	2	3	4	5	6	10
50-64	73	2.6	1	1	1	2	3	4	5	7
65+	47	2.6	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	4	4.0	7	2	2	3	6	8	8	8
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	5	4.8	8	1	1	5	6	9	9	9
B. *Operated*										
0-19 YRS	44	2.8	1	1	2	2	4	5	5	6
20-34	86	3.5	14	2	2	3	4	5	6	25
35-49	144	3.0	2	2	2	2	4	5	6	9
50-64	181	3.2	6	1	2	3	4	5	6	18
65+	81	4.0	9	1	2	3	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	243	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	19	4.1	5	1	1	4	5	8	9	9
B. *Operated*	536	3.3	6	1	2	3	4	5	6	16
1. SINGLE DX	244	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX	555	3.3	6	1	2	3	4	5	7	16
A. NOT OPERATED	20	4.2	5	1	1	4	5	7	8	9
B. OPERATED	779	3.1	5	1	2	3	4	5	6	11
TOTAL 0-19 YRS	58	2.8	2	1	2	3	3	5	6	7
20-34	135	3.3	10	2	2	3	4	5	6	12
35-49	215	3.0	2	2	2	2	4	5	6	9
50-64	258	3.1	5	1	2	3	4	5	6	17
65+	133	3.5	7	1	2	3	4	6	8	17
GRAND TOTAL	**799**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.1	3	<1	<1	2	2	5	6	7
20-34	28	2.3	1	<1	<1	2	3	4	4	5
35-49	8	2.5	3	1	1	2	4	5	5	5
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	13947	2.2	2	1	2	2	2	3	3	5
20-34	2264	2.9	3	2	2	3	3	4	4	6
35-49	205	2.7	1	1	2	3	3	4	4	5
50-64	41	3.2	4	1	2	3	4	6	8	10
65+	25	2.8	4	1	2	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	1.9	5	<1	<1	1	2	4	5	11
20-34	28	2.1	3	<1	<1	1	3	6	6	7
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5641	2.3	2	1	2	2	2	3	4	12
20-34	553	3.3	4	2	2	3	4	5	5	13
35-49	84	3.7	7	2	2	3	4	6	7	19
50-64	24	3.4	6	2	2	3	3	6	9	13
65+	18	4.9	25	2	2	3	5	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.2	3	<1	1	2	3	5	6	7
B. *Operated*	16482	2.3	2	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	286	2.0	4	<1	<1	1	2	4	6	10
B. *Operated*	6320	2.4	3	1	2	2	2	3	4	12
1. SINGLE DX	16656	2.3	2	1	2	2	2	3	4	6
2. MULTIPLE DX	6606	2.4	3	1	2	2	2	3	4	12
A. NOT OPERATED	460	2.1	4	<1	<1	1	2	4	6	8
B. OPERATED	22802	2.3	2	1	2	2	2	3	4	7
TOTAL 0-19 YRS	19974	2.2	2	1	2	2	2	3	3	7
20-34	2873	2.9	3	2	2	3	3	4	5	8
35-49	300	3.0	3	1	2	3	3	4	5	8
50-64	69	3.3	5	2	2	3	4	6	8	12
65+	46	3.7	13	2	2	2	4	5	12	19
GRAND TOTAL	**23262**	**2.3**	**2**	**1**	**2**	**2**	**2**	**3**	**4**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	3.7	15	<1	1	3	5	6	8	12
20-34	166	3.3	4	1	2	3	4	5	6	11
35-49	74	3.2	5	<1	1	3	4	6	8	13
50-64	58	3.6	6	<1	1	3	5	7	9	12
65+	26	3.7	8	1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	231	3.2	9	1	1	2	4	5	8	20
20-34	375	2.8	3	1	1	2	3	5	5	9
35-49	290	3.0	5	<1	1	2	4	5	7	12
50-64	229	3.1	8	<1	1	2	3	5	7	20
65+	108	3.2	6	1	2	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	4.9	14	1	2	4	6	9	12	19
20-34	107	4.1	12	<1	1	4	5	7	8	22
35-49	64	4.4	10	1	2	4	6	8	10	19
50-64	96	6.5	32	1	1	5	8	14	16	30
65+	87	7.0	48	1	2	4	9	14	22	37
B. *Operated*										
0-19 YRS	220	3.5	19	1	1	2	4	7	9	19
20-34	372	3.3	9	<1	1	3	3	6	8	14
35-49	303	3.6	9	<1	1	3	4	7	9	16
50-64	312	4.4	20	1	2	3	5	7	13	24
65+	169	5.1	45	2	2	3	5	9	16	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	662	3.5	10	<1	1	3	4	6	7	12
B. *Operated*	1233	3.0	6	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	610	5.2	22	1	1	4	6	10	14	25
B. *Operated*	1376	3.9	18	1	1	3	4	7	10	21
1. SINGLE DX	1895	3.2	7	<1	1	3	4	5	7	13
2. MULTIPLE DX	1986	4.3	19	1	1	3	5	8	11	23
A. NOT OPERATED	1272	4.4	16	1	1	3	5	8	11	21
B. OPERATED	2609	3.5	12	<1	1	3	4	6	8	19
TOTAL 0-19 YRS	1045	3.8	15	1	1	3	5	7	9	17
20-34	1020	3.2	6	1	1	3	4	6	7	13
35-49	731	3.4	7	<1	1	3	4	6	8	14
50-64	695	4.2	18	1	1	3	5	8	12	23
65+	390	4.9	34	1	2	3	5	10	14	27
GRAND TOTAL	**3881**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5918	6.7	26	2	2	5	8	12	16	26
20-34	698	5.7	15	2	2	5	7	10	12	19
35-49	501	6.5	22	2	3	5	8	11	15	21
50-64	570	7.8	25	2	3	7	10	14	17	24
65+	908	9.7	49	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	20	9.2	45	2	2	8	11	19	24	28
20-34	9	13.3	193	1	2	8	15	37	46	46
35-49	20	10.3	79	<1	<1	7	15	18	28	38
50-64	52	11.5	61	3	4	10	15	25	27	37
65+	26	13.8	71	4	5	11	19	27	31	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4247	8.5	56	2	3	7	10	16	22	39
20-34	445	7.3	46	2	3	6	8	13	16	43
35-49	525	8.9	46	2	3	7	11	17	23	37
50-64	1181	10.6	60	3	4	9	13	19	24	43
65+	3249	14.1	143	4	5	11	17	27	41	94
B. *Operated*										
0-19 YRS	94	17.3	226	3	5	13	23	35	51	95
20-34	49	16.7	139	3	6	14	20	33	44	55
35-49	57	15.8	125	3	5	13	20	29	43	97
50-64	180	19.5	177	4	6	17	25	43	50	68
65+	291	22.9	232	5	8	20	32	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8595	7.0	28	2	2	6	9	13	16	27
B. *Operated*	127	11.6	72	2	3	10	15	25	28	40
2. MULTIPLE DX										
A. *Not Operated*	9647	10.6	92	2	3	8	13	20	28	60
B. *Operated*	671	20.1	207	5	6	17	27	42	53	99+
1. SINGLE DX	8722	7.0	29	2	2	6	9	13	16	28
2. MULTIPLE DX	10318	11.2	105	2	3	8	14	22	31	66
A. NOT OPERATED	18242	8.9	65	2	3	7	11	17	23	46
B. OPERATED	798	18.8	195	4	5	15	25	39	51	99+
TOTAL 0-19 YRS	10279	7.5	42	2	2	6	9	14	19	34
20-34	1201	6.8	38	2	2	5	8	12	16	39
35-49	1103	8.2	44	2	3	6	10	16	21	37
50-64	1983	10.6	70	3	4	8	13	20	26	50
65+	4474	13.8	138	4	5	10	17	27	39	90
GRAND TOTAL	**19040**	**9.3**	**74**	**2**	**3**	**7**	**11**	**18**	**25**	**51**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	746	3.5	8	1	1	3	5	6	8	14
20-34	270	2.8	2	1	1	2	3	5	6	7
35-49	113	3.7	9	1	1	3	4	8	9	17
50-64	121	4.2	8	1	1	3	6	7	10	16
65+	239	5.9	17	1	2	5	8	10	14	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	4.7	18	1	2	4	6	8	11	26
20-34	299	3.6	8	1	1	3	4	7	8	13
35-49	126	5.1	22	1	1	4	6	10	12	26
50-64	225	6.0	28	2	2	5	7	11	14	26
65+	575	9.5	92	2	3	7	11	18	28	64
B. *Operated*										
0-19 YRS	11	8.6	29	2	4	7	11	17	22	22
20-34	3	15.3	336	1	1	9	29	36	36	36
35-49	4	3.3	8	1	1	3	5	7	7	7
50-64	8	17.1	143	4	4	16	18	36	43	43
65+	18	20.4	225	5	6	16	39	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1489	3.8	9	1	1	3	5	7	9	16
B. *Operated*	4	8.8	34	2	2	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1722	6.3	48	1	2	4	7	12	17	38
B. *Operated*	44	15.0	171	1	4	11	22	43	62	99+
1. SINGLE DX	1493	3.8	9	1	1	3	5	7	9	16
2. MULTIPLE DX	1766	6.5	53	1	2	5	8	13	18	42
A. NOT OPERATED	3211	5.2	32	1	1	4	6	10	14	29
B. OPERATED	48	14.4	162	1	3	11	19	42	53	99+
TOTAL 0-19 YRS	1255	4.0	13	1	1	3	5	7	10	18
20-34	572	3.3	7	1	1	3	4	6	7	13
35-49	243	4.4	16	1	1	3	5	9	11	22
50-64	356	5.7	27	1	2	4	7	10	15	25
65+	833	8.7	79	2	3	6	10	17	26	61
GRAND TOTAL	**3259**	**5.3**	**35**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1710	5.4	18	1	2	4	7	10	12	21
20-34	115	4.5	8	1	2	4	6	8	10	15
35-49	133	5.7	14	1	2	5	7	10	13	20
50-64	218	7.5	24	2	3	6	10	14	19	27
65+	434	9.6	74	2	3	8	11	17	23	40
B. *Operated*										
0-19 YRS	7	3.7	30	<1	<1	2	3	13	16	16
20-34	14	4.1	18	1	1	2	4	11	14	15
35-49	36	4.2	28	1	2	2	4	9	13	30
50-64	63	5.3	33	1	1	3	6	14	19	27
65+	30	6.5	51	2	2	6	13	17	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1194	7.4	38	2	2	6	10	14	18	28
20-34	137	5.1	18	1	2	4	6	11	13	23
35-49	217	7.5	43	2	3	6	9	13	16	32
50-64	590	9.7	66	2	3	8	12	18	27	43
65+	1424	11.5	115	3	4	9	14	21	32	83
B. *Operated*										
0-19 YRS	20	11.6	80	1	2	8	19	24	28	31
20-34	17	5.5	17	1	2	5	7	10	15	18
35-49	45	7.8	56	1	2	6	10	13	25	39
50-64	115	11.4	117	2	3	9	15	23	38	83
65+	122	15.5	159	2	3	13	22	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2610	6.2	30	1	2	5	8	11	15	26
B. *Operated*	150	5.5	36	1	1	3	7	15	17	30
2. MULTIPLE DX										
A. *Not Operated*	3562	9.3	77	2	3	7	11	18	24	51
B. *Operated*	319	12.1	125	2	2	9	16	29	40	99+
1. SINGLE DX	2760	6.2	30	1	2	5	8	11	15	27
2. MULTIPLE DX	3881	9.6	82	2	3	7	12	19	25	62
A. NOT OPERATED	6172	8.0	60	2	2	6	10	15	20	41
B. OPERATED	469	10.0	106	1	2	7	14	24	35	99+
TOTAL 0-19 YRS	2931	6.2	28	1	2	5	8	12	15	25
20-34	283	4.8	14	1	1	4	6	9	12	20
35-49	431	6.7	35	1	2	5	9	12	15	31
50-64	986	9.1	63	2	3	7	11	17	24	43
65+	2010	11.3	109	3	3	9	14	21	32	83
GRAND TOTAL	**6641**	**8.2**	**63**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	11	9.4	44	2	2	7	12	21	23	23
50-64	66	10.0	95	2	3	7	11	18	26	54
65+	147	11.0	82	3	3	8	14	23	32	44
B. *Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	8.7	22	5	5	7	12	14	14	14
50-64	3	10.3	72	2	2	10	17	19	19	19
65+	4	9.0	25	5	5	7	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	8.0	92	2	2	4	8	25	27	27
35-49	33	11.0	151	1	3	9	14	21	63	99+
50-64	196	12.8	137	3	3	9	16	28	41	66
65+	563	14.2	197	3	4	10	18	31	46	99+
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	10.0	13	7	7	9	12	15	15	15
35-49	11	19.2	222	5	6	14	25	46	48	48
50-64	43	18.1	293	3	5	13	23	52	94	99+
65+	61	28.3	515	4	7	21	41	68	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	10.6	82	2	3	8	13	20	31	47
B. *Operated*	12	8.8	28	2	3	8	12	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	800	13.7	180	3	3	10	17	30	43	99+
B. *Operated*	120	23.1	412	4	6	16	31	63	91	99+
1. SINGLE DX	241	10.5	80	2	3	8	13	20	29	47
2. MULTIPLE DX	920	14.9	220	3	3	10	19	33	52	99+
A. NOT OPERATED	1029	13.0	159	3	3	9	16	28	42	92
B. OPERATED	132	21.8	394	3	5	15	29	60	88	99+
TOTAL 0-19 YRS	5	8.2	48	2	2	6	15	17	17	17
20-34	15	7.8	40	2	2	7	9	15	24	27
35-49	58	12.1	145	2	4	10	14	24	46	98
50-64	308	13.0	154	3	3	9	16	28	43	95
65+	775	14.7	216	3	4	10	18	33	49	99+
GRAND TOTAL	**1161**	**14.0**	**194**	**3**	**3**	**10**	**17**	**31**	**46**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4524	4.3	13	1	2	3	5	8	10	18
20-34	780	4.2	10	1	1	3	6	8	10	16
35-49	655	5.5	21	1	2	4	7	10	12	21
50-64	873	6.4	23	1	2	5	8	12	14	22
65+	750	7.5	30	2	2	6	10	14	18	27
B. *Operated*										
0-19 YRS	8	5.0	24	1	1	4	7	13	15	15
20-34	8	9.0	27	2	3	10	11	16	18	18
35-49	5	3.2	4	1	1	3	4	6	6	6
50-64	9	7.8	23	2	2	8	12	13	13	13
65+	6	16.0	393	4	4	9	12	52	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2025	5.5	31	1	2	4	7	10	15	29
20-34	419	5.3	15	1	2	4	7	10	12	22
35-49	437	7.6	50	1	2	6	9	14	19	43
50-64	1020	8.7	63	2	3	7	10	16	21	42
65+	1227	10.8	71	3	4	9	14	21	28	57
B. *Operated*										
0-19 YRS	24	8.9	30	1	3	9	13	17	18	19
20-34	17	11.6	91	2	2	10	14	30	32	32
35-49	26	13.6	37	6	8	12	16	23	27	28
50-64	66	17.2	134	2	3	15	25	30	37	57
65+	62	18.6	159	4	6	16	23	33	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7582	5.0	18	1	2	4	6	9	12	21
B. *Operated*	36	8.2	88	1	1	6	11	13	17	56
2. MULTIPLE DX										
A. *Not Operated*	5128	7.6	52	2	2	6	9	15	20	39
B. *Operated*	195	15.6	122	2	4	13	20	30	35	54
1. SINGLE DX	7618	5.0	18	1	2	4	6	9	12	21
2. MULTIPLE DX	5323	7.9	57	2	2	6	10	16	21	40
A. NOT OPERATED	12710	6.0	33	1	2	4	7	12	16	30
B. OPERATED	231	14.5	124	2	3	12	19	29	34	57
TOTAL 0-19 YRS	6581	4.7	19	1	2	4	6	8	11	22
20-34	1224	4.7	14	1	1	4	6	9	11	20
35-49	1123	6.4	35	1	2	5	8	12	16	29
50-64	1968	8.0	51	2	2	6	10	15	19	37
65+	2045	9.8	64	2	3	8	12	19	25	46
GRAND TOTAL	**12941**	**6.2**	**36**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	8.3	23	2	3	7	11	16	18	19
20-34	22	5.2	15	1	1	4	7	11	13	15
35-49	63	6.8	19	1	2	6	8	14	16	19
50-64	278	9.4	65	2	3	7	11	18	23	48
65+	533	11.8	135	2	3	9	14	22	34	72
B. *Operated*										
0-19 YRS	4	7.8	44	2	2	6	12	17	17	17
20-34	12	8.6	38	1	2	7	13	18	19	19
35-49	18	11.7	41	3	4	11	16	19	25	28
50-64	17	12.5	212	2	2	8	16	25	49	62
65+	11	14.4	128	2	4	11	22	32	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	9.3	103	1	2	6	12	29	43	99+
20-34	25	9.2	24	3	4	8	13	16	19	19
35-49	129	9.8	79	2	3	8	12	16	23	83
50-64	792	12.0	110	3	4	9	15	23	32	67
65+	1696	13.8	164	3	4	10	17	29	44	99+
B. *Operated*										
0-19 YRS	7	10.1	62	3	3	9	14	23	25	25
20-34	7	13.6	17	8	8	14	15	20	21	21
35-49	29	14.7	152	2	3	10	18	29	40	59
50-64	142	18.0	267	3	5	15	21	33	63	99+
65+	183	19.8	191	5	7	17	29	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	10.4	101	2	3	8	12	19	29	57
B. *Operated*	62	11.5	101	2	2	10	16	21	28	59
2. MULTIPLE DX										
A. *Not Operated*	2680	13.0	143	3	4	10	16	27	38	98
B. *Operated*	368	18.4	214	4	5	15	24	40	60	99+
1. SINGLE DX	998	10.5	101	2	3	8	13	19	29	59
2. MULTIPLE DX	3048	13.6	155	3	4	10	17	29	40	99+
A. NOT OPERATED	3616	12.3	134	2	3	9	15	24	36	85
B. OPERATED	430	17.4	203	3	4	14	22	36	57	99+
TOTAL 0-19 YRS	89	8.8	60	2	2	6	12	17	25	80
20-34	66	8.2	28	2	2	7	13	15	19	21
35-49	239	9.8	74	2	3	8	13	17	23	61
50-64	1229	12.1	125	3	4	9	15	23	32	71
65+	2423	13.8	163	3	4	10	17	29	43	99+
GRAND TOTAL	**4046**	**12.9**	**143**	**3**	**4**	**10**	**16**	**27**	**38**	**93**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	13	1	1	4	8	10	13	14
20-34	113	4.8	36	1	1	3	6	9	12	31
35-49	18	4.7	8	1	2	4	6	8	11	13
50-64	10	9.0	22	1	2	9	12	15	18	18
65+	5	11.6	205	3	3	6	15	37	37	37
B. *Operated*										
0-19 YRS	56	6.6	10	3	3	6	8	11	13	17
20-34	183	6.5	15	2	3	5	8	12	15	20
35-49	26	7.3	24	2	3	6	8	13	18	24
50-64	21	7.7	41	2	3	5	9	16	23	29
65+	22	10.9	68	2	3	8	16	23	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.5	33	1	2	5	12	16	19	19
20-34	18	8.4	47	2	3	6	10	16	25	31
35-49	18	9.2	95	2	2	6	11	16	33	43
50-64	19	10.6	40	1	2	11	14	19	24	27
65+	25	12.2	105	1	2	11	15	21	34	49
B. *Operated*										
0-19 YRS	25	8.8	25	3	4	8	10	18	20	21
20-34	76	10.0	44	4	4	9	12	17	20	44
35-49	36	10.6	44	3	4	10	12	19	27	33
50-64	41	13.8	118	4	5	10	18	37	45	99+
65+	54	18.8	417	4	5	12	24	56	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.3	33	1	1	4	7	10	13	30
B. *Operated*	308	7.0	21	3	3	6	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	91	10.0	69	1	2	8	13	18	27	47
B. *Operated*	232	12.7	153	4	4	9	14	25	42	99+
1. SINGLE DX	494	6.3	26	2	2	5	8	12	15	26
2. MULTIPLE DX	323	11.9	131	3	4	9	14	21	38	99
A. NOT OPERATED	277	6.8	49	1	2	5	9	14	17	41
B. OPERATED	540	9.4	86	3	3	7	11	17	25	70
TOTAL 0-19 YRS	132	6.7	17	2	2	6	9	12	15	20
20-34	390	6.8	31	2	2	5	9	13	15	26
35-49	98	8.4	45	2	3	7	11	15	20	38
50-64	91	11.2	78	2	4	9	14	22	35	78
65+	106	15.3	269	3	4	10	18	38	58	99+
GRAND TOTAL	**817**	**8.5**	**75**	**2**	**3**	**6**	**10**	**16**	**21**	**52**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	5.4	26	1	2	4	7	11	13	24
20-34	140	4.4	20	1	1	3	5	9	12	26
35-49	101	6.4	32	1	2	4	8	13	19	29
50-64	123	7.3	35	1	2	6	9	14	18	34
65+	193	9.4	62	1	2	7	13	20	25	38
B. *Operated*										
0-19 YRS	35	8.5	81	1	2	5	11	20	32	34
20-34	36	9.5	34	2	3	8	13	17	21	26
35-49	53	10.2	75	2	2	8	13	19	22	47
50-64	100	9.9	85	1	2	7	13	23	30	44
65+	74	11.5	114	2	3	8	14	30	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	7.4	46	1	2	5	9	16	21	36
20-34	142	6.1	33	1	2	4	7	13	16	28
35-49	166	7.5	41	1	1	5	10	16	20	31
50-64	356	9.7	73	2	3	7	13	20	29	65
65+	864	12.0	106	2	3	9	15	24	33	88
B. *Operated*										
0-19 YRS	40	14.3	162	2	3	13	18	25	52	99+
20-34	56	14.2	127	1	3	11	19	35	42	96
35-49	81	17.8	214	2	4	16	25	33	51	76
50-64	193	18.5	254	3	4	14	25	43	60	99+
65+	247	20.2	277	2	4	17	27	42	60	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	6.4	37	1	2	4	8	13	18	31
B. *Operated*	298	10.1	84	2	2	8	13	21	30	44
2. MULTIPLE DX										
A. *Not Operated*	1930	9.8	81	2	2	7	13	20	29	59
B. *Operated*	617	18.4	243	2	4	14	25	41	58	99+
1. SINGLE DX	1238	7.3	51	1	2	5	9	16	22	35
2. MULTIPLE DX	2547	11.9	134	2	3	9	15	26	36	84
A. NOT OPERATED	2870	8.7	69	1	2	6	11	18	25	46
B. OPERATED	915	15.7	206	2	2	12	21	34	47	91
TOTAL 0-19 YRS	860	6.9	47	1	2	5	9	15	20	36
20-34	374	7.0	53	1	2	4	9	15	23	42
35-49	401	9.7	95	1	2	7	13	21	28	51
50-64	772	11.6	130	2	2	8	14	27	38	85
65+	1378	13.1	143	2	3	10	17	29	36	86
GRAND TOTAL	**3785**	**10.4**	**111**	**1**	**2**	**7**	**13**	**23**	**32**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.4	6	1	1	3	4	7	8	11
20-34	79	2.9	3	1	1	3	4	5	7	9
35-49	20	3.2	4	1	1	3	4	6	7	9
50-64	18	3.1	4	<1	<1	3	5	6	7	7
65+	6	3.8	7	1	1	4	5	8	8	8
B. *Operated*										
0-19 YRS	1670	1.8	3	<1	<1	1	2	4	5	8
20-34	1872	2.1	4	<1	<1	2	2	4	6	9
35-49	707	2.2	4	<1	<1	2	2	5	6	10
50-64	446	2.5	7	<1	<1	2	2	5	6	11
65+	156	2.3	5	<1	<1	2	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.0	7	1	1	3	6	8	9	11
20-34	76	3.2	4	<1	1	3	4	6	7	9
35-49	36	3.9	17	<1	1	2	4	12	13	18
50-64	38	3.8	12	<1	1	3	4	8	11	17
65+	30	7.0	69	1	2	6	7	11	13	48
B. *Operated*										
0-19 YRS	688	2.8	9	<1	<1	2	3	6	8	14
20-34	868	2.8	10	<1	<1	2	3	6	8	15
35-49	460	3.1	23	<1	<1	2	3	6	9	12
50-64	584	3.1	10	<1	1	2	3	7	9	15
65+	306	3.6	27	1	1	2	4	6	10	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.2	5	1	1	3	4	6	8	10
B. *Operated*	4851	2.1	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	329	4.0	14	<1	1	3	5	8	10	15
B. *Operated*	2906	3.0	14	<1	<1	2	3	6	9	16
1. SINGLE DX	5118	2.1	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX	3235	3.1	14	<1	<1	2	4	6	9	16
A. NOT OPERATED	596	3.7	10	<1	1	3	5	7	9	13
B. OPERATED	7757	2.4	8	<1	<1	2	2	5	7	12
TOTAL 0-19 YRS	2651	2.2	5	<1	<1	1	2	5	7	11
20-34	2895	2.4	6	<1	<1	2	2	5	6	11
35-49	1223	2.6	12	<1	<1	2	3	5	7	13
50-64	1086	2.9	9	<1	<1	2	3	6	9	13
65+	498	3.4	23	1	1	2	3	6	9	36
GRAND TOTAL	**8353**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	5.6	16	1	2	5	7	11	13	35
20-34	25	4.7	8	1	1	4	6	9	10	13
35-49	12	4.8	20	<1	<1	4	8	12	13	13
50-64	19	5.4	9	<1	1	5	7	10	11	12
65+	24	5.7	11	1	2	5	7	11	12	15
B. *Operated*										
0-19 YRS	85	3.7	19	<1	<1	2	4	7	17	22
20-34	77	3.2	5	<1	<1	3	4	5	7	15
35-49	65	3.4	5	1	2	3	4	6	8	11
50-64	72	4.1	7	1	2	3	5	7	8	14
65+	66	5.0	21	1	1	4	6	8	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	6.9	31	1	2	6	8	12	16	36
20-34	25	3.4	4	<1	1	3	4	6	7	8
35-49	13	5.5	6	2	2	6	8	8	8	8
50-64	26	7.7	42	1	2	6	9	16	26	28
65+	45	11.0	74	2	4	8	14	26	29	40
B. *Operated*										
0-19 YRS	44	6.9	48	<1	1	5	9	14	24	33
20-34	55	4.4	9	1	2	4	5	8	11	17
35-49	68	4.3	9	1	1	4	5	8	10	16
50-64	66	5.7	36	1	2	4	6	14	21	32
65+	75	7.7	52	2	2	5	10	22	25	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	5.5	14	1	2	5	7	11	13	20
B. *Operated*	365	3.9	12	<1	1	3	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	293	7.3	39	1	2	6	8	13	19	36
B. *Operated*	308	5.8	32	1	2	4	7	12	19	33
1. SINGLE DX	596	4.5	13	<1	1	4	6	8	11	18
2. MULTIPLE DX	601	6.5	36	1	2	5	8	13	19	33
A. NOT OPERATED	524	6.5	29	1	2	5	8	12	16	32
B. OPERATED	673	4.8	22	1	1	3	5	9	14	27
TOTAL 0-19 YRS	464	5.9	27	1	1	5	7	11	15	32
20-34	182	3.8	7	<1	1	3	5	7	8	16
35-49	158	4.1	8	1	1	3	5	8	10	13
50-64	183	5.3	24	1	2	4	6	10	14	27
65+	210	7.3	47	1	2	5	9	17	24	37
GRAND TOTAL	**1197**	**5.5**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	17	1	1	4	6	9	12	22
20-34	87	4.0	12	1	1	3	5	10	12	15
35-49	140	5.4	36	1	1	3	7	11	15	33
50-64	131	4.5	28	<1	1	3	5	9	11	27
65+	124	6.0	26	1	2	5	7	11	14	33
B. *Operated*										
0-19 YRS	22	7.9	34	1	2	8	10	16	20	25
20-34	52	7.7	18	<1	2	8	10	13	17	19
35-49	63	7.8	28	1	2	7	10	12	20	29
50-64	84	8.5	49	1	2	7	11	16	25	36
65+	100	6.8	23	1	2	6	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.4	80	1	2	5	9	16	25	91
20-34	124	5.2	20	1	1	4	7	10	14	23
35-49	204	6.4	49	1	1	5	8	12	15	40
50-64	277	7.0	31	1	2	5	9	15	17	28
65+	382	9.6	108	2	3	7	10	19	27	61
B. *Operated*										
0-19 YRS	15	17.8	388	2	2	10	26	50	63	68
20-34	76	9.7	34	2	3	9	12	19	23	81
35-49	130	11.6	98	2	3	9	13	21	33	54
50-64	233	13.4	133	2	3	10	17	26	34	73
65+	321	14.7	191	2	3	11	19	32	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	5.0	25	1	1	4	6	10	13	29
B. *Operated*	321	7.6	31	1	2	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	1062	7.6	67	1	2	6	9	15	21	49
B. *Operated*	775	13.4	148	2	3	10	17	28	39	83
1. SINGLE DX	908	5.9	29	1	1	4	8	12	15	29
2. MULTIPLE DX	1837	10.1	109	1	2	7	12	21	30	68
A. NOT OPERATED	1649	6.7	54	1	1	5	8	13	18	39
B. OPERATED	1096	11.7	121	2	2	9	15	25	33	70
TOTAL 0-19 YRS	217	6.9	75	1	1	4	8	15	23	66
20-34	339	6.3	25	1	1	5	9	13	17	23
35-49	537	7.6	60	1	1	6	9	14	21	38
50-64	725	8.8	76	1	2	7	11	18	25	44
65+	927	10.6	127	2	2	7	13	23	33	72
GRAND TOTAL	**2745**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**57**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	85	2	2	4	5	18	33	34
20-34	40	5.5	16	1	1	5	7	10	15	17
35-49	64	5.6	12	1	2	5	8	11	12	16
50-64	76	6.6	26	1	1	5	9	13	19	23
65+	51	8.3	44	2	3	6	10	15	21	34
B. *Operated*										
0-19 YRS										
20-34	16	11.4	20	2	8	11	14	18	18	18
35-49	60	10.3	32	1	2	10	14	18	21	24
50-64	64	11.6	29	5	6	10	14	18	22	29
65+	33	10.2	41	<1	2	9	14	19	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	8	2	3	4	8	10	10	10
20-34	37	8.1	49	2	3	5	10	14	23	37
35-49	56	9.2	78	1	2	6	11	18	29	47
50-64	87	9.6	47	2	3	8	12	18	23	38
65+	144	10.8	59	4	4	9	14	20	26	60
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	26	11.8	127	1	2	9	14	23	33	57
35-49	94	13.4	74	4	5	11	16	23	34	46
50-64	104	13.7	84	3	4	11	18	23	30	49
65+	132	19.6	292	3	5	14	26	41	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	6.5	27	1	2	5	8	12	16	31
B. *Operated*	173	10.9	31	1	4	10	14	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	333	9.8	57	2	3	8	12	19	25	44
B. *Operated*	357	15.7	170	3	4	12	19	31	41	77
1. SINGLE DX	415	8.3	34	1	2	7	11	16	20	28
2. MULTIPLE DX	690	12.8	124	3	4	10	15	25	36	69
A. NOT OPERATED	575	8.4	47	1	2	7	10	16	21	37
B. OPERATED	530	14.1	129	2	4	11	17	26	36	71
TOTAL 0-19 YRS	21	6.5	47	2	2	4	8	10	21	34
20-34	119	8.5	56	1	2	7	11	16	20	43
35-49	274	10.1	59	2	3	9	13	19	24	38
50-64	331	10.6	57	1	3	9	14	20	23	44
65+	360	13.6	161	3	4	10	16	28	38	89
GRAND TOTAL	**1105**	**11.1**	**95**	**2**	**3**	**9**	**14**	**21**	**28**	**52**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	27	5.1	10	1	2	4	7	10	12	12
35-49	36	5.6	8	2	3	4	8	9	10	13
50-64	62	8.2	30	2	3	7	10	15	22	26
65+	64	9.3	37	3	4	7	12	16	22	33
B. *Operated*										
0-19 YRS	3	13.0	112	5	5	9	21	25	25	25
20-34	7	10.9	13	6	6	11	14	15	15	15
35-49	21	10.8	39	4	5	9	13	21	23	25
50-64	29	13.5	47	4	6	12	16	22	24	37
65+	42	12.9	54	5	6	11	15	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	27	3	4	7	11	18	20	20
20-34	23	6.3	26	2	2	4	9	13	18	23
35-49	63	7.5	22	2	3	6	9	13	16	26
50-64	90	8.7	27	3	4	7	11	17	20	25
65+	160	11.5	75	3	4	9	14	22	31	94
B. *Operated*										
0-19 YRS	3	9.3	1	8	8	10	10	10	10	10
20-34	16	12.9	58	4	5	11	17	26	28	29
35-49	40	12.4	51	4	5	11	14	24	28	30
50-64	107	17.9	210	4	5	14	22	39	51	72
65+	173	17.9	189	5	6	14	22	33	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.6	27	2	3	6	10	15	16	26
B. *Operated*	102	12.5	47	4	5	11	15	21	25	39
2. MULTIPLE DX										
A. *Not Operated*	344	9.6	52	3	4	8	12	18	23	52
B. *Operated*	339	16.9	175	4	5	13	21	31	43	74
1. SINGLE DX	295	9.3	39	3	3	8	12	17	22	32
2. MULTIPLE DX	683	13.3	126	3	4	10	16	26	35	63
A. NOT OPERATED	537	8.9	44	2	3	7	11	16	22	38
B. OPERATED	441	15.9	149	4	5	13	20	29	39	65
TOTAL 0-19 YRS	18	8.8	32	3	3	7	10	18	23	25
20-34	73	7.7	35	2	2	6	10	15	18	29
35-49	160	8.7	35	3	3	7	11	16	21	29
50-64	288	12.5	117	3	4	9	16	23	32	58
65+	439	13.8	123	4	5	11	16	27	36	74
GRAND TOTAL	**978**	**12.1**	**103**	**3**	**4**	**9**	**15**	**23**	**30**	**58**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	4.5	9	<1	1	4	6	8	9	16
20-34	325	4.6	11	1	1	4	6	8	11	17
35-49	256	5.2	19	<1	1	4	7	10	14	23
50-64	196	6.8	30	1	1	6	8	13	17	30
65+	121	7.6	30	1	2	6	10	16	20	23
B. *Operated*										
0-19 YRS	11	12.5	27	7	8	12	14	20	25	26
20-34	116	9.9	12	6	7	9	11	14	19	49
35-49	155	10.6	30	6	7	9	11	17	21	35
50-64	107	11.2	32	5	7	10	12	18	22	38
65+	24	13.8	71	2	6	11	18	28	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.1	34	2	2	4	7	11	17	31
20-34	205	5.9	21	1	2	5	8	11	15	21
35-49	230	6.7	21	1	2	6	9	12	15	22
50-64	267	8.0	35	2	2	7	10	15	18	35
65+	318	10.6	58	3	4	9	14	21	27	67
B. *Operated*										
0-19 YRS	5	19.0	615	4	4	10	25	63	63	63
20-34	105	12.5	59	6	7	11	15	20	24	52
35-49	166	13.5	81	5	7	11	16	24	31	69
50-64	147	14.0	67	5	7	11	17	25	28	47
65+	104	17.5	179	5	6	14	22	32	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1034	5.5	20	1	1	4	7	10	14	22
B. *Operated*	413	10.8	28	6	7	9	12	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	1095	8.0	39	2	2	6	10	15	20	37
B. *Operated*	527	14.3	99	5	7	11	17	25	32	64
1. SINGLE DX	1447	7.0	28	1	2	6	9	13	17	28
2. MULTIPLE DX	1622	10.0	67	2	3	8	12	19	25	43
A. NOT OPERATED	2129	6.8	31	1	2	5	9	13	17	29
B. OPERATED	940	12.7	71	5	7	10	14	22	28	53
TOTAL 0-19 YRS	227	5.7	36	1	2	4	7	11	14	30
20-34	751	6.9	29	1	2	6	9	13	16	24
35-49	807	8.4	44	1	2	8	10	16	20	35
50-64	717	9.4	47	2	3	8	11	17	23	37
65+	567	11.4	85	2	3	9	15	22	29	55
GRAND TOTAL	**3069**	**8.6**	**51**	**1**	**2**	**7**	**11**	**16**	**22**	**39**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.2	16	1	2	4	7	8	10	24
20-34	186	5.4	11	2	2	5	7	10	11	17
35-49	163	5.7	12	2	2	5	7	10	12	19
50-64	179	6.8	12	3	3	6	9	10	12	22
65+	129	8.5	39	2	3	7	10	14	20	36
B. *Operated*										
0-19 YRS	6	8.7	4	6	6	9	10	11	11	11
20-34	66	10.6	21	5	6	9	13	18	20	26
35-49	87	11.0	38	6	7	9	13	17	21	42
50-64	74	11.9	25	6	7	11	14	17	20	33
65+	37	16.8	124	7	7	15	18	37	46	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	36	2	3	8	12	18	24	24
20-34	104	6.2	20	1	2	5	8	10	12	28
35-49	134	7.3	26	2	3	6	9	14	21	40
50-64	259	8.0	23	3	3	7	10	13	17	30
65+	348	12.0	93	3	5	9	14	24	32	61
B. *Operated*										
0-19 YRS	7	10.9	10	7	7	11	14	14	14	14
20-34	55	14.0	78	6	7	11	18	29	39	97
35-49	84	15.4	149	6	7	13	16	24	38	77
50-64	161	15.5	109	6	7	12	19	27	38	57
65+	170	21.6	285	6	9	17	26	45	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	6.4	18	2	2	6	8	11	14	23
B. *Operated*	270	11.9	45	6	7	10	14	18	21	46
2. MULTIPLE DX										
A. *Not Operated*	867	9.3	57	3	3	7	11	18	24	42
B. *Operated*	477	17.4	183	6	7	14	20	33	48	97
1. SINGLE DX	962	7.9	31	2	3	7	10	14	18	27
2. MULTIPLE DX	1344	12.2	116	3	4	9	15	24	33	72
A. NOT OPERATED	1559	8.0	41	2	3	7	9	14	20	36
B. OPERATED	747	15.4	140	6	7	12	18	27	41	91
TOTAL 0-19 YRS	70	7.2	24	2	3	6	9	13	15	24
20-34	411	7.6	33	2	2	6	9	15	18	35
35-49	468	8.9	58	2	3	7	11	16	21	47
50-64	673	9.9	52	3	4	8	11	18	23	43
65+	684	14.0	154	3	5	10	17	28	41	90
GRAND TOTAL	**2306**	**10.4**	**85**	**3**	**3**	**8**	**12**	**20**	**26**	**62**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	6	5	5	7	9	10	10	10
20-34	15	6.5	14	2	2	6	8	12	15	16
35-49	7	9.3	13	5	5	9	12	15	15	15
50-64	12	7.6	19	3	4	6	8	15	18	18
65+	11	8.8	62	1	2	8	9	18	30	31
B. *Operated*										
0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	14	14.6	56	6	8	12	18	25	30	32
35-49	21	11.6	12	7	8	11	13	17	19	20
50-64	11	14.2	25	9	10	13	18	48	93	99+
65+	16	16.5	50	9	9	15	19	25	33	36
2 MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	15.8	497	3	3	5	23	55	55	55
35-49	6	10.3	142	<1	<1	7	14	30	32	32
50-64	10	12.1	54	3	4	11	17	22	23	23
65+	22	13.2	183	4	5	9	14	38	79	99+
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	18	18.4	180	5	8	13	26	40	48	52
35-49	34	18.6	131	9	9	13	29	35	39	50
50-64	55	17.7	119	8	8	15	20	34	39	63
65+	60	23.8	215	9	10	20	29	48	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	7.8	25	2	3	7	9	14	16	31
B. *Operated*	64	14.0	36	8	9	12	18	22	28	90
2. MULTIPLE DX										
A. *Not Operated*	44	12.8	166	2	3	9	15	31	58	99+
B. *Operated*	169	20.0	168	8	9	16	26	39	50	78
1. SINGLE DX	112	11.3	40	3	5	10	15	19	25	60
2. MULTIPLE DX	213	18.5	175	4	7	15	23	38	51	88
A. NOT OPERATED	92	10.2	98	2	3	7	12	19	31	86
B. OPERATED	233	18.3	138	8	9	15	22	35	45	84
TOTAL 0-19 YRS	8	9.0	23	3	4	9	10	16	19	19
20-34	52	13.7	141	3	4	10	16	28	41	55
35-49	68	14.8	95	5	7	11	17	32	35	48
50-64	88	15.2	98	5	6	14	18	26	36	86
65+	109	19.1	197	5	7	16	24	41	52	99+
GRAND TOTAL	**325**	**16.0**	**140**	**4**	**5**	**13**	**20**	**32**	**42**	**85**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.1	22	1	1	2	3	6	8	14
20-34	601	3.1	8	<1	1	2	4	6	8	14
35-49	441	4.0	8	1	1	3	6	8	9	13
50-64	329	4.7	13	1	1	4	7	9	11	17
65+	294	5.7	22	1	2	4	8	11	14	21
B. *Operated*										
0-19 YRS	5	9.2	97	1	1	6	13	26	26	26
20-34	26	7.7	100	<1	<1	5	11	15	30	47
35-49	31	6.4	40	<1	<1	5	9	15	24	25
50-64	36	8.8	53	1	1	8	12	16	22	37
65+	23	7.0	25	<1	<1	7	9	13	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	3.7	13	1	1	3	5	7	9	14
20-34	615	4.6	25	1	1	3	6	9	12	16
35-49	707	5.9	24	1	2	5	7	11	15	28
50-64	778	7.2	36	1	2	5	9	14	19	32
65+	842	8.9	62	2	2	7	11	18	23	53
B. *Operated*										
0-19 YRS	6	9.0	62	<1	<1	6	17	20	20	20
20-34	56	8.9	49	1	1	7	13	19	21	35
35-49	98	14.0	128	2	4	11	18	30	38	54
50-64	131	12.4	112	1	3	10	15	27	35	70
65+	157	15.8	143	2	5	12	20	33	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	3.8	15	<1	1	3	5	8	10	16
B. *Operated*	121	7.6	55	<1	<1	6	10	15	23	40
2. MULTIPLE DX										
A. *Not Operated*	3406	6.4	38	1	2	5	8	13	18	33
B. *Operated*	448	13.5	122	1	3	10	17	28	37	59
1. SINGLE DX	2439	4.0	18	<1	1	3	5	8	11	19
2. MULTIPLE DX	3854	7.2	53	1	2	5	9	15	21	39
A. NOT OPERATED	5724	5.4	31	1	1	4	7	11	15	28
B. OPERATED	569	12.2	113	1	2	9	16	26	35	57
TOTAL 0-19 YRS	1128	3.4	19	1	1	2	4	6	8	17
20-34	1298	4.2	21	<1	1	3	5	9	12	19
35-49	1277	5.9	33	1	1	4	7	11	16	31
50-64	1274	7.1	43	1	2	5	9	14	20	34
65+	1316	9.0	70	2	2	7	11	18	25	46
GRAND TOTAL	**6293**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.2	7	<1	1	3	4	7	9	13
20-34	114	3.8	14	1	1	3	5	8	11	22
35-49	103	3.7	9	<1	1	3	5	7	12	56
50-64	108	4.4	13	1	1	4	6	10	12	52
65+	84	4.9	26	<1	1	3	6	10	15	29
B. *Operated*										
0-19 YRS	14	6.6	16	1	2	6	9	12	14	15
20-34	17	8.2	32	<1	1	8	12	17	18	18
35-49	11	7.6	21	<1	<1	8	12	13	13	13
50-64	24	12.5	69	1	5	11	14	20	32	41
65+	21	17.3	61	6	8	17	21	27	33	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	5.0	74	1	1	3	6	8	10	53
20-34	138	4.6	19	1	1	4	6	9	11	26
35-49	127	5.7	20	1	1	4	8	12	14	23
50-64	179	6.8	50	1	1	4	9	16	23	32
65+	252	8.5	55	2	2	7	11	18	24	42
B. *Operated*										
0-19 YRS	10	16.7	177	4	5	12	17	39	48	48
20-34	26	12.5	36	4	6	13	17	19	23	25
35-49	39	14.0	93	2	3	12	18	26	30	50
50-64	73	18.0	309	4	6	12	21	38	62	99
65+	67	20.5	196	5	7	17	27	37	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.9	13	<1	1	3	5	8	12	19
B. *Operated*	87	11.3	60	<1	2	10	15	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	814	6.5	47	1	1	5	8	14	19	34
B. *Operated*	215	17.3	201	4	5	13	22	34	40	93
1. SINGLE DX	619	5.0	26	<1	1	3	6	12	16	28
2. MULTIPLE DX	1029	8.8	98	1	2	6	11	19	28	52
A. NOT OPERATED	1346	5.5	35	1	1	4	7	11	16	32
B. OPERATED	302	15.6	167	2	4	12	19	30	38	85
TOTAL 0-19 YRS	265	4.7	49	1	1	3	5	9	12	37
20-34	295	5.2	25	1	1	4	7	12	17	24
35-49	280	6.2	37	1	1	4	8	14	18	30
50-64	384	8.6	113	1	1	6	11	18	29	82
65+	424	10.1	98	1	2	7	13	22	30	51
GRAND TOTAL	**1648**	**7.4**	**75**	**1**	**1**	**5**	**9**	**17**	**23**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	6	<1	1	3	4	7	8	96
20-34	37	3.6	7	1	1	3	4	7	9	13
35-49	7	3.7	6	1	1	5	5	7	7	7
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	3089	4.5	8	2	3	4	5	6	7	13
20-34	1771	4.5	6	2	3	4	5	6	8	13
35-49	388	5.1	5	3	3	5	6	8	9	14
50-64	129	6.0	10	3	3	5	7	9	12	18
65+	42	6.2	15	2	3	6	7	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	24	1	1	3	6	11	18	19
20-34	15	4.9	12	1	1	5	7	9	12	13
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64										
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	526	6.3	18	3	3	5	7	11	15	23
20-34	397	6.6	23	3	3	5	8	12	15	31
35-49	122	7.6	25	3	4	6	9	14	18	26
50-64	95	10.7	41	4	5	9	14	19	24	34
65+	48	13.1	51	4	5	11	18	23	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	6	1	1	3	5	7	8	54
B. *Operated*	5419	4.6	7	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	31	4.8	17	1	1	3	7	10	13	19
B. *Operated*	1188	7.2	27	3	3	5	8	14	18	29
1. SINGLE DX	5521	4.5	7	2	3	4	5	7	8	13
2. MULTIPLE DX	1219	7.1	27	3	3	5	8	14	18	29
A. NOT OPERATED	133	3.8	9	1	1	3	5	7	9	32
B. OPERATED	6607	5.0	12	2	3	4	6	8	10	18
TOTAL 0-19 YRS	3681	4.7	10	2	3	4	5	7	9	16
20-34	2220	4.9	10	2	3	4	5	7	9	16
35-49	519	5.7	11	3	3	5	6	9	12	18
50-64	226	8.0	29	3	3	6	10	14	19	28
65+	94	9.6	46	3	3	7	13	19	23	31
GRAND TOTAL	**6740**	**5.0**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	12	2	2	5	7	9	13	15
20-34	20	6.5	6	3	3	6	8	10	11	12
35-49	11	10.0	29	1	4	10	11	17	22	23
50-64	11	8.0	6	3	4	8	10	11	11	11
65+	3	9.7	9	7	7	9	12	13	13	13
B. *Operated*										
0-19 YRS	644	7.6	18	3	3	7	9	13	16	23
20-34	344	6.9	13	3	3	6	9	11	14	20
35-49	124	8.0	12	4	4	8	9	12	15	20
50-64	100	9.5	28	3	4	8	11	16	21	30
65+	42	12.5	66	5	6	10	15	20	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	9	2	2	4	5	10	10	10
20-34	5	10.4	23	6	6	8	13	18	18	18
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	7	11.7	68	6	6	8	13	26	29	29
65+	5	12.4	52	5	5	12	16	24	24	24
B. *Operated*										
0-19 YRS	243	11.7	56	4	5	10	14	20	24	42
20-34	171	10.2	33	3	4	9	13	18	21	29
35-49	97	13.5	51	6	7	12	16	22	27	44
50-64	92	14.3	66	5	6	12	19	26	28	47
65+	99	19.8	207	7	9	14	25	39	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.3	14	2	3	7	9	11	13	22
B. *Operated*	1254	7.8	20	3	3	7	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	25	9.3	43	2	2	8	12	18	25	29
B. *Operated*	702	13.1	81	4	5	11	16	23	28	55
1. SINGLE DX	1315	7.7	20	3	3	7	9	13	16	23
2. MULTIPLE DX	727	12.9	80	4	5	11	16	23	28	55
A. NOT OPERATED	86	7.9	23	2	3	7	10	13	16	27
B. OPERATED	1956	9.7	48	3	4	8	12	17	22	36
TOTAL 0-19 YRS	909	8.6	31	3	3	7	10	15	19	32
20-34	540	8.0	22	3	3	7	10	14	18	24
35-49	234	10.4	36	4	5	9	13	17	21	32
50-64	210	11.6	50	4	5	10	14	21	26	34
65+	149	17.3	170	6	7	12	20	31	45	69
GRAND TOTAL	**2042**	**9.6**	**47**	**3**	**4**	**8**	**12**	**17**	**22**	**36**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	2.5	5	1	1	2	3	4	6	11
20-34	97	2.4	4	<1	1	2	3	5	7	9
35-49	20	2.4	4	1	1	2	3	4	7	10
50-64	9	3.8	4	1	1	4	5	7	8	8
65+	7	4.6	14	<1	<1	3	8	10	10	10
B. *Operated*										
0-19 YRS	460	5.1	6	3	3	5	6	8	10	15
20-34	273	5.1	6	2	3	5	6	8	10	13
35-49	59	6.0	13	2	3	5	7	10	15	21
50-64	29	6.9	15	3	3	6	9	12	15	19
65+	5	9.2	13	4	4	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.7	4	1	1	2	3	6	8	8
20-34	32	2.9	4	1	1	2	4	7	7	8
35-49	8	4.0	13	1	1	3	6	10	11	11
50-64	5	5.6	12	1	1	5	8	10	10	10
65+	4	7.3	5	4	4	8	9	9	9	9
B. *Operated*										
0-19 YRS	214	5.7	8	3	3	5	7	9	12	17
20-34	133	6.9	18	3	4	6	8	11	14	24
35-49	40	9.7	111	3	3	7	10	16	27	65
50-64	19	9.6	25	4	5	8	13	16	20	23
65+	16	12.9	44	6	6	10	17	25	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	2.5	5	1	1	2	3	5	6	10
B. *Operated*	826	5.2	7	3	3	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	98	3.2	6	1	1	2	4	8	8	11
B. *Operated*	422	6.9	26	3	3	6	8	12	15	26
1. SINGLE DX	1187	4.4	8	1	1	4	5	7	9	15
2. MULTIPLE DX	520	6.2	24	1	2	5	7	11	14	25
A. NOT OPERATED	459	2.7	5	1	1	2	3	5	7	10
B. OPERATED	1248	5.8	14	3	3	5	7	9	12	21
TOTAL 0-19 YRS	951	4.5	8	1	1	4	5	7	9	15
20-34	535	4.9	11	1	2	4	6	8	10	17
35-49	127	6.5	48	1	2	5	8	11	16	37
50-64	62	7.2	19	2	3	6	9	13	16	23
65+	32	9.8	38	1	3	9	11	20	25	27
GRAND TOTAL	**1707**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.3	14	<1	<1	1	2	4	7	22
20-34	11	2.1	1	<1	<1	2	3	4	4	4
35-49	5	4.4	12	<1	<1	3	7	9	9	9
50-64	7	5.4	32	1	1	3	9	15	16	16
65+	7	3.7	20	1	1	2	5	12	13	13
B. *Operated*										
0-19 YRS	1753	2.9	4	1	1	2	3	5	6	9
20-34	1447	4.3	3	2	3	4	5	7	8	9
35-49	1495	4.8	7	2	3	4	6	7	8	11
50-64	2103	5.1	5	2	3	5	6	8	9	12
65+	1359	6.1	9	3	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.5	7	<1	<1	1	3	6	8	12
20-34	9	1.8	1	<1	<1	1	2	4	4	4
35-49	17	3.0	11	<1	<1	1	4	9	10	10
50-64	26	3.7	7	<1	1	3	7	8	8	9
65+	51	6.6	140	<1	1	4	7	13	17	82
B. *Operated*										
0-19 YRS	839	3.5	10	1	1	3	4	6	10	17
20-34	398	5.0	8	2	3	4	6	8	9	16
35-49	655	5.8	23	3	3	5	7	9	11	19
50-64	1353	6.6	17	3	3	6	8	11	13	20
65+	1487	8.4	33	3	4	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	14	<1	1	2	3	7	11	21
B. *Operated*	8157	4.6	7	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	157	4.1	53	<1	<1	2	5	8	12	19
B. *Operated*	4732	6.4	24	2	2	5	8	11	15	25
1. SINGLE DX	8221	4.6	7	2	2	4	6	8	9	13
2. MULTIPLE DX	4889	6.3	25	2	2	5	8	11	15	25
A. NOT OPERATED	221	3.7	42	<1	<1	2	4	8	12	20
B. OPERATED	12889	5.2	14	2	2	4	6	9	11	19
TOTAL 0-19 YRS	2680	3.1	6	1	1	2	3	5	7	15
20-34	1865	4.4	4	2	3	4	5	7	8	12
35-49	2172	5.1	12	2	3	4	6	8	9	15
50-64	3489	5.7	10	3	3	5	7	9	11	17
65+	2904	7.3	25	3	3	6	8	12	15	27
GRAND TOTAL	**13110**	**5.2**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		1	1	1	2	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49										
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	6	4.2	23	1	1	2	6	12	13	13
B. *Operated*										
0-19 YRS	211	2.9	4	1	1	2	4	6	7	11
20-34	87	4.6	4	2	2	4	6	8	8	12
35-49	65	5.2	4	3	3	5	6	7	9	12
50-64	97	6.1	13	3	3	5	7	9	10	25
65+	126	7.8	19	3	4	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	172	<1	<1	2	4	31	34	34
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	18	8.7	71	1	1	5	20	22	65	99+
B. *Operated*										
0-19 YRS	110	3.9	10	1	1	3	5	7	9	17
20-34	26	5.4	6	2	3	5	7	9	10	12
35-49	28	6.6	25	1	2	5	8	14	18	21
50-64	65	7.7	42	3	4	6	8	13	15	46
65+	217	14.1	162	4	5	10	16	27	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	7	<1	<1	1	3	4	8	13
B. *Operated*	586	5.0	12	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	27	8.0	82	<1	1	4	16	22	41	99+
B. *Operated*	446	9.7	109	2	2	7	11	20	27	62
1. SINGLE DX	609	4.9	12	1	1	4	6	9	11	20
2. MULTIPLE DX	473	9.6	108	1	2	7	11	20	28	67
A. NOT OPERATED	50	5.3	55	<1	1	2	6	21	22	99
B. OPERATED	1032	7.0	59	1	2	5	8	13	20	50
TOTAL 0-19 YRS	337	3.2	9	1	1	2	4	6	7	14
20-34	117	4.7	5	1	2	4	6	8	8	12
35-49	94	5.6	10	2	3	5	6	9	12	20
50-64	167	6.6	25	3	3	6	7	10	13	29
65+	367	11.5	116	3	4	8	13	22	31	73
GRAND TOTAL	**1082**	**6.9**	**59**	**1**	**2**	**5**	**8**	**13**	**20**	**50**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34										
35-49										
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	301	2.5	2	1	1	2	3	5	6	8
20-34	86	3.6	4	1	2	3	4	6	7	13
35-49	121	4.5	14	1	2	4	5	8	9	27
50-64	104	5.2	8	2	2	5	7	9	11	14
65+	33	5.3	5	2	3	5	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.3	93	<1	<1	1	4	19	32	34
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	4	3.0	5	<1	<1	2	4	6	6	6
65+	3	11.0	48	7	7	7	16	19	19	19
B. *Operated*										
0-19 YRS	54	4.9	36	<1	2	3	6	8	11	40
20-34	37	5.0	12	2	2	4	6	8	12	20
35-49	77	7.6	77	2	2	5	8	13	21	56
50-64	115	6.4	8	3	3	6	8	10	12	14
65+	61	8.6	27	3	3	7	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	7	<1	<1	2	5	7	7	7
B. *Operated*	645	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	22	5.1	61	<1	<1	2	6	14	25	34
B. *Operated*	344	6.7	33	2	2	6	8	11	15	31
1. SINGLE DX	650	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX	366	6.6	35	2	2	5	8	12	15	33
A. NOT OPERATED	27	4.8	51	<1	<1	2	6	11	21	34
B. OPERATED	989	4.7	18	1	2	4	6	8	11	20
TOTAL 0-19 YRS	370	3.0	10	1	1	2	3	5	7	12
20-34	124	4.0	7	1	2	3	5	7	8	16
35-49	200	5.7	40	2	2	4	6	10	13	34
50-64	223	5.8	8	2	3	5	8	10	11	14
65+	99	7.5	22	3	3	6	9	15	17	25
GRAND TOTAL	**1016**	**4.7**	**19**	**1**	**2**	**3**	**6**	**8**	**11**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	7	1.7	1	<1	<1	1	3	3	3	3
35-49	4	3.5	11	1	1	3	6	8	8	8
50-64	5	6.2	20	<1	<1	6	10	12	12	12
65+	15	5.4	26	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	85	3.3	8	1	1	3	4	6	8	18
20-34	201	5.2	9	2	2	5	7	10	11	14
35-49	332	6.4	11	2	3	6	8	10	12	18
50-64	404	7.2	16	3	3	7	9	11	14	23
65+	241	8.1	19	3	4	7	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	15	4.5	7	1	1	4	7	8	9	9
65+	48	8.3	91	1	1	5	13	18	23	99+
B. *Operated*										
0-19 YRS	21	3.3	7	1	2	2	4	6	10	13
20-34	109	6.6	19	2	3	6	8	12	15	24
35-49	241	8.8	34	3	4	8	10	15	18	37
50-64	397	9.9	36	4	4	9	12	18	23	36
65+	285	12.5	101	4	5	10	15	22	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.3	18	<1	1	3	6	12	14	16
B. *Operated*	1263	6.6	15	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	70	6.8	69	1	1	4	9	16	19	92
B. *Operated*	1053	9.9	55	3	4	8	12	18	23	44
1. SINGLE DX	1298	6.5	15	2	3	6	8	11	13	21
2. MULTIPLE DX	1123	9.7	56	3	4	8	11	18	23	46
A. NOT OPERATED	105	6.0	53	1	1	4	8	14	18	78
B. OPERATED	2316	8.1	36	2	3	7	10	14	19	32
TOTAL 0-19 YRS	111	3.3	7	1	1	3	3	6	8	17
20-34	318	5.6	13	2	2	5	7	10	12	19
35-49	582	7.3	22	2	3	6	9	12	15	27
50-64	821	8.5	28	3	4	8	10	14	19	30
65+	589	10.2	70	3	4	8	12	19	24	51
GRAND TOTAL	**2421**	**8.0**	**37**	**2**	**3**	**7**	**10**	**14**	**19**	**35**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	4.3	12	<1	1	3	6	10	11	12
35-49	46	5.2	9	1	2	5	7	10	11	12
50-64	85	5.0	10	1	1	4	7	9	11	15
65+	95	6.5	30	2	2	5	8	11	18	30
B. *Operated*										
0-19 YRS	3	10.7	50	3	3	12	16	17	17	17
20-34	28	7.8	9	<1	3	8	10	11	11	13
35-49	68	8.9	13	3	5	9	10	14	15	21
50-64	71	10.8	30	5	7	9	12	18	20	34
65+	21	11.9	38	2	5	11	14	21	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.4	30	2	2	5	6	15	20	20
20-34	43	5.4	10	2	2	4	7	9	13	15
35-49	145	5.9	20	1	2	5	7	12	14	28
50-64	246	7.4	34	1	2	6	9	15	19	29
65+	498	9.5	71	2	3	7	12	19	26	50
B. *Operated*										
0-19 YRS	3	10.0	21	6	6	9	13	15	15	15
20-34	90	10.0	31	3	5	9	12	16	19	35
35-49	205	10.1	23	4	7	9	12	15	18	27
50-64	312	12.5	79	3	6	10	15	21	31	57
65+	204	15.4	149	3	5	12	19	28	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	5.6	18	1	1	4	7	10	12	21
B. *Operated*	191	9.8	23	3	5	9	11	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	942	8.2	53	1	2	6	10	16	21	43
B. *Operated*	814	12.3	81	3	6	10	14	20	29	63
1. SINGLE DX	437	7.4	25	1	2	7	10	13	17	25
2. MULTIPLE DX	1756	10.1	70	2	3	8	12	19	25	50
A. NOT OPERATED	1188	7.6	46	1	2	6	10	15	20	40
B. OPERATED	1005	11.9	71	3	6	10	14	19	26	57
TOTAL 0-19 YRS	16	7.9	31	2	2	6	11	17	19	20
20-34	181	7.9	25	1	2	8	10	13	16	22
35-49	464	8.1	23	2	3	8	10	13	16	25
50-64	714	9.7	58	1	3	8	12	18	22	47
65+	818	10.7	93	2	3	8	13	21	29	61
GRAND TOTAL	**2193**	**9.6**	**62**	**2**	**3**	**8**	**11**	**18**	**23**	**47**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	4	5.3	8	2	2	5	7	9	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	19	3.4	5	1	2	3	4	7	10	10
20-34	50	4.6	3	2	3	5	6	7	7	8
35-49	73	4.7	4	2	3	4	6	8	9	10
50-64	57	5.8	13	2	3	5	6	9	11	24
65+	46	7.5	29	2	3	6	8	15	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+	9	7.1	42	<1	<1	6	9	18	21	21
B. *Operated*										
0-19 YRS	5	3.6	6	2	2	3	4	8	8	8
20-34	16	8.8	90	3	4	6	8	17	35	42
35-49	29	5.7	6	3	3	5	7	10	10	11
50-64	58	7.4	27	3	3	5	9	14	18	27
65+	68	9.3	49	3	4	7	11	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	5	<1	1	2	4	5	9	9
B. *Operated*	245	5.3	12	2	2	5	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	11	8.0	38	<1	1	6	12	17	21	21
B. *Operated*	176	7.9	39	3	3	6	9	14	21	38
1. SINGLE DX	257	5.2	12	2	2	5	6	8	10	21
2. MULTIPLE DX	187	7.9	38	3	3	6	9	14	21	36
A. NOT OPERATED	23	5.4	26	<1	1	3	7	13	16	21
B. OPERATED	421	6.4	25	2	3	5	7	10	16	26
TOTAL 0-19 YRS	25	3.8	8	1	2	3	4	9	10	12
20-34	71	5.4	25	1	2	5	6	7	8	37
35-49	103	5.0	5	2	3	5	6	8	10	11
50-64	119	6.5	20	2	3	5	8	12	16	26
65+	126	8.3	41	2	3	6	10	17	22	34
GRAND TOTAL	**444**	**6.3**	**25**	**2**	**3**	**5**	**7**	**11**	**16**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	13	5.8	45	<1	1	3	8	14	23	25
65+	10	8.6	22	3	3	8	13	15	16	16
B. *Operated*										
0-19 YRS	27	3.4	5	1	1	3	4	7	9	10
20-34	58	4.9	18	2	2	4	5	8	12	29
35-49	82	5.3	8	2	2	5	7	9	12	14
50-64	84	6.7	16	2	3	6	8	13	15	22
65+	103	9.3	44	3	4	8	11	15	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.0	21	1	1	4	8	11	11	11
50-64	12	6.1	18	1	1	6	8	13	14	14
65+	50	11.5	220	2	2	7	14	18	31	91
B. *Operated*										
0-19 YRS	14	7.4	35	2	2	6	9	19	21	21
20-34	11	4.5		3	3	5	5	5	5	5
35-49	55	7.3	23	2	2	6	9	14	21	95
50-64	97	13.0	109	4	5	10	16	25	34	90
65+	197	14.6	173	4	4	11	18	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.7	29	1	1	3	8	13	16	25
B. *Operated*	354	6.6	25	2	3	5	8	12	14	29
2. MULTIPLE DX										
A. *Not Operated*	68	9.9	173	1	2	7	13	17	27	85
B. *Operated*	374	12.6	133	3	4	9	16	24	37	99+
1. SINGLE DX	387	6.5	26	2	2	5	8	12	15	28
2. MULTIPLE DX	442	12.1	140	2	4	9	15	24	35	99+
A. NOT OPERATED	101	8.5	129	1	2	5	10	16	21	74
B. OPERATED	728	9.7	89	2	3	7	12	20	26	77
TOTAL 0-19 YRS	44	4.7	17	1	1	3	6	9	13	21
20-34	74	4.7	14	2	2	4	5	6	11	27
35-49	145	6.0	15	2	2	5	8	11	13	25
50-64	206	9.6	72	2	3	7	12	20	25	58
65+	360	12.5	144	3	4	9	15	24	38	98
GRAND TOTAL	**829**	**9.5**	**94**	**2**	**3**	**7**	**12**	**19**	**26**	**76**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.5	12	1	1	3	5	6	8	21
20-34	138	4.4	9	1	2	4	5	8	9	19
35-49	187	5.4	15	1	1	4	7	11	14	18
50-64	299	5.9	26	1	2	5	7	10	15	28
65+	271	7.3	33	2	2	6	9	15	19	85
B. *Operated*										
0-19 YRS	62	8.0	131	2	3	6	8	11	15	84
20-34	92	9.0	24	4	4	8	11	14	16	31
35-49	135	10.9	37	5	6	10	12	18	23	35
50-64	129	12.3	53	4	6	10	15	21	28	37
65+	115	14.9	98	6	7	12	18	26	29	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.2	45	1	2	5	8	16	24	31
20-34	86	6.4	32	1	2	5	7	14	21	28
35-49	164	6.0	20	1	2	5	7	12	16	24
50-64	321	7.3	48	2	2	6	8	13	19	34
65+	553	9.7	86	2	3	7	12	19	28	79
B. *Operated*										
0-19 YRS	75	9.4	28	4	4	9	11	16	18	32
20-34	137	13.2	113	4	5	11	14	22	28	60
35-49	188	16.4	136	5	7	12	20	33	45	60
50-64	264	17.7	170	6	7	14	21	32	52	99+
65+	360	22.3	282	7	8	18	27	52	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	5.7	24	1	2	5	7	11	15	30
B. *Operated*	533	11.5	67	4	5	10	14	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	1160	8.2	63	2	2	6	10	16	23	45
B. *Operated*	1024	17.9	200	5	7	14	22	36	56	99+
1. SINGLE DX	1521	7.8	46	1	2	6	10	15	20	34
2. MULTIPLE DX	2184	12.7	150	2	3	9	16	27	39	95
A. NOT OPERATED	2148	7.1	46	1	2	5	8	14	19	37
B. OPERATED	1557	15.7	164	4	6	12	19	30	46	99
TOTAL 0-19 YRS	266	6.7	54	1	1	5	8	12	16	31
20-34	453	8.4	60	2	2	7	10	15	21	39
35-49	674	9.7	75	1	2	8	12	19	27	50
50-64	1013	10.2	97	2	3	7	13	22	29	65
65+	1299	13.2	166	2	3	9	17	28	43	99+
GRAND TOTAL	**3705**	**10.7**	**114**	**2**	**3**	**8**	**13**	**22**	**31**	**75**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4926	4.2	16	1	1	3	5	8	10	19
20-34	955	2.8	5	1	1	2	3	5	7	12
35-49	405	3.6	14	1	1	3	4	7	10	22
50-64	348	4.3	31	1	1	3	5	8	10	20
65+	466	5.4	30	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	80	5.7	20	2	2	4	7	11	12	26
20-34	71	6.2	19	2	2	5	7	11	17	22
35-49	30	7.6	43	1	2	5	9	18	24	25
50-64	22	8.5	28	1	1	8	10	16	19	21
65+	13	9.3	112	1	2	6	12	20	37	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3395	6.2	30	1	2	5	8	12	15	26
20-34	610	3.7	13	1	1	3	5	7	10	18
35-49	336	5.6	22	1	1	4	7	11	15	21
50-64	498	6.8	40	1	2	5	8	14	18	37
65+	1073	8.9	87	2	2	6	11	19	31	99+
B. *Operated*										
0-19 YRS	85	11.0	134	2	2	7	12	22	36	65
20-34	65	9.9	71	1	2	8	13	20	24	48
35-49	69	12.8	101	2	3	9	17	27	34	44
50-64	74	15.7	119	3	4	11	23	31	32	55
65+	92	18.8	312	3	4	12	23	47	63	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7100	4.1	17	1	1	3	5	8	10	18
B. *Operated*	216	6.6	29	1	2	5	8	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	5912	6.4	41	1	2	5	8	13	17	36
B. *Operated*	385	13.9	167	2	3	10	18	29	41	65
1. SINGLE DX	7316	4.2	17	1	1	3	5	8	10	19
2. MULTIPLE DX	6297	6.9	52	1	2	5	8	14	20	42
A. NOT OPERATED	13012	5.2	29	1	1	4	6	10	14	28
B. OPERATED	601	11.3	130	2	3	8	14	24	32	63
TOTAL 0-19 YRS	8486	5.1	24	1	1	4	6	10	13	24
20-34	1701	3.5	13	1	1	2	4	7	10	19
35-49	840	5.3	31	1	1	4	6	11	16	28
50-64	942	6.6	51	1	1	4	8	14	20	36
65+	1644	8.5	92	1	2	6	10	18	29	75
GRAND TOTAL	**13613**	**5.4**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**31**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	20	5.7	8	1	2	5	8	9	11	12
35-49	113	5.4	10	2	2	5	7	9	11	17
50-64	248	5.9	13	2	2	5	8	10	13	19
65+	491	7.0	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	11.0	18	5	7	10	12	19	20	20
35-49	40	11.9	30	5	7	11	14	20	22	30
50-64	109	14.3	41	6	8	13	17	21	27	39
65+	86	16.9	97	5	7	14	21	31	34	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	9	5.7	6	2	2	6	7	9	10	10
35-49	67	7.7	31	3	3	7	9	11	18	35
50-64	275	7.6	28	2	3	6	9	14	18	31
65+	1042	10.6	90	3	4	8	12	19	26	59
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	13.7	70	5	6	10	21	26	30	33
35-49	97	17.5	88	7	9	15	22	34	39	73
50-64	253	19.5	152	7	9	16	25	35	45	99
65+	345	22.3	286	6	8	18	27	45	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	6.4	19	2	2	6	8	11	14	23
B. *Operated*	248	14.6	61	5	7	13	18	24	31	44
2. MULTIPLE DX										
A. *Not Operated*	1396	9.8	76	3	3	8	11	18	24	50
B. *Operated*	715	20.4	210	6	8	17	25	39	54	99+
1. SINGLE DX	1124	8.2	40	2	3	7	10	16	20	32
2. MULTIPLE DX	2111	13.4	146	3	4	10	17	27	37	83
A. NOT OPERATED	2272	8.5	57	2	3	7	10	15	21	39
B. OPERATED	963	18.9	178	6	8	15	23	35	46	99+
TOTAL 0-19 YRS	9	6.2	9	1	2	7	9	9	9	9
20-34	60	9.3	41	2	3	8	11	19	25	32
35-49	317	10.4	67	2	3	8	13	21	30	41
50-64	885	11.3	94	2	3	9	14	23	29	55
65+	1964	12.0	135	3	3	9	14	24	33	79
GRAND TOTAL	**3235**	**11.6**	**115**	**2**	**3**	**9**	**14**	**23**	**32**	**70**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	15	<1	<1	3	5	9	13	18
20-34	67	3.0	5	<1	<1	2	4	5	6	13
35-49	52	4.0	12	<1	<1	3	6	9	11	15
50-64	27	5.5	15	1	1	5	7	12	14	17
65+	20	6.4	15	1	2	6	8	11	15	17
B. *Operated*										
0-19 YRS	131	4.3	15	1	1	3	5	8	10	24
20-34	702	4.2	10	1	1	4	5	7	10	15
35-49	556	4.5	15	1	2	4	5	7	10	18
50-64	266	5.5	17	1	2	5	7	10	13	21
65+	91	5.7	60	1	2	4	6	9	11	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	39	1	1	6	10	14	19	31
20-34	44	3.3	9	<1	1	2	4	6	10	17
35-49	40	5.1	14	<1	<1	4	8	10	13	14
50-64	38	6.3	54	1	1	4	8	14	22	38
65+	37	8.2	52	2	3	7	10	15	33	99+
B. *Operated*										
0-19 YRS	81	6.9	59	1	1	4	9	14	22	43
20-34	417	5.5	32	1	2	4	7	10	12	25
35-49	409	6.0	21	2	2	5	7	12	15	26
50-64	346	7.2	43	2	3	5	8	14	18	27
65+	132	8.6	48	2	3	7	10	20	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.0	12	<1	<1	3	5	9	11	17
B. *Operated*	1746	4.6	16	1	1	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	198	5.9	35	<1	1	4	8	13	15	41
B. *Operated*	1385	6.4	35	2	2	5	8	12	16	32
1. SINGLE DX	1973	4.5	15	1	1	4	5	8	10	19
2. MULTIPLE DX	1583	6.4	35	1	2	5	8	12	16	33
A. NOT OPERATED	425	4.9	24	<1	<1	3	6	10	14	27
B. OPERATED	3131	5.4	25	1	2	4	6	10	13	25
TOTAL 0-19 YRS	312	5.2	31	<1	1	3	6	11	16	29
20-34	1230	4.6	18	1	1	4	5	8	10	19
35-49	1057	5.1	18	1	2	4	6	9	13	24
50-64	677	6.4	33	2	2	5	7	12	16	26
65+	280	7.4	51	2	3	6	9	13	22	99+
GRAND TOTAL	**3556**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	4.2	18	1	1	3	5	8	12	20
20-34	635	6.8	50	1	1	5	9	14	17	32
35-49	351	6.2	23	1	2	5	8	13	16	23
50-64	308	6.6	37	1	1	5	8	13	18	32
65+	388	6.4	29	1	1	5	9	13	16	27
B. *Operated*										
0-19 YRS	194	9.0	59	2	2	7	12	19	26	36
20-34	378	11.1	116	2	2	8	13	23	33	62
35-49	241	10.9	97	1	2	9	14	22	29	52
50-64	245	11.3	99	1	2	9	15	22	29	52
65+	188	9.9	85	2	2	7	14	21	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	506	5.8	33	1	1	4	7	12	17	30
20-34	555	8.0	76	1	1	6	10	17	23	45
35-49	448	8.8	75	1	2	7	11	17	23	47
50-64	530	8.2	50	1	2	7	11	16	20	32
65+	1237	10.1	113	2	2	7	12	22	32	85
B. *Operated*										
0-19 YRS	184	14.9	194	2	3	10	20	34	45	73
20-34	500	16.4	188	3	4	12	21	38	50	99+
35-49	403	16.3	226	2	4	12	20	37	48	86
50-64	519	16.5	190	3	4	12	22	34	46	74
65+	593	18.5	225	3	5	14	24	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2502	5.8	32	1	1	4	7	12	16	28
B. *Operated*	1246	10.6	96	2	2	8	14	22	28	53
2. MULTIPLE DX										
A. *Not Operated*	3276	8.6	81	1	2	6	11	17	25	52
B. *Operated*	2199	16.9	207	3	4	13	22	37	49	98
1. SINGLE DX	3748	7.4	58	1	1	5	9	15	21	40
2. MULTIPLE DX	5475	11.9	148	1	2	8	15	27	38	76
A. NOT OPERATED	5778	7.4	62	1	1	5	9	15	21	43
B. OPERATED	3445	14.6	176	2	3	11	19	32	44	80
TOTAL 0-19 YRS	1704	6.4	57	1	1	4	8	14	21	39
20-34	2068	10.2	116	1	2	7	13	22	33	62
35-49	1443	10.6	123	1	2	7	13	23	33	64
50-64	1602	11.0	117	1	2	8	14	24	32	59
65+	2406	11.6	143	1	2	8	14	26	36	89
GRAND TOTAL	**9223**	**10.1**	**117**	**1**	**2**	**7**	**13**	**22**	**32**	**63**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	10.0	88	1	2	6	15	23	33	36
35-49	40	12.1	56	3	4	10	17	23	32	99+
50-64	50	10.6	56	2	3	9	14	20	31	99
65+	15	10.1	39	1	3	10	13	17	23	25
B. *Operated*										
0-19 YRS										
20-34	6	4.5	8	1	1	4	7	8	8	8
35-49	16	13.9	190	<1	1	9	19	39	40	41
50-64	27	12.3	89	1	2	12	17	29	32	34
65+	4	4.8	12	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	68	16.8	358	2	2	9	23	40	66	79
35-49	233	17.3	209	3	4	14	24	41	48	99+
50-64	348	18.3	220	4	5	14	24	38	48	83
65+	126	17.8	177	4	5	13	25	41	52	99+
B. *Operated*										
0-19 YRS										
20-34	30	18.7	214	2	2	15	21	45	50	58
35-49	91	20.1	272	3	4	16	27	46	58	75
50-64	134	22.0	317	5	6	17	27	49	75	99+
65+	50	21.8	217	5	7	17	32	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	10.9	59	2	3	9	15	22	31	99+
B. *Operated*	53	11.3	112	1	1	8	17	31	35	41
2. MULTIPLE DX										
A. *Not Operated*	777	17.8	221	3	4	13	24	40	50	99+
B. *Operated*	305	21.1	276	3	5	16	28	47	60	94
1. SINGLE DX	181	11.0	74	1	2	9	15	22	32	80
2. MULTIPLE DX	1082	18.7	238	3	5	14	25	41	54	99+
A. NOT OPERATED	905	16.8	204	3	4	12	22	38	48	99+
B. OPERATED	358	19.6	263	2	4	16	27	41	56	90
TOTAL 0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	127	15.4	270	1	2	10	20	37	53	79
35-49	380	17.3	211	3	4	14	24	38	49	99+
50-64	559	18.2	232	3	5	14	24	38	53	96
65+	195	17.9	184	3	5	13	25	41	53	99+
GRAND TOTAL	**1263**	**17.6**	**222**	**3**	**4**	**13**	**24**	**38**	**51**	**99+**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	12	5.3	26	1	1	4	6	14	17	18
35-49	14	6.5	28	1	1	6	10	18	79	99+
50-64	28	13.1	90	2	4	10	19	26	36	38
65+	16	11.1	44	3	4	9	14	19	26	29
B. *Operated*										
0-19 YRS	3	10.7	92	2	2	9	18	21	21	21
20-34	38	5.2	114	1	1	2	4	10	17	65
35-49	38	4.6	22	1	1	3	5	10	15	23
50-64	52	6.9	65	1	1	3	9	21	25	34
65+	15	11.2	86	1	2	9	18	27	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	13.0	79	3	3	16	19	20	20	20
20-34	10	10.2	32	2	3	11	14	17	19	19
35-49	35	14.9	165	2	4	11	20	30	48	55
50-64	76	13.8	79	3	5	12	20	24	32	87
65+	79	18.9	245	3	6	15	23	40	47	85
B. *Operated*										
0-19 YRS	8	22.6	552	1	2	16	35	62	68	68
20-34	37	11.8	145	1	2	7	17	39	46	99+
35-49	65	12.6	131	2	2	9	16	31	33	58
50-64	98	14.5	136	2	3	12	20	28	41	99+
65+	72	17.7	172	2	3	15	23	35	48	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	9.7	63	1	2	8	14	20	28	64
B. *Operated*	146	6.4	71	1	1	3	8	19	23	35
2. MULTIPLE DX										
A. *Not Operated*	203	15.8	161	3	4	13	21	30	43	83
B. *Operated*	280	14.8	160	2	2	12	19	31	45	89
1. SINGLE DX	220	7.5	71	1	1	4	9	20	24	46
2. MULTIPLE DX	483	15.2	160	2	3	12	20	31	43	85
A. NOT OPERATED	277	14.2	142	2	3	11	19	29	39	85
B. OPERATED	426	11.9	145	1	2	9	17	27	35	67
TOTAL 0-19 YRS	18	15.1	304	1	2	9	20	40	60	68
20-34	97	8.2	114	1	1	4	12	19	37	83
35-49	152	10.6	117	1	2	7	14	24	32	61
50-64	254	12.6	107	1	2	10	18	26	33	97
65+	182	17.1	191	2	4	14	22	34	44	75
GRAND TOTAL	**703**	**12.8**	**145**	**1**	**2**	**10**	**18**	**28**	**36**	**73**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	6	3	3	5	8	9	10	12
20-34	21	5.1	6	1	2	5	6	8	10	12
35-49	12	4.9	5	1	2	5	6	7	8	8
50-64	23	13.0	175	1	2	11	18	20	36	65
65+	9	11.8	73	1	2	11	15	26	28	28
B. *Operated*										
0-19 YRS	6	10.5	61	<1	1	8	16	22	23	23
20-34	17	6.1	22	1	2	4	9	11	16	19
35-49	9	10.8	160	1	1	8	16	32	33	33
50-64	10	16.0	172	1	1	15	22	35	42	42
65+	8	15.0	120	3	3	11	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	24	<1	2	8	12	15	18	18
20-34	20	13.1	196	3	4	8	15	27	45	63
35-49	49	17.4	250	3	3	11	24	40	59	62
50-64	91	13.8	127	3	4	10	16	29	37	55
65+	63	18.7	224	3	4	14	26	39	50	63
B. *Operated*										
0-19 YRS	3	21.3	112	10	10	23	29	31	31	31
20-34	21	17.7	582	1	2	11	18	47	86	93
35-49	24	17.3	121	4	6	16	26	35	57	99+
50-64	49	19.5	205	2	4	17	29	41	51	99+
65+	24	22.2	212	8	10	18	28	38	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.0	68	1	2	6	9	17	20	51
B. *Operated*	50	10.9	104	1	1	8	16	28	31	42
2. MULTIPLE DX										
A. *Not Operated*	235	15.5	184	3	4	11	22	35	45	62
B. *Operated*	121	19.3	248	2	5	15	26	39	61	99+
1. SINGLE DX	137	9.1	82	1	2	6	11	20	28	45
2. MULTIPLE DX	356	16.8	208	2	4	13	23	36	46	80
A. NOT OPERATED	322	13.5	164	2	3	9	17	31	40	62
B. OPERATED	171	16.9	220	2	2	12	23	35	45	98
TOTAL 0-19 YRS	43	8.3	38	2	3	7	9	16	23	31
20-34	79	10.7	231	1	2	6	11	23	27	90
35-49	94	15.2	193	2	2	9	23	37	42	83
50-64	173	15.4	162	2	4	12	21	34	42	67
65+	104	18.6	204	3	4	14	26	36	49	62
GRAND TOTAL	**493**	**14.7**	**185**	**2**	**3**	**10**	**21**	**32**	**42**	**67**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	7	<1	1	3	4	6	8	16
20-34	280	3.1	12	1	1	2	4	5	7	20
35-49	187	3.5	7	1	1	3	5	7	9	14
50-64	219	4.3	11	1	1	3	6	9	11	17
65+	167	7.4	41	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	209	7.5	7	4	5	7	9	11	13	15
20-34	2045	7.7	9	5	5	7	9	11	13	17
35-49	1638	8.1	8	5	5	8	9	11	13	19
50-64	1685	9.0	14	5	6	8	10	13	16	23
65+	699	10.8	24	6	7	9	12	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	8	<1	1	2	4	7	10	11
20-34	163	3.4	9	<1	1	2	4	7	9	15
35-49	124	4.7	14	1	1	4	7	10	13	18
50-64	241	5.4	22	1	1	4	7	10	13	23
65+	389	9.4	66	2	3	8	11	17	23	41
B. *Operated*										
0-19 YRS	111	10.0	30	5	6	8	12	16	19	35
20-34	1301	9.1	19	5	6	8	10	14	17	25
35-49	1434	10.1	28	5	6	8	11	16	21	34
50-64	2147	11.6	44	6	7	10	13	19	25	37
65+	1798	16.1	98	7	8	13	20	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	4.3	18	1	1	3	5	9	12	23
B. *Operated*	6276	8.5	13	5	5	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	942	6.6	43	1	1	5	9	13	17	32
B. *Operated*	6791	12.0	57	6	6	9	14	21	27	44
1. SINGLE DX	7183	7.9	15	2	4	7	9	12	14	23
2. MULTIPLE DX	7733	11.3	58	4	5	9	13	20	26	43
A. NOT OPERATED	1849	5.4	32	1	1	4	7	11	14	28
B. OPERATED	13067	10.3	39	5	6	9	11	17	22	37
TOTAL 0-19 YRS	399	7.3	19	1	2	7	9	12	14	21
20-34	3789	7.7	16	2	4	7	9	11	14	22
35-49	3383	8.6	20	3	5	8	10	13	16	26
50-64	4292	9.9	34	3	5	9	11	16	20	32
65+	3053	13.6	84	4	6	11	16	24	31	50
GRAND TOTAL	**14916**	**9.7**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**36**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.6	7	1	1	3	4	6	7	17
20-34	385	3.4	10	<1	1	3	4	6	8	14
35-49	211	3.8	7	1	1	3	5	7	9	13
50-64	216	4.9	16	1	1	4	7	10	12	21
65+	252	6.6	39	2	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	39	8.8	17	4	5	8	9	16	18	19
20-34	247	8.4	11	5	5	8	9	13	16	20
35-49	208	8.9	19	5	5	8	10	13	15	22
50-64	151	9.2	22	5	6	8	10	15	19	29
65+	73	11.7	35	6	7	10	14	18	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.7	5	1	1	3	4	7	9	11
20-34	193	4.3	13	1	1	3	5	8	11	18
35-49	136	5.3	26	1	1	4	6	9	12	32
50-64	201	6.8	26	1	2	6	9	13	18	24
65+	429	10.3	90	2	3	8	13	19	29	99+
B. *Operated*										
0-19 YRS	19	8.9	9	5	6	9	11	13	15	16
20-34	276	9.7	30	5	6	8	11	16	20	39
35-49	274	10.7	51	5	6	8	12	18	23	35
50-64	302	12.8	71	6	6	10	15	23	28	39
65+	242	17.7	167	7	8	14	22	31	39	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	4.5	18	1	1	4	6	8	11	20
B. *Operated*	718	9.1	19	5	5	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	1008	7.5	56	1	2	6	9	15	20	43
B. *Operated*	1113	12.5	84	5	6	10	14	23	29	55
1. SINGLE DX	1883	6.2	23	1	1	6	8	12	14	23
2. MULTIPLE DX	2121	10.1	77	2	3	8	12	19	26	51
A. NOT OPERATED	2173	5.9	38	1	1	4	7	12	16	34
B. OPERATED	1831	11.2	62	5	6	9	12	19	26	43
TOTAL 0-19 YRS	208	5.1	14	1	1	4	7	10	13	18
20-34	1101	6.3	23	1	1	6	8	11	14	27
35-49	829	7.6	36	1	2	7	9	13	17	30
50-64	870	8.9	48	1	2	8	10	17	23	32
65+	996	11.3	107	2	3	9	14	22	30	91
GRAND TOTAL	**4004**	**8.3**	**56**	**1**	**2**	**7**	**10**	**16**	**22**	**38**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	117	<1	<1	1	2	23	32	32
20-34	26	3.7	6	1	1	3	5	7	8	12
35-49	33	4.5	11	1	1	3	6	10	11	12
50-64	32	4.7	13	<1	1	4	7	10	13	13
65+	30	7.9	29	1	2	7	10	16	19	21
B. *Operated*										
0-19 YRS	6	8.2	2	6	6	8	9	10	10	10
20-34	58	9.4	34	3	5	8	11	14	19	39
35-49	54	9.1	24	2	4	9	11	15	17	26
50-64	85	11.2	38	3	5	10	14	19	22	36
65+	94	15.6	101	3	6	14	19	26	33	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	5.8	13	1	1	6	7	11	13	14
35-49	17	4.9	14	1	1	4	6	11	14	15
50-64	38	7.9	33	1	1	7	10	17	21	25
65+	84	10.2	77	2	3	7	14	19	26	48
B. *Operated*										
0-19 YRS	4	9.3	8	7	7	9	11	13	13	13
20-34	62	13.6	67	5	7	11	15	24	29	51
35-49	74	12.5	46	6	7	10	15	20	23	44
50-64	95	17.4	114	6	7	15	21	29	39	60
65+	201	22.7	173	9	10	20	29	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.2	23	1	1	4	7	11	14	23
B. *Operated*	297	11.8	61	3	5	10	15	21	24	38
2. MULTIPLE DX										
A. *Not Operated*	157	8.6	56	1	2	6	11	18	22	40
B. *Operated*	436	18.4	140	7	8	15	22	35	41	78
1. SINGLE DX	426	9.8	58	1	2	9	13	19	23	35
2. MULTIPLE DX	593	15.8	136	3	4	13	20	30	39	66
A. NOT OPERATED	286	7.1	43	1	1	5	9	15	19	34
B. OPERATED	733	15.7	118	4	6	13	20	29	37	65
TOTAL 0-19 YRS	19	7.0	51	<1	<1	7	9	12	23	32
20-34	163	9.7	53	2	3	8	12	17	23	40
35-49	178	9.2	40	1	2	8	12	17	20	29
50-64	250	12.2	84	1	3	10	16	22	29	45
65+	409	17.4	157	3	4	15	22	34	40	85
GRAND TOTAL	**1019**	**13.3**	**112**	**2**	**3**	**11**	**18**	**26**	**35**	**59**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	37	4.8	15	1	1	3	6	10	14	15
35-49	16	4.2	8	1	2	3	6	8	9	10
50-64	30	4.3	8	1	1	4	7	8	9	12
65+	43	10.3	63	2	3	8	12	22	29	38
B. *Operated*										
0-19 YRS										
20-34	18	9.7	51	2	2	9	13	15	26	33
35-49	14	14.8	29	7	9	14	18	19	27	29
50-64	16	13.1	79	1	2	11	18	25	31	34
65+	15	14.9	76	6	6	12	22	28	32	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	30	4	4	5	12	14	14	14
20-34	15	5.3	19	<1	1	3	7	12	15	16
35-49	30	9.9	189	2	2	6	10	19	36	72
50-64	47	9.7	50	2	3	8	13	22	25	32
65+	76	11.6	90	2	3	10	16	24	38	99+
B. *Operated*										
0-19 YRS	3	14.0	28	10	10	12	18	20	20	20
20-34	28	15.0	55	3	7	14	20	26	29	34
35-49	26	18.0	161	4	5	14	20	41	47	51
50-64	52	18.9	141	4	7	16	24	41	55	99+
65+	74	27.6	224	10	12	23	37	48	60	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.5	35	1	1	5	8	13	16	32
B. *Operated*	63	12.9	61	2	4	12	17	25	30	34
2. MULTIPLE DX										
A. *Not Operated*	171	10.2	90	2	3	7	13	23	30	93
B. *Operated*	183	21.6	186	5	8	18	27	44	52	90
1. SINGLE DX	192	8.6	53	1	2	7	11	18	25	34
2. MULTIPLE DX	354	16.1	172	2	3	13	22	36	47	97
A. NOT OPERATED	300	8.6	70	1	2	7	11	19	25	64
B. OPERATED	246	19.4	168	4	7	16	24	39	48	72
TOTAL 0-19 YRS	9	9.1	30	4	4	8	12	18	20	20
20-34	98	8.7	52	1	2	7	13	18	22	34
35-49	86	12.1	143	2	2	9	15	25	38	64
50-64	145	12.3	107	1	2	9	17	27	37	99+
65+	208	17.3	190	3	4	13	23	38	48	82
GRAND TOTAL	**546**	**13.4**	**143**	**2**	**2**	**10**	**18**	**29**	**40**	**71**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	18	2	2	5	7	13	16	17
20-34	258	6.9	33	1	2	6	8	12	17	35
35-49	287	6.6	22	2	3	6	8	12	15	26
50-64	203	8.1	34	2	3	6	10	16	22	27
65+	137	9.3	72	3	3	8	11	16	19	37
B. *Operated*										
0-19 YRS	3	9.0	67	2	2	7	15	18	18	18
20-34	23	11.1	38	3	3	11	16	19	22	25
35-49	34	14.4	138	1	3	13	17	22	36	64
50-64	18	12.1	90	2	4	9	15	27	35	38
65+	18	10.7	74	2	2	10	13	16	31	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	47	2	3	7	12	16	23	33
20-34	293	8.6	46	2	3	7	10	16	21	38
35-49	471	9.2	58	2	3	7	11	19	25	46
50-64	339	9.8	54	2	3	8	12	19	23	43
65+	318	13.0	108	3	5	10	16	23	31	58
B. *Operated*										
0-19 YRS	3	26.3	345	11	11	21	40	47	47	47
20-34	64	17.2	231	4	5	13	23	30	62	97
35-49	127	20.6	278	4	6	17	24	43	62	85
50-64	131	21.7	256	5	7	19	28	51	66	99+
65+	88	25.2	316	4	8	21	34	60	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	7.4	36	2	2	6	9	14	18	29
B. *Operated*	96	12.3	90	2	3	11	16	21	30	53
2. MULTIPLE DX										
A. *Not Operated*	1443	10.0	68	2	3	8	12	19	25	44
B. *Operated*	413	21.5	276	4	6	18	27	47	68	99+
1. SINGLE DX	1014	7.9	43	2	3	6	10	15	19	32
2. MULTIPLE DX	1856	12.6	137	3	3	9	16	26	37	79
A. NOT OPERATED	2361	9.0	57	2	3	7	11	17	23	40
B. OPERATED	509	19.7	253	3	5	16	25	41	64	99+
TOTAL 0-19 YRS	61	8.3	58	2	2	6	10	16	19	45
20-34	638	8.8	68	2	3	7	11	17	23	45
35-49	919	10.2	100	2	3	7	12	20	29	62
50-64	691	11.6	111	2	3	9	14	24	31	66
65+	561	13.9	156	3	4	10	17	27	39	87
GRAND TOTAL	**2870**	**10.9**	**109**	**2**	**3**	**8**	**13**	**22**	**30**	**64**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.2	9	1	1	3	5	9	9	16
20-34	101	3.8	9	1	1	3	6	7	9	15
35-49	91	4.6	9	1	1	4	6	8	10	15
50-64	105	7.2	37	2	3	6	8	13	17	36
65+	155	7.8	57	1	2	6	10	15	17	29
B. *Operated*										
0-19 YRS	3	6.3	33	3	3	3	11	13	13	13
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	10	8.1	17	1	2	8	12	13	14	14
50-64	14	10.0	37	1	2	10	13	19	23	24
65+	13	8.6	18	2	3	7	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	6.4	48	1	2	5	7	12	15	43
20-34	132	5.1	14	2	2	4	7	10	13	17
35-49	181	7.5	37	1	2	6	9	14	16	36
50-64	269	7.8	45	2	2	6	9	14	19	44
65+	596	11.2	108	3	4	9	13	21	32	70
B. *Operated*										
0-19 YRS	9	11.9	34	1	4	12	15	20	22	22
20-34	16	9.4	58	3	3	7	12	21	27	29
35-49	37	14.5	132	4	4	12	17	29	37	62
50-64	57	18.4	237	3	5	14	23	45	53	64
65+	120	19.9	288	4	6	15	25	47	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	5.9	32	1	1	5	8	11	15	25
B. *Operated*	42	9.0	26	2	3	9	13	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	1267	9.0	75	2	2	7	11	16	24	57
B. *Operated*	239	17.7	234	3	5	14	22	41	61	99+
1. SINGLE DX	552	6.2	32	1	1	5	8	12	15	24
2. MULTIPLE DX	1506	10.4	110	2	3	8	12	21	31	65
A. NOT OPERATED	1777	8.1	65	1	2	6	10	15	21	51
B. OPERATED	281	16.4	213	3	4	13	21	37	54	99+
TOTAL 0-19 YRS	159	5.9	35	1	2	4	7	12	15	30
20-34	251	4.9	17	1	1	4	7	9	13	22
35-49	319	7.5	47	1	2	6	9	14	16	39
50-64	445	9.1	80	2	3	7	10	17	26	51
65+	884	11.8	134	2	3	9	14	24	37	94
GRAND TOTAL	**2058**	**9.2**	**93**	**2**	**2**	**7**	**11**	**18**	**27**	**64**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	7.1	41	1	2	5	9	15	19	34
20-34	5	8.0	54	1	1	6	12	20	20	20
35-49	11	7.4	27	1	2	5	9	16	19	19
50-64	8	13.8	113	4	5	9	20	31	34	34
65+	7	12.4	45	4	4	11	18	22	22	22
B. *Operated*										
0-19 YRS	15	9.7	197	<1	1	7	10	18	47	57
20-34	15	10.5	43	1	1	9	16	19	20	20
35-49	17	12.1	31	5	7	10	13	21	25	26
50-64	7	12.4	114	1	2	10	15	30	34	34
65+	4	14.8	140	4	4	12	24	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	10.7	34	3	4	8	13	21	26	80
20-34	6	21.7	1051	<1	1	9	17	80	87	87
35-49	21	14.0	118	4	5	10	17	30	42	45
50-64	23	10.0	51	3	4	8	12	18	28	32
65+	20	16.5	255	2	4	12	16	37	57	70
B. *Operated*										
0-19 YRS	18	11.9	109	1	1	9	16	28	38	41
20-34	19	12.7	70	1	2	12	18	24	29	33
35-49	42	18.0	206	4	5	14	22	29	49	81
50-64	26	17.5	173	2	3	15	22	31	41	67
65+	23	26.7	287	8	10	21	36	66	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	7.7	46	1	2	5	10	16	21	34
B. *Operated*	58	11.3	89	1	1	9	16	20	28	55
2. MULTIPLE DX										
A. *Not Operated*	195	11.9	137	3	4	9	14	23	31	81
B. *Operated*	128	17.8	198	2	4	15	22	33	54	85
1. SINGLE DX	217	8.7	59	1	2	6	11	18	22	37
2. MULTIPLE DX	323	14.3	169	3	4	11	17	28	42	82
A. NOT OPERATED	354	10.0	100	2	3	7	13	19	26	69
B. OPERATED	186	15.8	173	1	3	13	20	30	46	76
TOTAL 0-19 YRS	286	9.1	79	1	2	7	12	17	24	57
20-34	45	12.6	182	1	1	10	16	20	26	87
35-49	91	14.7	142	4	5	11	19	25	39	70
50-64	64	13.8	121	2	4	10	17	27	34	62
65+	54	20.2	257	4	6	16	25	47	66	98
GRAND TOTAL	**540**	**12.0**	**132**	**2**	**3**	**9**	**15**	**24**	**33**	**70**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	10.0	67	2	2	8	13	21	26	64
20-34	28	5.9	23	2	2	4	7	14	16	21
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	12	5.3	18	1	1	4	8	11	14	15
65+	8	9.6	21	6	6	8	10	17	20	20
B. *Operated*										
0-19 YRS	18	5.8	19	2	2	4	9	12	15	17
20-34	40	7.5	68	1	2	4	8	20	25	39
35-49	24	7.8	101	1	1	6	8	12	25	52
50-64	23	9.1	111	1	2	8	12	17	30	51
65+	6	20.0	469	2	2	12	32	55	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	11.3	89	2	2	8	16	22	24	54
20-34	25	7.1	19	2	2	6	10	14	15	16
35-49	26	8.5	51	1	2	7	12	21	23	26
50-64	45	10.9	136	1	2	8	15	19	24	73
65+	53	15.8	195	2	2	12	22	38	54	99
B. *Operated*										
0-19 YRS	33	15.9	101	2	4	13	25	31	31	39
20-34	44	13.4	195	1	2	11	17	31	36	77
35-49	40	16.9	393	2	3	12	20	43	84	99+
50-64	59	16.7	185	2	3	14	20	35	40	73
65+	31	26.5	332	2	6	23	35	49	70	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	8.9	56	2	2	7	12	18	25	46
B. *Operated*	111	8.3	101	1	2	5	10	17	29	54
2. MULTIPLE DX										
A. *Not Operated*	227	11.5	117	2	2	8	16	22	31	66
B. *Operated*	207	17.4	247	2	3	14	24	35	46	88
1. SINGLE DX	280	8.7	74	2	2	6	11	18	25	52
2. MULTIPLE DX	434	14.3	187	2	2	11	18	31	40	77
A. NOT OPERATED	396	10.4	93	2	2	8	14	22	26	61
B. OPERATED	318	14.2	214	2	2	10	19	33	40	78
TOTAL 0-19 YRS	248	10.9	80	2	2	9	15	22	30	48
20-34	137	9.0	99	2	2	5	12	20	28	47
35-49	92	11.9	228	1	2	7	14	29	50	99
50-64	139	12.6	155	1	2	9	17	27	37	73
65+	98	18.9	264	2	3	15	25	43	57	90
GRAND TOTAL	**714**	**12.1**	**150**	**2**	**2**	**8**	**16**	**26**	**36**	**74**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	10.9	96	2	3	8	14	18	29	60
20-34	18	5.9	14	1	2	5	8	11	13	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	11.2	299	3	3	6	7	38	57	57
20-34	8	7.8	29	2	2	7	11	16	17	17
35-49	2	16.0	338	3	3	16	29	29	29	29
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	12.9	84	2	4	11	17	22	33	42
20-34	10	7.0	31	1	1	6	9	15	21	21
35-49	6	10.3	31	4	4	10	11	19	20	20
50-64	3	11.7	37	5	5	13	16	17	17	17
65+	4	16.3	63	6	6	18	22	23	23	23
B. *Operated*										
0-19 YRS	6	7.7	25	2	2	7	12	14	14	14
20-34	8	11.1	41	4	5	8	17	21	21	21
35-49	6	9.7	64	<1	<1	8	17	21	21	21
50-64	4	15.3	64	5	5	16	21	23	23	23
65+	6	15.8	129	4	4	12	21	34	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	9.7	80	2	2	7	13	16	26	55
B. *Operated*	20	10.1	162	2	2	6	9	23	43	57
2. MULTIPLE DX										
A. *Not Operated*	67	12.0	71	2	4	10	17	22	27	41
B. *Operated*	30	11.6	64	2	3	10	17	21	23	36
1. SINGLE DX	102	9.8	94	2	2	7	13	17	29	60
2. MULTIPLE DX	97	11.9	68	2	3	10	17	21	26	41
A. NOT OPERATED	149	10.7	77	2	3	8	14	20	27	42
B. OPERATED	50	11.0	101	2	3	8	14	21	29	57
TOTAL 0-19 YRS	121	11.5	102	2	3	9	14	21	30	59
20-34	44	7.4	27	1	2	7	9	15	20	21
35-49	15	10.5	64	<1	2	9	16	21	27	29
50-64	9	12.1	46	5	5	13	18	22	23	23
65+	10	16.0	93	4	5	14	22	29	36	36
GRAND TOTAL	**199**	**10.8**	**82**	**2**	**3**	**8**	**14**	**21**	**28**	**50**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8		2	2	3	3	3	3	3
20-34	3	2.7		2	2	3	3	3	3	3
35-49	2	6.0	50	<1	<1	5	11	11	11	11
50-64	20	1.6	1	<1	<1	1	2	3	4	4
65+	38	5.8	42	<1	<1	2	8	15	21	26
B. *Operated*										
0-19 YRS	4	9.0	33	2	2	9	13	16	16	16
20-34	11	8.8	133	1	1	2	13	27	37	38
35-49	15	7.0	48	1	2	3	10	15	23	25
50-64	17	11.1	194	2	2	6	15	18	45	60
65+	7	6.9	15	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	11.0	229	1	1	6	12	18	51	62
20-34	22	6.9	101	1	1	3	7	16	31	45
35-49	48	7.9	54	1	1	6	10	18	26	28
50-64	58	10.0	232	1	1	6	11	21	27	89
65+	251	7.8	108	<1	1	2	11	22	29	63
B. *Operated*										
0-19 YRS	22	22.1	735	2	3	12	24	64	96	98
20-34	77	18.1	268	2	3	13	25	39	52	72
35-49	83	17.5	244	1	2	14	25	45	61	99+
50-64	122	16.1	355	1	2	11	20	40	62	99+
65+	104	21.0	321	2	3	17	26	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	28	<1	<1	2	5	11	16	25
B. *Operated*	54	8.8	103	2	2	6	12	17	24	59
2. MULTIPLE DX										
A. *Not Operated*	394	8.2	123	<1	1	4	11	21	27	67
B. *Operated*	408	18.3	328	1	2	13	24	45	64	99+
1. SINGLE DX	122	6.2	66	<1	<1	3	8	15	19	44
2. MULTIPLE DX	802	13.4	253	1	1	8	18	33	51	97
A. NOT OPERATED	462	7.6	111	<1	1	3	10	20	25	63
B. OPERATED	462	17.2	311	1	2	12	23	42	60	99+
TOTAL 0-19 YRS	46	15.3	466	1	2	8	16	37	68	98
20-34	113	14.6	240	1	2	9	22	37	45	71
35-49	148	13.1	183	1	1	9	18	32	49	99+
50-64	217	12.7	294	1	1	7	15	32	56	98
65+	400	11.0	190	<1	1	7	16	26	43	85
GRAND TOTAL	**924**	**12.4**	**234**	**1**	**1**	**7**	**17**	**31**	**48**	**96**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	6	6.3	41	1	1	3	14	15	15	15
65+	10	14.5	117	2	3	11	17	32	38	38
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	4.5	6	3	3	4	6	8	8	8
50-64	5	25.4	385	3	3	37	40	42	42	42
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.5	176	<1	<1	8	16	35	42	42
20-34	10	3.8	21	1	1	2	7	49	96	99+
35-49	8	23.9	954	2	2	11	36	77	87	87
50-64	19	22.6	388	2	4	16	37	61	81	99+
65+	103	17.8	185	2	4	14	24	38	46	61
B. *Operated*										
0-19 YRS	3	29.7	1345	1	1	17	57	71	71	71
20-34	16	20.6	583	2	3	11	24	60	83	91
35-49	7	23.4	567	5	5	10	48	58	58	58
50-64	28	27.8	388	2	3	25	41	53	70	71
65+	35	27.7	379	4	7	23	40	54	68	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	8.9	86	1	2	4	13	19	31	38
B. *Operated*	14	12.5	233	1	1	5	17	40	42	42
2. MULTIPLE DX										
A. *Not Operated*	148	17.5	251	1	2	13	24	43	59	99+
B. *Operated*	89	26.2	443	3	4	20	39	58	71	87
1. SINGLE DX	37	10.3	140	1	1	4	14	35	39	42
2. MULTIPLE DX	237	20.8	339	1	3	14	30	51	61	92
A. NOT OPERATED	171	16.3	237	1	2	13	22	40	55	97
B. OPERATED	103	24.3	434	2	3	18	37	55	70	86
TOTAL 0-19 YRS	17	12.3	335	<1	<1	7	15	37	61	71
20-34	29	13.0	393	1	1	7	15	46	91	99+
35-49	21	18.0	589	2	2	6	18	57	71	87
50-64	58	23.7	378	2	3	18	39	56	66	97
65+	149	19.9	241	3	4	15	28	42	52	71
GRAND TOTAL	**274**	**19.3**	**324**	**1**	**2**	**14**	**28**	**46**	**59**	**90**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	4.7	12	2	2	4	6	7	9	24
20-34	169	4.2	6	1	2	4	5	7	8	15
35-49	41	4.9	10	1	2	4	6	9	11	17
50-64	28	5.5	10	2	2	5	6	10	11	17
65+	27	7.3	11	3	3	7	9	12	14	16
B. *Operated*										
0-19 YRS	11	6.9	14	3	3	6	7	12	17	17
20-34	8	6.4	13	2	3	5	8	12	13	13
35-49	4	6.0	2	4	4	6	7	7	7	7
50-64	3	10.3	49	3	3	11	15	17	17	17
65+	3	20.0	237	3	3	24	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	5.3	27	2	2	5	6	8	10	29
20-34	168	5.5	9	2	3	5	7	9	10	17
35-49	63	6.7	23	2	2	5	9	14	16	21
50-64	82	7.2	14	2	3	7	10	11	14	21
65+	130	11.2	89	3	4	8	12	22	29	48
B. *Operated*										
0-19 YRS	19	9.1	56	2	3	7	11	15	27	36
20-34	19	8.6	11	3	4	8	10	13	15	17
35-49	13	12.8	41	6	7	10	19	22	24	25
50-64	20	15.8	99	4	6	14	17	31	38	44
65+	14	16.4	120	4	5	13	24	43	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	4.7	10	2	2	4	6	8	10	17
B. *Operated*	29	8.3	47	3	3	6	9	17	24	33
2. MULTIPLE DX										
A. *Not Operated*	564	7.2	39	2	3	6	8	12	17	40
B. *Operated*	85	12.3	72	4	4	10	15	24	34	80
1. SINGLE DX	488	5.0	12	2	2	4	6	8	11	21
2. MULTIPLE DX	649	7.8	46	2	3	6	9	14	21	44
A. NOT OPERATED	1023	6.1	27	2	2	5	7	10	14	27
B. OPERATED	114	11.3	68	3	4	9	14	22	33	64
TOTAL 0-19 YRS	345	5.2	20	2	2	5	6	8	11	24
20-34	364	5.1	9	2	2	4	6	9	11	16
35-49	121	6.7	24	2	2	5	8	14	18	22
50-64	133	8.2	37	2	3	7	10	15	18	34
65+	174	11.2	86	3	4	8	13	24	32	52
GRAND TOTAL	**1137**	**6.6**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	4.2	7	1	2	4	5	8	10	12
20-34	187	4.2	5	1	1	4	5	7	8	11
35-49	59	4.9	8	1	2	4	7	9	11	12
50-64	47	5.9	12	2	3	5	7	9	10	23
65+	46	6.8	21	2	2	5	8	13	17	21
B. *Operated*										
0-19 YRS	26	6.5	23	1	2	5	8	13	16	21
20-34	41	6.6	43	<1	1	5	8	14	24	28
35-49	18	5.9	20	<1	1	5	7	9	16	21
50-64	21	7.7	80	<1	1	5	9	17	32	37
65+	15	9.5	46	1	2	11	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	5.5	12	2	2	4	7	10	11	21
20-34	184	4.9	9	2	2	4	6	8	11	15
35-49	67	6.7	19	2	3	5	9	13	17	86
50-64	105	8.2	66	2	3	6	9	14	22	51
65+	151	11.7	117	3	4	9	14	23	42	99+
B. *Operated*										
0-19 YRS	62	8.8	60	2	2	6	11	17	27	38
20-34	57	11.2	96	1	2	8	15	21	26	57
35-49	36	12.4	91	2	3	11	17	24	43	99+
50-64	58	16.0	287	1	2	13	18	33	55	86
65+	58	20.2	301	4	6	15	24	39	67	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	4.6	8	1	2	4	6	8	10	15
B. *Operated*	121	7.0	42	<1	1	5	9	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	673	7.2	51	2	2	5	9	13	19	57
B. *Operated*	271	13.8	187	2	3	10	17	28	40	83
1. SINGLE DX	709	5.0	15	1	2	4	6	9	11	22
2. MULTIPLE DX	944	9.1	98	2	2	6	11	19	27	73
A. NOT OPERATED	1261	6.0	33	2	2	5	7	11	14	36
B. OPERATED	392	11.7	152	1	2	8	15	24	37	74
TOTAL 0-19 YRS	503	5.3	18	2	2	4	7	10	13	23
20-34	469	5.5	26	1	2	4	7	10	14	26
35-49	180	7.2	37	2	2	5	9	15	21	82
50-64	231	9.6	125	2	3	6	11	18	29	66
65+	270	12.6	154	2	4	9	15	24	40	96
GRAND TOTAL	**1653**	**7.4**	**67**	**2**	**2**	**5**	**8**	**15**	**21**	**45**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	7	1	1	3	4	9	10	10
20-34	195	2.4	3	<1	1	2	3	5	7	8
35-49	205	2.9	7	<1	1	2	3	6	8	12
50-64	154	3.4	9	1	1	3	4	7	9	14
65+	64	3.9	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	15	11.7	206	1	2	5	20	25	47	54
20-34	106	7.9	23	1	2	8	10	15	16	22
35-49	121	10.0	41	1	2	9	13	17	21	36
50-64	129	10.4	35	2	3	10	13	17	19	33
65+	52	9.6	54	2	3	8	12	17	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	11	<1	1	3	5	10	12	12
20-34	111	3.5	7	1	1	3	5	7	8	14
35-49	118	4.8	20	1	1	3	6	10	12	26
50-64	103	4.7	17	1	1	3	6	9	14	20
65+	82	7.6	105	1	2	6	8	13	18	90
B. *Operated*										
0-19 YRS	5	13.8	33	8	8	12	17	23	23	23
20-34	83	12.5	149	1	2	11	16	20	27	78
35-49	138	11.8	80	1	2	11	15	21	26	45
50-64	208	13.9	83	2	4	12	19	25	31	46
65+	135	14.8	133	2	3	12	20	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.0	6	<1	1	2	4	6	8	12
B. *Operated*	423	9.6	43	1	2	9	13	17	20	36
2. MULTIPLE DX										
A. *Not Operated*	427	5.0	33	1	1	3	6	10	12	25
B. *Operated*	569	13.4	104	2	3	11	17	24	31	57
1. SINGLE DX	1060	5.6	31	1	1	3	8	13	16	27
2. MULTIPLE DX	996	9.8	91	1	2	8	13	21	25	50
A. NOT OPERATED	1064	3.8	18	1	1	3	5	8	10	18
B. OPERATED	992	11.8	81	2	3	10	15	22	27	46
TOTAL 0-19 YRS	52	7.1	82	1	1	4	9	17	23	53
20-34	495	5.5	46	1	1	3	8	13	17	25
35-49	582	6.9	48	1	1	5	10	15	19	35
50-64	594	8.8	62	1	1	7	13	19	23	37
65+	333	10.1	107	1	2	7	13	22	31	67
GRAND TOTAL	**2056**	**7.6**	**64**	**1**	**1**	**5**	**11**	**17**	**22**	**38**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	9	1	1	3	4	6	7	21
20-34	407	2.7	6	1	1	2	3	5	6	11
35-49	495	2.6	3	1	1	2	3	5	6	10
50-64	364	2.6	3	1	1	2	3	4	6	10
65+	82	4.0	14	1	1	3	5	7	11	23
B. *Operated*										
0-19 YRS	37	5.6	14	1	2	5	7	9	14	19
20-34	443	6.4	18	2	2	5	9	12	14	20
35-49	552	7.0	18	2	2	6	10	13	15	19
50-64	504	7.8	26	2	3	7	10	14	17	26
65+	157	8.1	41	2	2	6	11	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	22	1	1	2	6	12	15	15
20-34	118	3.0	5	1	1	2	4	6	7	13
35-49	128	3.2	7	1	1	3	4	6	7	14
50-64	157	3.8	13	1	1	3	4	7	8	23
65+	92	5.7	33	1	1	4	7	12	16	33
B. *Operated*										
0-19 YRS	21	10.0	60	2	2	9	12	22	28	31
20-34	197	9.4	46	2	3	8	12	16	20	45
35-49	251	10.2	57	2	3	9	13	19	24	40
50-64	355	10.9	71	2	3	9	14	22	26	35
65+	241	12.6	98	3	4	10	16	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	2.8	5	1	1	2	3	5	6	11
B. *Operated*	1693	7.2	22	2	2	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	504	3.8	14	1	1	3	5	7	9	19
B. *Operated*	1065	10.8	70	2	3	9	14	20	26	44
1. SINGLE DX	3089	5.2	19	1	1	4	7	11	14	21
2. MULTIPLE DX	1569	8.6	63	1	2	6	12	18	23	39
A. NOT OPERATED	1900	3.0	8	1	1	2	4	6	7	14
B. OPERATED	2758	8.6	44	2	2	7	11	16	20	33
TOTAL 0-19 YRS	115	5.4	26	1	1	4	6	12	15	28
20-34	1165	5.3	23	1	1	4	7	11	14	21
35-49	1426	5.7	27	1	1	4	8	12	15	22
50-64	1380	6.8	40	1	2	5	9	14	19	30
65+	572	9.0	71	2	2	6	12	19	24	43
GRAND TOTAL	**4658**	**6.3**	**37**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.4	9	1	1	4	6	9	10	14
20-34	16	4.6	19	<1	1	3	5	13	15	16
35-49	18	4.6	9	1	2	4	4	10	11	11
50-64	16	5.8	36	1	2	3	7	13	21	24
65+	25	5.2	10	1	2	4	7	10	11	13
B. *Operated*										
0-19 YRS	198	9.5	53	1	1	10	14	19	22	33
20-34	101	9.1	49	<1	1	8	13	18	23	31
35-49	83	7.7	35	1	2	7	11	16	19	26
50-64	93	6.7	41	<1	1	4	10	14	18	34
65+	42	6.4	35	<1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.6	21	1	2	6	9	12	15	24
20-34	31	5.9	27	1	1	5	8	10	17	26
35-49	33	5.6	11	1	2	5	7	11	13	13
50-64	36	6.2	16	<1	2	6	9	11	14	17
65+	74	11.3	98	2	3	9	15	27	53	99+
B. *Operated*										
0-19 YRS	252	10.3	89	<1	1	8	14	21	28	42
20-34	176	11.8	90	1	2	10	16	22	31	63
35-49	141	12.8	169	1	2	9	17	23	32	88
50-64	189	13.0	142	1	2	11	16	25	40	61
65+	181	14.1	157	2	2	12	19	29	41	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.8	14	1	1	4	6	10	13	19
B. *Operated*	517	8.4	47	<1	1	7	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	220	7.9	51	1	2	6	10	16	24	99+
B. *Operated*	939	12.2	126	1	2	10	16	24	33	64
1. SINGLE DX	628	7.8	43	1	1	6	12	16	20	29
2. MULTIPLE DX	1159	11.4	115	1	2	9	15	24	31	64
A. NOT OPERATED	331	6.8	40	1	2	5	9	14	18	65
B. OPERATED	1456	10.9	102	1	2	9	15	21	28	56
TOTAL 0-19 YRS	532	9.3	67	1	1	8	13	19	25	38
20-34	324	10.1	73	<1	2	9	14	19	25	46
35-49	275	9.9	109	1	2	8	13	19	25	59
50-64	334	10.1	105	1	2	8	13	21	27	56
65+	322	11.8	126	1	2	9	16	25	39	99+
GRAND TOTAL	**1787**	**10.1**	**93**	**1**	**2**	**8**	**14**	**20**	**27**	**57**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	40	2.9	7	<1	<1	2	4	6	9	11
35-49	32	2.6	3	1	1	2	4	5	7	8
50-64	16	2.3	3	<1	1	2	3	4	6	7
65+	14	4.4	14	<1	1	4	5	7	14	16
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	5.9	24	1	2	5	7	15	18	19
35-49	39	6.3	26	1	2	5	9	12	13	27
50-64	33	6.3	20	<1	2	5	9	13	16	18
65+	31	8.1	53	1	2	4	14	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	2.9	4	1	1	2	4	5	7	9
35-49	17	2.9	3	<1	1	2	4	6	6	6
50-64	13	3.9	13	1	1	3	6	9	12	13
65+	24	6.9	58	1	2	4	10	18	51	99+
B. *Operated*										
0-19 YRS	5	11.6	106	3	3	10	15	29	29	29
20-34	20	6.6	56	1	2	4	6	15	24	32
35-49	30	8.4	97	2	2	6	9	14	31	51
50-64	69	8.3	48	1	1	6	12	18	23	30
65+	140	12.0	86	2	3	10	17	23	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	6	<1	1	2	4	6	7	13
B. *Operated*	120	6.7	31	1	2	5	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	72	4.4	26	1	1	3	5	10	15	85
B. *Operated*	264	10.2	78	2	2	8	14	22	26	42
1. SINGLE DX	227	4.9	23	1	1	3	6	12	15	22
2. MULTIPLE DX	336	9.0	73	1	2	6	12	20	25	43
A. NOT OPERATED	179	3.5	15	<1	1	2	4	7	11	30
B. OPERATED	384	9.1	66	1	2	6	12	19	24	39
TOTAL 0-19 YRS	12	6.4	60	1	1	4	7	16	27	29
20-34	93	4.2	22	<1	1	3	5	8	15	26
35-49	118	5.3	39	1	1	4	6	11	13	37
50-64	131	6.6	36	1	1	4	10	15	19	25
65+	209	10.3	79	1	2	8	15	22	26	48
GRAND TOTAL	**563**	**7.3**	**56**	**1**	**1**	**4**	**10**	**17**	**22**	**36**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.7	8	1	1	3	5	7	9	16
20-34	68	3.1	5	<1	1	3	4	7	8	10
35-49	44	4.4	30	<1	1	3	4	8	11	36
50-64	36	4.3	6	1	1	4	6	8	9	11
65+	61	6.6	24	2	3	5	7	12	16	26
B. *Operated*										
0-19 YRS	79	3.2	7	<1	1	2	4	7	10	12
20-34	122	3.4	18	<1	<1	2	4	8	10	20
35-49	117	3.0	6	<1	<1	2	3	6	8	14
50-64	128	3.7	16	<1	1	2	4	8	12	21
65+	160	5.9	27	1	2	4	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.4	7	1	2	4	6	8	9	15
20-34	84	3.4	5	<1	1	3	5	6	8	11
35-49	62	5.7	31	<1	1	5	6	10	14	37
50-64	93	7.9	129	1	2	5	7	17	28	73
65+	273	10.3	107	2	3	8	12	21	30	75
B. *Operated*										
0-19 YRS	124	3.7	11	<1	<1	3	5	8	11	16
20-34	123	4.3	17	<1	<1	3	6	10	12	20
35-49	108	5.2	43	<1	<1	3	7	12	15	37
50-64	232	6.2	54	<1	1	3	8	15	22	38
65+	396	9.6	152	1	2	6	11	19	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.3	14	1	1	3	5	8	10	23
B. *Operated*	606	4.0	17	<1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	635	7.5	78	1	2	5	8	14	22	45
B. *Operated*	983	6.9	88	<1	<1	4	8	15	21	57
1. SINGLE DX	934	4.1	16	<1	1	3	5	9	11	20
2. MULTIPLE DX	1618	7.1	84	<1	1	5	8	15	21	53
A. NOT OPERATED	963	6.4	58	1	1	4	7	12	18	38
B. OPERATED	1589	5.8	63	<1	1	3	7	12	17	39
TOTAL 0-19 YRS	445	3.8	9	1	1	3	5	8	9	14
20-34	397	3.6	13	<1	<1	2	5	8	10	15
35-49	331	4.4	27	<1	<1	3	5	9	13	30
50-64	489	5.7	57	<1	1	3	7	12	18	36
65+	890	9.0	110	1	2	6	11	18	26	66
GRAND TOTAL	**2552**	**6.0**	**61**	**<1**	**1**	**4**	**7**	**12**	**18**	**38**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49										
50-64	5	4.2	5	2	2	3	6	7	7	7
65+	18	6.8	21	1	1	6	9	14	16	17
B. *Operated*										
0-19 YRS	237	3.1	23	<1	<1	2	3	6	9	28
20-34	133	5.0	31	<1	<1	3	6	12	17	26
35-49	77	6.0	60	<1	<1	3	8	13	19	45
50-64	124	3.7	17	<1	<1	2	5	8	11	21
65+	234	5.0	22	1	1	3	6	12	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	16	2	2	4	8	12	14	14
20-34	4	5.5	15	1	1	5	8	10	10	10
35-49	5	5.0	9	2	2	4	7	9	9	9
50-64	15	3.5	4	<1	2	3	5	5	8	9
65+	56	8.4	92	1	2	6	9	16	29	51
B. *Operated*										
0-19 YRS	216	4.2	34	<1	<1	3	5	9	14	27
20-34	95	5.4	53	<1	<1	2	7	14	22	37
35-49	92	4.8	36	<1	<1	2	5	14	19	26
50-64	170	6.1	44	<1	1	3	8	15	23	29
65+	469	8.3	86	1	2	5	11	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.0	16	<1	1	4	7	10	14	17
B. *Operated*	805	4.3	28	<1	<1	2	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	88	7.0	64	1	2	5	8	13	17	49
B. *Operated*	1042	6.5	64	<1	1	3	8	16	22	42
1. SINGLE DX	839	4.4	27	<1	<1	2	5	10	15	25
2. MULTIPLE DX	1130	6.6	64	<1	1	4	8	16	22	44
A. NOT OPERATED	122	6.4	52	1	1	5	8	12	16	47
B. OPERATED	1847	5.6	49	<1	<1	3	7	14	19	34
TOTAL 0-19 YRS	469	3.6	28	<1	<1	2	4	8	11	27
20-34	235	5.2	39	<1	<1	3	6	12	19	33
35-49	174	5.3	46	<1	<1	3	7	13	19	32
50-64	314	5.0	32	<1	<1	3	6	12	19	28
65+	777	7.3	68	1	1	4	9	17	22	50
GRAND TOTAL	**1969**	**5.6**	**49**	**<1**	**<1**	**3**	**7**	**14**	**19**	**35**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	4.3	10	1	1	3	6	8	10	17
20-34	209	3.4	9	1	1	3	4	6	7	15
35-49	92	3.2	4	<1	1	3	4	6	7	9
50-64	112	4.6	12	1	1	4	6	9	12	17
65+	188	6.8	43	1	2	5	8	14	18	32
B. *Operated*										
0-19 YRS	264	4.0	23	<1	<1	2	5	8	14	22
20-34	231	3.8	16	<1	<1	2	5	10	13	16
35-49	195	3.4	16	<1	<1	2	4	8	12	22
50-64	272	4.6	41	<1	<1	2	6	10	13	32
65+	249	5.4	27	<1	1	4	7	11	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	762	5.7	30	1	2	4	7	11	14	29
20-34	332	4.8	16	1	1	4	6	9	12	18
35-49	213	6.5	42	1	2	5	7	13	17	41
50-64	308	6.6	25	2	2	5	8	13	17	25
65+	985	10.5	120	2	3	7	12	20	32	94
B. *Operated*										
0-19 YRS	343	5.1	35	<1	1	3	6	13	18	27
20-34	239	5.2	51	<1	<1	2	6	13	18	38
35-49	308	6.5	77	<1	<1	3	9	16	20	42
50-64	516	8.3	97	<1	1	5	11	19	25	49
65+	862	10.8	119	1	2	8	13	26	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	4.5	16	1	1	3	6	8	11	20
B. *Operated*	1211	4.3	26	<1	<1	3	6	10	13	28
2. MULTIPLE DX										
A. *Not Operated*	2600	7.6	68	1	2	5	9	15	21	57
B. *Operated*	2268	8.2	94	<1	1	5	11	19	27	50
1. SINGLE DX	2462	4.4	21	<1	1	3	6	9	12	22
2. MULTIPLE DX	4868	7.9	80	1	1	5	10	17	25	52
A. NOT OPERATED	3851	6.6	53	1	2	5	8	13	18	44
B. OPERATED	3479	6.8	74	<1	<1	4	9	16	23	46
TOTAL 0-19 YRS	2019	4.9	24	1	1	3	6	10	14	25
20-34	1011	4.4	23	<1	<1	3	5	10	13	27
35-49	808	5.4	47	<1	<1	3	7	12	17	39
50-64	1208	6.7	61	<1	1	4	8	14	20	34
65+	2284	9.7	107	1	2	7	12	21	32	80
GRAND TOTAL	**7330**	**6.7**	**63**	**<1**	**1**	**4**	**8**	**14**	**20**	**46**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	28	5.3	23	1	1	4	6	12	17	19
65+	89	5.8	19	1	1	5	8	12	15	18
B. *Operated*										
0-19 YRS	6	9.2	8	6	6	9	11	13	13	13
20-34	6	5.8	17	<1	<1	7	9	10	10	10
35-49	66	5.0	15	<1	<1	4	8	10	12	17
50-64	975	7.7	23	1	2	7	10	13	16	22
65+	1666	9.3	31	2	3	8	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	6.6	24	<1	1	5	9	14	16	16
50-64	65	5.5	17	1	1	4	7	12	14	18
65+	300	10.6	142	1	2	7	13	23	34	87
B. *Operated*										
0-19 YRS	8	11.1	58	<1	1	10	17	22	22	22
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	68	7.4	31	<1	1	7	10	15	17	27
50-64	1398	10.1	45	2	3	9	13	17	21	35
65+	3792	13.1	88	3	5	11	16	23	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.7	20	1	1	4	8	12	15	19
B. *Operated*	2719	8.6	29	1	2	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	377	9.6	121	1	2	6	11	21	30	75
B. *Operated*	5271	12.2	78	2	5	10	15	21	28	50
1. SINGLE DX	2839	8.5	29	1	2	8	11	15	18	28
2. MULTIPLE DX	5648	12.0	81	2	4	10	15	21	28	51
A. NOT OPERATED	497	8.7	99	1	2	6	11	18	26	68
B. OPERATED	7990	11.0	64	2	4	9	13	19	25	43
TOTAL 0-19 YRS	17	10.9	33	1	4	10	14	20	22	22
20-34	13	4.2	11	<1	1	2	7	9	10	10
35-49	145	6.2	24	<1	<1	5	9	12	16	22
50-64	2466	9.0	37	1	2	8	11	16	19	33
65+	5846	11.8	77	2	4	10	14	21	27	49
GRAND TOTAL	**8487**	**10.8**	**66**	**2**	**3**	**9**	**13**	**19**	**25**	**44**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	15	2.8	2	1	1	3	4	5	6	6
35-49	13	3.5	3	2	2	3	5	6	7	7
50-64	36	5.2	11	1	2	5	7	9	13	14
65+	17	9.5	469	1	1	4	6	10	64	93
B. *Operated*										
0-19 YRS	7	1.9		<1	<1	2	2	3	3	3
20-34	43	3.2	19	<1	<1	2	4	7	9	27
35-49	67	3.4	21	<1	<1	2	4	7	9	31
50-64	61	2.9	4	<1	<1	2	4	6	7	11
65+	44	4.9	14	1	2	3	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	3	2	2	4	5	7	7	7
20-34	18	3.3	2	1	1	3	5	5	6	6
35-49	27	4.6	15	<1	1	3	5	10	14	16
50-64	39	6.4	16	1	2	5	8	12	15	19
65+	48	8.7	72	2	2	6	10	23	35	99+
B. *Operated*										
0-19 YRS	6	4.3	9	1	1	3	7	9	9	9
20-34	49	3.8	14	<1	<1	2	5	8	10	21
35-49	68	4.6	16	<1	<1	3	6	10	14	18
50-64	129	6.9	35	<1	1	5	10	14	19	29
65+	126	8.9	40	2	2	8	12	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.3	101	1	2	4	6	8	11	66
B. *Operated*	222	3.5	14	<1	<1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	137	6.4	36	1	2	5	7	13	19	44
B. *Operated*	378	6.7	34	<1	1	5	9	14	19	27
1. SINGLE DX	306	4.0	39	<1	1	2	5	8	10	20
2. MULTIPLE DX	515	6.6	34	<1	1	5	9	14	19	32
A. NOT OPERATED	221	6.0	61	1	2	4	7	11	16	52
B. OPERATED	600	5.5	29	<1	<1	3	8	12	16	26
TOTAL 0-19 YRS	21	3.3	5	<1	1	3	4	7	8	9
20-34	125	3.4	13	<1	<1	2	4	7	8	22
35-49	175	4.1	17	<1	<1	3	5	9	11	18
50-64	265	5.7	24	<1	1	4	8	12	15	24
65+	235	8.2	73	2	2	6	10	17	20	47
GRAND TOTAL	**821**	**5.6**	**38**	**<1**	**1**	**4**	**7**	**12**	**16**	**29**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.1	2	<1	<1	2	3	4	5	5
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	3	3.7		3	3	4	4	4	4	4
50-64										
65+	3	11.3	58	3	3	13	17	18	18	18
B. *Operated*										
0-19 YRS	209	3.3	4	1	1	3	4	6	7	9
20-34	93	4.0	4	2	2	3	5	7	8	11
35-49	86	3.8	2	2	2	3	4	5	7	9
50-64	157	4.3	5	2	2	4	5	7	8	12
65+	95	5.6	17	2	2	4	6	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49										
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	5	7.2	10	3	3	7	8	12	12	12
B. *Operated*										
0-19 YRS	191	3.8	14	1	2	3	4	6	8	27
20-34	45	5.7	10	2	3	5	7	10	12	14
35-49	46	4.6	9	2	2	4	5	9	12	15
50-64	134	6.8	43	2	3	5	8	13	16	37
65+	111	7.0	28	2	3	5	8	13	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	20	<1	<1	3	4	11	15	18
B. *Operated*	640	4.1	7	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	4.6	10	<1	1	4	7	9	11	12
B. *Operated*	527	5.5	25	2	2	4	6	10	13	29
1. SINGLE DX	660	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX	545	5.5	25	2	2	4	6	10	13	28
A. NOT OPERATED	38	4.3	15	<1	<1	3	6	10	13	18
B. OPERATED	1167	4.7	16	2	2	4	5	8	11	23
TOTAL 0-19 YRS	417	3.5	9	1	1	3	4	6	7	15
20-34	144	4.6	7	2	2	4	5	8	10	13
35-49	135	4.1	4	2	2	4	5	6	9	13
50-64	295	5.5	24	2	2	4	6	9	13	30
65+	214	6.4	23	2	3	5	8	12	17	27
GRAND TOTAL	**1205**	**4.7**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	5.0	13	1	1	4	7	9	13	19
20-34	149	4.8	9	1	2	4	6	9	10	15
35-49	58	5.7	8	2	3	5	7	10	11	15
50-64	64	6.3	8	2	3	6	8	10	11	16
65+	32	7.5	16	3	3	7	9	12	13	23
B. *Operated*										
0-19 YRS	23	3.9	3	1	2	4	5	6	7	8
20-34	37	4.7	20	1	1	4	5	8	14	25
35-49	22	5.1	25	1	1	4	5	12	18	22
50-64	21	10.0	93	2	2	6	15	21	31	41
65+	15	6.8	15	3	3	5	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	10	1	1	4	6	8	12	13
20-34	40	5.8	18	1	1	5	7	11	15	21
35-49	23	5.3	7	2	2	5	7	9	11	12
50-64	41	8.0	17	3	4	7	10	14	17	20
65+	68	11.1	76	3	4	9	13	21	29	55
B. *Operated*										
0-19 YRS	12	4.2	7	<1	1	4	5	7	10	11
20-34	23	5.9	35	1	2	4	5	12	23	24
35-49	30	8.2	48	2	2	6	10	18	24	29
50-64	40	8.5	27	2	3	8	11	15	18	27
65+	42	11.5	92	3	4	9	15	22	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	5.5	11	1	2	5	7	10	11	17
B. *Operated*	118	5.8	33	1	2	4	6	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	186	8.1	43	2	3	6	10	15	20	31
B. *Operated*	147	8.5	54	2	2	6	10	18	23	30
1. SINGLE DX	503	5.6	16	1	2	5	7	10	12	21
2. MULTIPLE DX	333	8.3	48	2	3	6	10	16	21	30
A. NOT OPERATED	571	6.3	23	1	2	5	8	11	15	23
B. OPERATED	265	7.3	46	1	2	5	9	16	21	29
TOTAL 0-19 YRS	131	4.7	11	1	1	4	6	8	12	18
20-34	249	5.1	14	1	2	4	6	9	11	23
35-49	133	6.1	20	2	2	5	7	11	15	25
50-64	166	7.7	26	2	3	7	10	14	17	26
65+	157	10.1	65	3	4	8	12	19	24	54
GRAND TOTAL	**836**	**6.6**	**30**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	1.9	1	<1	<1	2	2	3	4	7
20-34	84	2.1	1	<1	<1	2	2	4	4	6
35-49	29	2.2	1	<1	<1	2	3	3	4	5
50-64	15	2.0		<1	<1	2	2	3	3	3
65+	10	2.4	1	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	532	1.9	1	<1	<1	2	2	3	4	7
20-34	88	2.0	1	<1	<1	2	2	3	4	5
35-49	45	2.2	1	<1	1	2	3	3	4	8
50-64	27	2.7	2	1	2	2	3	5	6	7
65+	20	4.5	39	1	2	2	4	9	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.0	29	<1	<1	2	3	6	9	37
20-34	24	3.1	10	<1	1	2	3	7	10	16
35-49	22	3.3	6	1	1	2	4	7	9	11
50-64	14	3.0	5	<1	<1	2	3	6	8	9
65+	22	5.5	44	1	2	4	6	8	20	33
B. *Operated*										
0-19 YRS	161	3.0	12	<1	<1	2	3	6	10	20
20-34	64	3.0	6	<1	1	3	3	5	6	15
35-49	33	4.3	13	1	1	2	5	11	12	14
50-64	37	4.3	11	1	2	3	6	10	11	14
65+	57	8.2	145	<1	1	4	9	14	25	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5[illegible]6	1.9	1	<1	<1	2	2	3	4	7
B. *Operated*	7[illegible]2	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.4	23	<1	<1	2	3	7	9	33
B. *Operated*	352	4.1	36	<1	1	2	4	9	13	22
1. SINGLE DX	1278	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	501	3.9	32	<1	1	2	4	8	12	25
A. NOT OPERATED	715	2.2	6	<1	<1	2	2	4	5	9
B. OPERATED	1064	2.7	14	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1188	2.1	5	<1	<1	2	2	3	4	10
20-34	260	2.4	3	<1	<1	2	3	4	5	12
35-49	129	2.9	6	<1	1	2	3	5	9	13
50-64	93	3.3	6	<1	1	2	4	7	9	13
65+	109	6.4	95	1	2	4	7	14	22	56
GRAND TOTAL	**1779**	**2.5**	**11**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.6	6	<1	1	2	3	5	6	16
20-34	39	2.8	5	<1	1	2	3	5	8	12
35-49	26	3.5	9	<1	1	3	4	8	10	13
50-64	21	3.8	10	<1	1	3	4	9	11	13
65+	12	9.2	31	2	3	9	13	18	19	19
B. *Operated*										
0-19 YRS	308	2.9	4	1	1	2	3	5	7	10
20-34	234	3.1	7	<1	1	2	4	5	7	12
35-49	132	3.5	6	1	1	3	4	7	8	13
50-64	125	4.0	7	1	1	4	5	7	9	14
65+	54	5.4	18	2	2	4	7	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	14	1	1	3	5	9	11	19
20-34	27	3.3	10	<1	1	2	4	7	11	14
35-49	12	4.4	12	<1	1	3	7	10	11	11
50-64	18	7.1	128	<1	1	3	6	21	38	46
65+	29	6.8	31	1	1	5	9	17	20	99+
B. *Operated*										
0-19 YRS	116	4.3	14	1	1	3	5	8	12	20
20-34	155	5.3	81	1	2	3	5	9	14	70
35-49	98	4.9	30	1	1	4	6	8	12	36
50-64	157	5.2	28	1	2	4	6	9	13	32
65+	90	8.3	118	2	2	5	10	18	24	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.3	11	<1	1	2	4	8	11	17
B. *Operated*	853	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	143	5.0	31	1	1	3	6	11	17	49
B. *Operated*	616	5.5	53	1	2	4	6	10	15	45
1. SINGLE DX	1039	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX	759	5.4	49	1	1	4	6	10	16	46
A. NOT OPERATED	329	4.0	20	1	1	3	4	9	13	21
B. OPERATED	1469	4.3	27	1	1	3	5	8	11	23
TOTAL 0-19 YRS	569	3.3	8	1	1	3	4	7	9	15
20-34	455	3.8	33	<1	1	3	4	7	9	22
35-49	268	4.1	16	1	1	3	5	8	10	16
50-64	321	4.8	25	1	1	4	6	9	11	28
65+	185	7.3	70	2	2	5	9	17	20	95
GRAND TOTAL	**1798**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	15	1.5	1	<1	<1	1	2	3	3	3
50-64	7	2.9	4	<1	<1	3	3	6	7	7
65+	5	3.8	6	2	2	3	4	8	8	8
B. *Operated*										
0-19 YRS	62	2.1	1	<1	<1	2	2	3	4	8
20-34	550	2.3	3	<1	<1	2	3	4	5	8
35-49	1157	2.7	3	<1	1	2	3	4	6	11
50-64	406	3.1	5	1	1	2	3	5	7	14
65+	113	3.4	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	5	3.8	3	2	2	4	5	6	6	6
35-49	9	2.0	3	<1	<1	2	2	5	6	6
50-64	5	3.6	10	1	1	2	5	9	9	9
65+	5	5.0	25	1	1	4	8	13	13	13
B. *Operated*										
0-19 YRS	14	2.1	1	<1	<1	2	3	3	4	4
20-34	193	3.3	7	<1	<1	2	4	7	9	13
35-49	528	3.4	8	<1	1	3	4	6	8	15
50-64	298	3.8	11	<1	1	3	4	7	10	17
65+	153	5.1	20	1	2	4	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.1	2	<1	<1	2	3	3	6	8
B. *Operated*	2288	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	9	<1	<1	2	5	7	10	13
B. *Operated*	1186	3.7	10	<1	1	3	4	7	10	17
1. SINGLE DX	2326	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	1213	3.7	10	<1	1	3	4	7	10	17
A. NOT OPERATED	65	2.6	5	<1	<1	2	3	6	7	12
B. OPERATED	3474	3.0	6	<1	1	2	3	5	8	13
TOTAL 0-19 YRS	82	2.1	2	<1	<1	2	2	3	4	8
20-34	756	2.6	4	<1	<1	2	3	5	7	10
35-49	1709	2.9	5	<1	1	2	3	5	7	12
50-64	716	3.4	8	<1	1	3	4	6	9	15
65+	276	4.4	14	1	2	3	5	9	13	24
GRAND TOTAL	**3539**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	5	1	2	3	5	7	8	9
20-34	62	3.5	7	<1	1	3	4	6	7	18
35-49	16	3.6	6	1	1	3	5	8	9	9
50-64	15	4.6	26	<1	1	3	5	9	18	21
65+	4	5.0	25	1	1	3	8	12	12	12
B. *Operated*										
0-19 YRS	211	3.5	4	1	1	3	4	6	7	11
20-34	539	3.6	6	<1	1	3	4	6	8	14
35-49	279	3.6	8	<1	1	3	4	6	9	17
50-64	166	3.7	5	1	1	3	4	7	8	11
65+	85	4.1	12	1	2	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	14	<1	<1	1	7	9	9	9
20-34	27	3.3	5	<1	<1	3	5	6	8	9
35-49	15	2.5	4	<1	<1	2	4	6	7	7
50-64	10	3.1	11	<1	<1	2	3	8	12	12
65+	8	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	55	4.3	9	1	1	3	5	8	11	15
20-34	224	4.4	11	1	1	4	5	7	9	19
35-49	149	4.5	13	1	2	4	5	8	10	20
50-64	169	4.8	15	<1	2	4	6	9	10	16
65+	96	6.5	44	2	2	4	7	15	20	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.8	9	1	1	3	5	7	9	20
B. *Operated*	1280	3.6	7	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	65	3.1	6	<1	<1	2	4	6	8	12
B. *Operated*	693	4.8	17	1	2	4	6	9	11	25
1. SINGLE DX	1400	3.6	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	758	4.7	17	<1	1	4	6	8	11	24
A. NOT OPERATED	185	3.5	8	<1	1	3	4	7	9	17
B. OPERATED	1973	4.0	11	1	1	3	5	7	9	17
TOTAL 0-19 YRS	294	3.7	5	1	1	3	5	7	8	12
20-34	852	3.8	8	<1	1	3	5	6	8	15
35-49	459	3.9	10	1	1	3	5	7	9	18
50-64	360	4.3	11	<1	1	4	5	8	10	15
65+	193	5.3	30	1	2	4	6	10	16	41
GRAND TOTAL	**2158**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.8	4	<1	1	2	4	5	7	10
20-34	225	2.4	2	<1	1	2	3	5	6	8
35-49	39	2.8	3	<1	1	3	3	6	7	8
50-64	7	2.1	2	1	1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	206	5.2	12	1	2	5	6	9	10	16
20-34	689	5.1	9	1	1	5	7	8	9	15
35-49	178	6.9	16	2	2	7	8	10	12	20
50-64	27	6.2	9	1	2	6	8	9	12	14
65+	14	10.9	30	6	7	9	12	15	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.8	2	1	1	3	3	5	5	6
20-34	144	3.4	5	1	1	3	5	7	8	16
35-49	23	4.6	8	1	1	4	7	8	10	12
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	31.0		31	31	31	31	31	31	31
B. *Operated*										
0-19 YRS	133	5.9	10	1	2	5	7	10	11	19
20-34	792	6.4	12	2	2	6	8	10	12	17
35-49	349	8.3	44	3	4	7	9	13	16	30
50-64	64	10.0	43	2	5	8	11	19	27	30
65+	20	14.0	125	7	7	10	13	31	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	2.6	3	1	1	2	3	5	6	8
B. *Operated*	1114	5.5	11	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	205	3.6	9	1	1	3	5	7	8	20
B. *Operated*	1358	7.1	25	2	3	7	8	11	14	25
1. SINGLE DX	1467	4.8	11	1	1	4	7	8	10	15
2. MULTIPLE DX	1563	6.7	24	1	2	6	8	10	13	25
A. NOT OPERATED	558	2.9	5	1	1	2	4	6	7	11
B. OPERATED	2472	6.4	20	1	2	6	8	10	12	22
TOTAL 0-19 YRS	455	4.8	11	1	1	4	6	9	10	16
20-34	1850	5.2	11	1	1	5	7	9	10	16
35-49	589	7.4	34	2	3	7	9	11	14	28
50-64	101	8.2	36	1	2	7	9	15	24	29
65+	35	13.2	93	7	7	10	13	28	41	47
GRAND TOTAL	**3030**	**5.8**	**19**	**1**	**2**	**5**	**8**	**9**	**12**	**21**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	621	4.7	14	1	2	4	6	8	10	16
20-34	1176	4.7	8	2	2	4	6	8	10	15
35-49	140	5.5	13	1	2	5	7	11	12	17
50-64	12	7.4	12	3	4	6	10	13	13	13
65+	4	4.8	8	2	2	4	7	8	8	8
B. *Operated*										
0-19 YRS	151	5.6	16	1	2	5	7	10	13	23
20-34	626	5.4	15	1	1	5	7	10	13	20
35-49	159	6.2	21	<1	1	6	8	11	14	25
50-64	13	7.2	35	<1	1	7	9	14	22	24
65+	6	16.5	326	6	6	10	13	49	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	5.2	14	2	2	4	6	9	11	23
20-34	597	5.5	11	1	2	5	7	10	11	18
35-49	95	6.7	22	2	2	6	8	13	16	24
50-64	16	12.5	144	2	3	8	14	24	44	52
65+	8	11.1	24	6	6	12	18	67	99+	99+
B. *Operated*										
0-19 YRS	192	7.4	32	2	3	6	9	12	16	48
20-34	1213	7.1	29	2	2	7	8	11	15	27
35-49	393	8.7	28	2	3	8	10	16	19	27
50-64	54	11.9	67	2	5	9	17	22	28	44
65+	14	13.5	35	3	7	13	17	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1953	4.8	10	1	2	4	6	8	10	16
B. *Operated*	955	5.6	19	1	1	5	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	992	5.7	16	2	2	5	7	10	13	21
B. *Operated*	1866	7.6	32	2	2	7	9	13	17	29
1. SINGLE DX	2908	5.1	13	1	2	4	6	9	11	17
2. MULTIPLE DX	2858	7.0	27	2	2	6	8	12	16	26
A. NOT OPERATED	2945	5.1	13	1	2	4	6	9	11	17
B. OPERATED	2821	7.0	28	1	2	6	8	12	16	26
TOTAL 0-19 YRS	1240	5.3	18	1	2	4	6	9	12	20
20-34	3612	5.7	18	1	2	5	7	10	12	20
35-49	787	7.4	25	1	2	7	9	13	17	25
50-64	95	10.8	71	2	3	8	13	21	26	49
65+	32	12.4	85	2	5	12	15	23	49	99+
GRAND TOTAL	**5766**	**6.0**	**21**	**1**	**2**	**5**	**8**	**10**	**13**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	36	4.0	15	1	1	3	5	7	13	20
35-49	15	4.3	7	1	2	4	6	8	9	10
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	25	3.5	4	1	2	3	5	6	7	9
20-34	389	5.1	12	<1	1	5	7	9	10	18
35-49	226	6.8	9	1	2	7	8	10	11	16
50-64	20	6.9	14	<1	1	7	8	10	14	17
65+	1	4.0		4	4	52	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	33	5.1	16	<1	1	4	8	10	14	14
35-49	27	5.7	10	1	1	6	8	10	11	11
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	14	4.7	12	1	1	4	7	9	12	13
20-34	975	7.2	15	2	2	7	8	10	13	21
35-49	1273	8.5	12	4	6	8	9	12	14	22
50-64	227	8.9	7	6	6	8	10	12	14	19
65+	17	12.9	32	7	8	11	13	23	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.0	12	1	1	3	5	8	10	20
B. *Operated*	661	5.7	11	1	1	6	8	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	65	5.5	13	1	1	5	8	10	12	14
B. *Operated*	2506	8.0	14	2	5	8	9	11	14	22
1. SINGLE DX	716	5.6	12	1	1	6	8	9	10	18
2. MULTIPLE DX	2571	7.9	14	2	4	8	9	11	14	22
A. NOT OPERATED	120	4.8	13	1	1	4	7	9	12	16
B. OPERATED	3167	7.5	14	2	2	7	9	11	13	21
TOTAL 0-19 YRS	45	4.0	7	1	1	4	6	8	8	13
20-34	1433	6.5	15	1	2	7	8	10	12	19
35-49	1541	8.1	12	2	5	8	9	11	14	21
50-64	250	8.7	8	5	6	8	10	12	14	19
65+	18	12.4	35	5	7	11	14	25	67	99+
GRAND TOTAL	**3287**	**7.4**	**14**	**1**	**2**	**7**	**9**	**11**	**13**	**21**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.1	2	1	1	3	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	7	1.7	2	<1	<1	1	2	4	5	5
20-34	132	3.4	9	<1	<1	2	5	8	9	14
35-49	70	4.4	9	<1	<1	4	7	9	9	13
50-64	28	2.9	3	<1	<1	2	4	6	6	8
65+	5	3.2	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	1.7	1	<1	<1	<1	2	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.3	6	<1	<1	2	5	7	8	8
20-34	278	5.2	16	<1	1	5	8	9	10	15
35-49	248	6.6	19	1	2	7	9	11	13	19
50-64	73	4.9	12	1	1	4	8	9	11	15
65+	22	9.0	55	1	2	7	13	18	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	2	1	1	4	5	5	5	5
B. *Operated*	242	3.6	8	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	8	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	633	5.8	19	1	1	6	8	10	12	19
1. SINGLE DX	251	3.6	8	<1	<1	2	5	8	9	12
2. MULTIPLE DX	641	5.7	19	<1	1	6	8	10	12	19
A. NOT OPERATED	17	2.7	2	<1	<1	2	4	5	5	5
B. OPERATED	875	5.2	17	<1	1	4	8	9	11	19
TOTAL 0-19 YRS	22	2.6	4	<1	<1	2	4	6	7	8
20-34	420	4.5	14	<1	1	3	7	9	10	15
35-49	321	6.1	17	<1	1	6	9	10	13	19
50-64	102	4.3	10	<1	1	3	7	9	10	14
65+	27	8.0	50	1	2	5	11	16	25	30
GRAND TOTAL	**892**	**5.1**	**17**	**<1**	**1**	**4**	**8**	**9**	**11**	**18**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	8	<1	1	4	5	7	10	13
20-34	95	3.9	6	<1	1	4	5	7	9	10
35-49	23	3.0	6	<1	1	2	4	7	8	8
50-64	7	4.9	9	1	1	5	7	9	10	10
65+	4	10.5	43	2	2	11	15	18	18	18
B. *Operated*										
0-19 YRS	63	2.8	4	1	1	2	4	5	7	10
20-34	408	2.6	5	1	1	2	3	5	6	11
35-49	149	2.7	4	<1	1	2	3	5	7	10
50-64	63	2.5	3	<1	1	2	3	5	5	10
65+	11	6.1	30	2	2	4	9	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.3	5	1	2	4	5	8	9	10
20-34	76	3.6	4	1	1	3	5	7	7	10
35-49	19	4.5	10	1	2	4	5	11	12	12
50-64	12	7.2	22	1	2	6	11	14	15	15
65+	20	11.9	100	3	5	9	12	26	39	43
B. *Operated*										
0-19 YRS	32	3.7	5	1	1	3	5	7	9	9
20-34	199	4.3	35	1	1	3	6	9	10	21
35-49	104	5.8	16	1	1	5	9	11	13	18
50-64	50	6.4	46	1	1	4	8	14	18	37
65+	28	7.1	47	1	2	5	10	15	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.0	8	<1	1	4	5	8	9	12
B. *Operated*	694	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	174	5.1	23	1	2	4	6	10	12	31
B. *Operated*	413	5.1	31	1	1	3	7	10	13	26
1. SINGLE DX	880	2.9	6	<1	1	2	4	6	8	11
2. MULTIPLE DX	587	5.1	29	1	1	4	7	10	13	26
A. NOT OPERATED	360	4.5	16	1	1	4	6	8	11	17
B. OPERATED	1107	3.6	16	1	1	2	4	8	10	17
TOTAL 0-19 YRS	199	3.6	6	1	1	3	5	7	9	11
20-34	778	3.3	13	1	1	2	4	6	9	12
35-49	295	3.9	11	<1	1	3	5	9	11	14
50-64	132	4.5	25	1	1	3	5	10	14	27
65+	63	8.7	64	2	2	7	12	18	26	42
GRAND TOTAL	**1467**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	8	1	1	5	7	9	9	9
35-49	5	2.2	5	<1	<1	1	3	6	6	6
50-64	11	4.0	10	<1	<1	3	7	8	10	10
65+	12	6.5	90	<1	1	3	8	17	32	35
B. *Operated*										
0-19 YRS	4	6.8	20	2	2	7	10	11	11	11
20-34	198	7.8	13	3	4	7	9	12	14	23
35-49	398	8.8	17	5	5	8	10	13	16	26
50-64	557	9.2	17	5	6	8	10	14	18	24
65+	352	9.6	14	6	6	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	5.5	17	<1	<1	7	8	11	13	14
35-49	31	6.7	23	1	1	7	10	13	16	19
50-64	32	5.6	25	1	1	5	7	12	17	21
65+	53	6.3	37	1	1	5	9	12	20	97
B. *Operated*										
0-19 YRS	7	6.0	5	2	2	7	8	8	8	8
20-34	559	9.1	17	5	6	8	10	13	17	25
35-49	1386	10.2	27	6	6	9	12	16	19	29
50-64	1534	10.6	24	5	6	9	12	16	20	30
65+	1059	11.6	36	6	7	10	14	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.8	37	<1	1	3	7	9	10	35
B. *Operated*	1509	9.0	16	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	133	6.1	28	1	1	5	9	12	16	47
B. *Operated*	4545	10.5	27	5	6	9	12	17	20	30
1. SINGLE DX	1543	8.9	17	4	5	8	10	13	16	24
2. MULTIPLE DX	4678	10.4	28	5	6	9	12	17	20	30
A. NOT OPERATED	167	5.8	30	<1	1	5	8	12	14	37
B. OPERATED	6054	10.1	25	5	6	9	12	16	19	28
TOTAL 0-19 YRS	13	5.8	9	2	2	6	8	10	11	11
20-34	778	8.7	16	4	5	8	10	13	17	24
35-49	1820	9.8	25	5	6	9	11	15	19	28
50-64	2134	10.1	23	5	6	9	12	16	19	28
65+	1476	10.9	33	5	6	9	12	18	22	32
GRAND TOTAL	**6221**	**10.0**	**26**	**5**	**6**	**9**	**12**	**16**	**19**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	7	1	1	2	3	7	8	8
20-34	23	2.6	17	<1	<1	2	2	3	10	21
35-49	9	2.0	2	<1	<1	1	3	5	5	5
50-64										
B. *Operated*										
0-19 YRS	16	3.1	24	<1	<1	2	2	5	16	21
20-34	165	2.1	4	<1	<1	2	2	4	7	9
35-49	152	2.2	4	<1	<1	2	2	3	7	12
50-64	16	1.9		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	16	<1	<1	5	8	9	9	9
20-34	12	4.6	16	<1	<1	3	6	11	14	14
35-49	7	3.9	17	1	1	2	6	11	12	12
50-64										
B. *Operated*										
0-19 YRS	8	3.3	3	2	2	3	4	6	6	6
20-34	157	4.0	12	<1	1	2	7	9	11	13
35-49	197	4.4	27	<1	<1	2	7	10	12	31
50-64	29	3.0	7	<1	<1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	12	<1	<1	2	2	4	7	21
B. *Operated*	349	2.2	4	<1	<1	2	2	3	7	12
2. MULTIPLE DX										
A. *Not Operated*	22	4.4	15	<1	<1	3	7	11	13	14
B. *Operated*	391	4.1	19	<1	<1	2	7	9	11	16
1. SINGLE DX	387	2.2	5	<1	<1	2	2	4	7	12
2. MULTIPLE DX	413	4.1	18	<1	<1	2	7	9	11	16
A. NOT OPERATED	60	3.2	13	<1	<1	2	4	8	11	20
B. OPERATED	740	3.2	13	<1	<1	2	3	8	10	15
TOTAL 0-19 YRS	33	3.2	14	<1	<1	2	3	6	9	21
20-34	357	3.1	9	<1	<1	2	3	8	9	13
35-49	365	3.4	18	<1	<1	2	3	9	11	16
50-64	45	2.6	5	<1	<1	2	3	7	8	9
GRAND TOTAL	**800**	**3.2**	**13**	**<1**	**<1**	**2**	**3**	**8**	**10**	**15**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.8	10	<1	1	2	3	5	6	21
20-34	317	2.2	6	<1	1	2	3	4	5	13
35-49	100	2.7	8	<1	1	2	3	5	7	17
50-64	16	2.8	6	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	166	2.0	2	<1	<1	2	2	3	4	8
20-34	1813	2.9	14	<1	<1	2	3	7	8	12
35-49	1690	3.2	10	<1	<1	2	4	8	9	12
50-64	197	2.7	7	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	2	1	1	3	4	5	6	7
20-34	188	3.0	10	<1	<1	2	3	6	8	18
35-49	152	3.9	12	1	1	3	6	8	9	20
50-64	12	5.9	31	1	1	4	9	13	20	21
B. *Operated*										
0-19 YRS	149	2.9	6	<1	1	2	3	7	8	11
20-34	2558	5.6	18	<1	1	6	8	10	12	18
35-49	3405	6.5	23	<1	1	7	9	11	13	20
50-64	367	5.5	24	<1	1	3	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	2.4	7	<1	1	2	3	4	6	14
B. *Operated*	3866	3.0	11	<1	<1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	414	3.4	11	<1	1	2	4	7	9	20
B. *Operated*	6479	6.0	21	<1	1	6	8	10	13	19
1. SINGLE DX	4400	2.9	11	<1	<1	2	3	8	9	12
2. MULTIPLE DX	6893	5.8	21	<1	1	6	8	10	13	20
A. NOT OPERATED	948	2.8	9	<1	1	2	3	6	7	20
B. OPERATED	10345	4.9	20	<1	<1	3	8	9	12	18
TOTAL 0-19 YRS	478	2.6	5	<1	1	2	3	5	7	11
20-34	4876	4.3	18	<1	<1	2	7	9	10	17
35-49	5347	5.3	20	<1	1	5	8	10	12	18
50-64	592	4.5	20	<1	1	2	7	9	13	21
GRAND TOTAL	**11293**	**4.7**	**19**	**<1**	**<1**	**3**	**8**	**9**	**11**	**18**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	14	2.9	5	1	1	2	4	6	8	8
50-64	23	6.5	169	<1	1	2	4	18	36	61
65+	6	5.2	36	1	1	3	5	16	17	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.6	7	1	1	3	7	7	7	7
35-49	186	2.3	5	<1	<1	2	2	5	8	11
50-64	643	2.0	8	<1	<1	2	2	3	4	9
65+	120	2.2	2	<1	1	2	2	4	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	21	3.2	6	<1	<1	3	5	7	8	10
50-64	21	4.7	21	<1	1	2	6	13	14	15
65+	42	6.9	55	1	1	5	8	16	25	35
B. *Operated*										
0-19 YRS										
20-34	18	6.4	11	<1	<1	7	9	11	12	12
35-49	245	4.3	38	<1	<1	2	6	9	13	29
50-64	875	3.3	17	<1	<1	2	3	8	10	20
65+	283	4.9	35	1	1	3	5	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.0	93	<1	1	2	4	8	19	61
B. *Operated*	960	2.1	6	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	87	5.3	35	<1	1	3	6	12	16	33
B. *Operated*	1421	3.8	25	<1	<1	2	4	9	12	24
1. SINGLE DX	1005	2.2	11	<1	<1	2	2	3	6	12
2. MULTIPLE DX	1508	3.9	25	<1	<1	2	4	9	12	25
A. NOT OPERATED	132	5.2	55	<1	1	3	6	11	17	40
B. OPERATED	2381	3.1	18	<1	<1	2	3	7	10	20
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	32	5.0	11	<1	1	5	7	9	12	12
35-49	466	3.4	23	<1	<1	2	3	8	10	20
50-64	1562	2.9	16	<1	<1	2	2	6	9	17
65+	451	4.4	30	1	1	2	4	10	13	30
GRAND TOTAL	**2513**	**3.3**	**20**	**<1**	**<1**	**2**	**3**	**7**	**10**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.4	3	<1	<1	2	3	5	6	10
20-34	96	2.8	10	<1	<1	2	3	5	7	19
35-49	23	3.4	9	<1	<1	3	4	8	10	11
50-64	13	2.5	4	<1	1	2	3	6	7	7
65+	6	4.2	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	89	3.3	10	<1	1	2	4	7	8	19
20-34	876	3.8	8	<1	1	3	5	7	8	14
35-49	513	3.8	18	<1	1	2	5	8	9	21
50-64	358	3.1	12	<1	<1	2	3	8	9	13
65+	84	4.9	37	1	1	3	5	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	6	<1	<1	2	3	6	7	12
20-34	101	3.1	5	<1	1	2	4	6	8	12
35-49	30	5.1	22	<1	1	3	7	10	11	23
50-64	26	4.1	14	<1	1	3	5	9	11	18
65+	10	18.1	330	4	4	9	35	47	52	52
B. *Operated*										
0-19 YRS	85	4.8	17	<1	1	4	6	9	10	26
20-34	1107	5.3	12	1	1	5	7	9	10	18
35-49	1074	6.3	25	1	1	6	8	11	13	23
50-64	755	6.2	45	1	1	5	9	11	16	37
65+	244	6.7	44	1	2	4	9	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.8	8	<1	<1	2	3	6	7	11
B. *Operated*	1920	3.7	13	<1	1	2	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	197	4.2	35	<1	1	3	5	8	11	39
B. *Operated*	3265	5.9	27	1	1	6	8	10	13	25
1. SINGLE DX	2105	3.6	12	<1	1	2	5	8	9	16
2. MULTIPLE DX	3462	5.8	27	1	1	5	8	10	13	25
A. NOT OPERATED	382	3.5	22	<1	<1	2	4	7	9	26
B. OPERATED	5185	5.1	23	<1	1	4	7	10	12	22
TOTAL 0-19 YRS	251	3.6	11	<1	<1	2	5	7	9	18
20-34	2180	4.5	11	<1	1	4	7	8	10	16
35-49	1640	5.5	24	<1	1	5	8	10	13	23
50-64	1152	5.1	35	<1	1	3	8	10	14	31
65+	344	6.5	53	1	2	4	9	14	21	38
GRAND TOTAL	**5567**	**5.0**	**23**	**<1**	**1**	**3**	**7**	**9**	**12**	**22**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	2.2	3	<1	1	2	3	4	5	11
20-34	264	2.3	5	<1	<1	2	2	5	7	12
35-49	51	2.5	5	<1	1	2	3	5	8	10
50-64	17	2.8	4	1	1	2	4	7	8	8
65+	11	6.5	30	1	1	6	8	16	18	18
B. *Operated*										
0-19 YRS	127	2.7	5	<1	<1	2	3	6	7	11
20-34	1067	3.0	9	<1	<1	2	3	7	9	14
35-49	371	7.4	24	<1	1	7	10	12	16	24
50-64	228	9.5	26	2	4	9	11	15	19	31
65+	72	9.3	32	<1	1	9	12	16	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	4	1	1	2	3	6	7	12
20-34	195	2.9	6	<1	1	2	4	6	8	13
35-49	60	4.3	24	<1	1	2	5	11	17	22
50-64	13	5.8	16	<1	1	5	8	12	14	14
65+	26	9.7	196	1	1	6	10	20	32	72
B. *Operated*										
0-19 YRS	86	4.1	17	<1	<1	3	6	8	14	22
20-34	1631	4.9	14	<1	1	4	7	9	11	16
35-49	866	8.8	31	2	2	8	10	15	19	28
50-64	442	11.0	32	2	5	10	14	19	21	30
65+	193	13.7	93	2	6	12	16	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	2.4	5	<1	1	2	3	5	7	12
B. *Operated*	1865	4.9	22	<1	1	2	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	413	3.6	23	<1	1	2	4	7	10	20
B. *Operated*	3218	7.3	34	1	1	7	9	14	18	27
1. SINGLE DX	2492	4.2	19	<1	1	2	7	10	12	20
2. MULTIPLE DX	3631	6.9	34	1	1	6	9	13	17	27
A. NOT OPERATED	1040	2.8	12	<1	1	2	3	6	8	15
B. OPERATED	5083	6.4	31	<1	1	6	9	13	16	25
TOTAL 0-19 YRS	616	2.7	6	<1	1	2	3	6	7	13
20-34	3157	3.9	12	<1	1	2	6	8	10	15
35-49	1348	8.0	30	1	2	8	10	14	18	26
50-64	700	10.2	31	2	3	9	13	17	20	30
65+	302	12.0	89	1	2	10	15	22	26	54
GRAND TOTAL	**6123**	**5.8**	**29**	**<1**	**1**	**4**	**8**	**12**	**16**	**25**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	1	1	4	5	6	6	6
20-34	24	4.3	23	1	1	3	5	7	13	25
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	41	6.2	5	3	3	6	7	9	10	12
20-34	581	6.1	8	3	4	6	7	9	10	16
35-49	45	6.5	7	3	4	6	8	9	10	18
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	3.5	6	1	1	3	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	28	6.5	6	3	4	6	8	10	13	13
20-34	449	6.4	6	4	4	6	7	9	11	16
35-49	63	6.7	4	4	5	6	7	8	10	14
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	19	1	1	3	5	6	7	25
B. *Operated*	668	6.1	7	3	4	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	14	3.8	7	1	1	3	6	7	9	9
B. *Operated*	541	6.4	6	4	4	6	7	9	11	16
1. SINGLE DX	698	6.0	8	3	3	6	7	9	10	16
2. MULTIPLE DX	555	6.4	6	3	4	6	7	9	11	16
A. NOT OPERATED	44	4.0	15	1	1	3	5	7	8	25
B. OPERATED	1209	6.3	7	3	4	6	7	9	10	16
TOTAL 0-19 YRS	75	6.2	6	3	3	6	7	9	11	13
20-34	1066	6.2	7	3	4	6	7	9	10	16
35-49	111	6.5	5	3	4	6	7	9	9	16
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1253**	**6.2**	**7**	**3**	**4**	**6**	**7**	**9**	**10**	**16**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.3	2	<1	1	2	3	5	5	6
20-34	26	2.5	2	<1	1	2	3	4	5	6
35-49										
50-64										
B. *Operated*										
0-19 YRS	1523	1.7	4	<1	<1	1	2	3	3	6
20-34	1969	1.6	1	<1	<1	1	2	2	3	6
35-49	86	1.7	1	<1	<1	1	2	3	3	6
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	20	3.0	7	<1	<1	2	4	7	9	11
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1200	1.9	3	<1	<1	1	2	3	4	9
20-34	2467	2.2	10	<1	<1	1	2	4	6	12
35-49	478	2.8	6	<1	<1	2	4	6	8	12
50-64	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.4	2	1	1	2	3	5	5	6
B. *Operated*	3579	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.5	6	<1	<1	1	3	5	8	11
B. *Operated*	4147	2.2	7	<1	<1	2	2	4	6	11
1. SINGLE DX	3629	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	4178	2.2	7	<1	<1	2	2	4	6	11
A. NOT OPERATED	81	2.4	3	<1	<1	2	3	5	6	10
B. OPERATED	7726	1.9	5	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	2753	1.8	4	<1	<1	1	2	3	4	7
20-34	4482	1.9	6	<1	<1	1	2	3	5	9
35-49	569	2.7	5	<1	<1	2	3	5	7	11
50-64	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**7807**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	3	3.7	14	1	1	2	6	8	8	8
TOTAL 0-19 YRS										
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49										
50-64										
GRAND TOTAL	**4**	**3.8**	**10**	**1**	**1**	**3**	**6**	**8**	**8**	**8**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	2.4	3	1	1	2	3	4	6	9
20-34	920	2.3	5	<1	1	2	3	4	6	10
35-49	59	2.7	9	1	1	2	3	6	9	17
50-64										
B. *Operated*										
0-19 YRS	785	2.1	3	<1	1	2	2	4	5	8
20-34	5225	2.1	4	<1	1	1	2	4	5	10
35-49	491	2.0	5	<1	1	2	2	4	5	8
50-64	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.8	9	<1	<1	3	5	9	11	12
20-34	162	3.1	14	1	1	2	4	6	8	22
35-49	14	3.5	21	<1	1	2	3	8	16	18
50-64										
B. *Operated*										
0-19 YRS	146	2.6	7	<1	1	2	3	5	7	12
20-34	977	2.8	10	<1	1	2	3	6	8	14
35-49	142	3.7	41	1	1	2	4	7	12	30
50-64	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	2.3	5	<1	1	2	3	4	6	11
B. *Operated*	6506	2.1	4	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	206	3.2	13	1	1	2	4	6	8	20
B. *Operated*	1266	2.9	13	<1	1	2	3	6	8	15
1. SINGLE DX	7697	2.1	4	<1	1	2	2	4	5	10
2. MULTIPLE DX	1472	2.9	13	<1	1	2	3	6	8	15
A. NOT OPERATED	1397	2.5	6	<1	1	2	3	5	6	12
B. OPERATED	7772	2.2	6	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	1173	2.3	4	<1	1	2	3	5	6	9
20-34	7284	2.2	5	<1	1	2	2	4	6	11
35-49	706	2.4	13	<1	1	2	2	4	7	16
50-64	6	1.3	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**9169**	**2.2**	**6**	**<1**	**1**	**2**	**2**	**4**	**6**	**11**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.4	5	1	1	3	5	6	8	10
20-34	196	3.8	10	1	1	3	5	8	11	17
35-49	15	2.9	3	1	1	2	5	5	6	6
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	98	3.1	10	<1	<1	2	4	7	10	17
20-34	648	2.7	8	1	1	2	3	5	7	14
35-49	46	3.1	11	<1	1	2	3	7	9	19
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.3	5	1	1	3	4	7	7	9
20-34	58	3.4	5	<1	1	3	4	6	7	14
35-49	4	5.0	18	2	2	4	8	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	50	3.4	8	<1	<1	2	5	7	8	16
20-34	177	3.4	14	1	1	2	4	6	10	19
35-49	19	2.6	1	1	1	2	4	4	5	5
50-64	3	12.0	43	6	6	11	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.7	8	1	1	3	5	7	10	15
B. *Operated*	792	2.7	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	5	1	1	3	4	7	7	13
B. *Operated*	249	3.4	13	1	1	2	4	7	10	19
1. SINGLE DX	1077	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX	343	3.4	11	1	1	2	4	7	9	18
A. NOT OPERATED	379	3.6	8	1	1	3	5	7	9	14
B. OPERATED	1041	2.9	9	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	252	3.3	8	<1	1	2	5	7	8	13
20-34	1079	3.0	9	1	1	2	4	6	8	15
35-49	84	3.0	8	1	1	2	4	5	7	17
50-64	5	9.4	35	4	4	7	13	19	19	19
GRAND TOTAL	**1420**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	3.2	4	1	1	3	4	6	7	9
20-34	1818	3.7	8	1	1	3	5	7	9	14
35-49	68	3.9	7	1	1	3	5	8	10	12
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	4.0	6	1	1	4	6	7	7	7
20-34	32	4.8	23	<1	1	4	6	9	18	23
35-49	4	4.8	9	1	1	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.8	7	<1	1	3	5	7	9	16
20-34	360	5.0	34	1	2	4	5	10	15	28
35-49	13	5.7	47	1	1	3	8	15	22	24
50-64	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	1.0		1		1	1	1	1	1
20-34	18	10.0	116	2	2	6	12	21	36	46
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2164	3.7	7	1	1	3	4	7	8	14
B. *Operated*	43	4.6	19	<1	1	4	6	8	13	23
2. MULTIPLE DX										
A. *Not Operated*	428	4.9	31	1	1	4	5	9	13	28
B. *Operated*	20	9.2	110	1	2	5	11	21	34	46
1. SINGLE DX	2207	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX	448	5.1	35	1	1	4	5	10	16	28
A. NOT OPERATED	2592	3.9	11	1	1	3	5	7	9	17
B. OPERATED	63	6.1	51	1	1	4	6	13	21	43
TOTAL 0-19 YRS	339	3.3	4	1	1	3	4	6	7	9
20-34	2228	4.0	13	1	1	3	5	7	9	19
35-49	86	4.2	13	1	1	3	5	9	12	20
50-64	2	6.5	1	6	6	6	7	7	7	7
GRAND TOTAL	**2655**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	<1	1	3	5	6	8	9
20-34	85	4.8	99	<1	1	2	4	9	13	67
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	9	<1	<1	2	4	8	9	9
20-34	19	5.5	32	1	1	3	7	12	19	24
35-49	3	5.7	1	5	5	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	7	5.9	2	4	4	6	7	8	8	8
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.5	82	<1	1	2	4	9	11	57
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	24	1	1	4	6	10	15	24
B. *Operated*	9	5.9	4	3	3	6	7	9	9	9
1. SINGLE DX	106	4.4	80	<1	1	2	4	9	11	56
2. MULTIPLE DX	37	5.2	19	1	1	4	7	9	13	24
A. NOT OPERATED	132	4.6	69	<1	1	3	5	9	12	43
B. OPERATED	11	5.1	6	1	2	5	7	8	9	9
TOTAL 0-19 YRS	24	3.5	7	<1	1	3	5	9	9	9
20-34	113	4.9	80	1	1	3	5	9	14	53
35-49	6	3.8	6	<1	<1	4	5	7	7	7
50-64										
GRAND TOTAL	**143**	**4.6**	**64**	**<1**	**1**	**3**	**5**	**9**	**11**	**38**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	5.0	13	1	2	4	6	8	12	19
20-34	874	4.6	10	1	2	4	6	8	11	16
35-49	66	5.1	7	2	2	5	7	8	9	15
50-64	3	6.0	13	3	3	5	9	10	10	10
B. *Operated*										
0-19 YRS	13	6.1	27	1	2	4	6	15	19	20
20-34	82	5.4	26	1	1	4	7	11	16	28
35-49	5	4.4	6	1	1	4	6	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.7	97	2	2	4	9	13	21	54
20-34	245	5.5	25	1	2	4	6	10	16	30
35-49	19	5.5	20	1	2	4	7	15	59	99+
50-64										
B. *Operated*										
0-19 YRS	13	6.5	55	1	1	5	7	17	26	28
20-34	107	6.5	29	1	2	5	8	11	20	27
35-49	7	3.1	3	1	1	3	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	4.7	10	1	2	4	6	8	11	16
B. *Operated*	100	5.4	25	1	1	4	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	294	5.7	32	1	2	4	7	11	17	32
B. *Operated*	127	6.3	31	1	2	5	8	11	20	28
1. SINGLE DX	1225	4.8	12	1	2	4	6	8	11	18
2. MULTIPLE DX	421	5.9	31	1	2	4	7	11	17	31
A. NOT OPERATED	1419	4.9	15	1	2	4	6	9	11	21
B. OPERATED	227	5.9	28	1	1	4	7	11	18	28
TOTAL 0-19 YRS	238	5.5	27	1	2	4	7	11	14	24
20-34	1308	5.0	16	1	2	4	6	9	11	22
35-49	97	5.0	10	2	2	5	7	8	13	61
50-64	3	6.0	13	3	3	5	9	10	10	10
GRAND TOTAL	**1646**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.7	5	1	2	3	4	6	8	14
20-34	638	4.6	14	1	2	4	6	8	10	17
35-49	15	5.2	7	1	2	5	7	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.9	6	1	1	4	6	7	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.0	6	1	1	3	5	8	9	12
20-34	239	4.8	23	1	2	4	5	9	11	17
35-49	6	4.2	3	2	2	4	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	6.2	10	2	2	6	7	12	13	13
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	4.4	12	1	2	4	5	8	10	15
B. *Operated*	16	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	289	4.6	20	1	2	4	5	8	10	16
B. *Operated*	19	6.1	10	2	3	6	7	12	13	13
1. SINGLE DX	831	4.4	12	1	2	4	5	8	10	15
2. MULTIPLE DX	308	4.7	19	1	2	4	6	9	11	15
A. NOT OPERATED	1104	4.5	14	1	2	4	5	8	10	15
B. OPERATED	35	5.0	9	1	2	5	7	8	12	13
TOTAL 0-19 YRS	208	3.7	5	1	2	3	4	6	8	13
20-34	907	4.7	16	1	2	4	6	8	10	16
35-49	24	4.6	6	1	2	4	6	8	10	10
50-64										
GRAND TOTAL	**1139**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1168	1.6	9	<1	<1	1	2	3	4	7
20-34	4844	1.5	5	<1	<1	1	1	2	4	8
35-49	176	1.9	12	<1	<1	1	1	3	5	25
50-64	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	60	2.3	8	<1	<1	1	2	5	8	15
20-34	320	1.9	4	<1	<1	1	2	4	6	9
35-49	13	3.2	10	<1	<1	1	5	9	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.0	5	<1	<1	1	2	4	6	13
20-34	723	2.1	10	<1	<1	1	2	4	6	14
35-49	31	1.9	2	<1	<1	1	3	4	6	6
50-64										
B. *Operated*										
0-19 YRS	23	2.9	8	<1	1	2	3	5	9	14
20-34	98	3.3	27	<1	<1	2	3	7	11	31
35-49	5	4.8	14	2	2	4	6	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6192	1.5	6	<1	<1	1	1	2	4	8
B. *Operated*	393	2.0	5	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	927	2.0	8	<1	<1	1	2	4	6	14
B. *Operated*	126	3.3	22	<1	<1	2	3	7	11	27
1. SINGLE DX	6585	1.6	6	<1	<1	1	1	3	4	8
2. MULTIPLE DX	1053	2.2	10	<1	<1	1	2	4	6	15
A. NOT OPERATED	7119	1.6	6	<1	<1	1	1	3	4	9
B. OPERATED	519	2.3	9	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	1424	1.7	9	<1	<1	1	2	3	4	10
20-34	5985	1.6	6	<1	<1	1	1	3	4	10
35-49	225	2.0	11	<1	<1	1	2	4	6	16
50-64	4	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**7638**	**1.6**	**6**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.2	50	<1	1	3	9	15	24	28
20-34	185	5.5	58	1	1	4	6	10	18	38
35-49	12	5.6	41	1	1	3	6	17	20	21
50-64										
B. *Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	19	12.7	216	1	2	6	16	39	51	51
35-49	3	4.3	33	<1	<1	1	8	11	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	21	2	2	8	11	11	11	11
20-34	70	8.2	82	1	2	6	9	21	26	48
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	7.8	22	3	3	7	11	14	14	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.6	56	1	1	4	7	10	18	35
B. *Operated*	24	11.3	186	<1	1	6	15	25	50	51
2. MULTIPLE DX										
A. *Not Operated*	76	8.1	77	1	2	6	9	20	25	48
B. *Operated*	6	7.3	14	3	3	7	8	13	14	14
1. SINGLE DX	242	6.1	71	1	1	4	7	13	19	50
2. MULTIPLE DX	82	8.1	72	1	2	6	9	18	25	47
A. NOT OPERATED	294	6.2	62	1	1	4	7	12	21	41
B. OPERATED	30	10.5	152	1	1	6	14	20	50	51
TOTAL 0-19 YRS	29	6.4	43	1	1	5	10	14	21	28
20-34	278	6.7	77	1	1	4	7	14	22	50
35-49	17	5.8	34	<1	1	3	8	15	19	21
50-64										
GRAND TOTAL	**324**	**6.6**	**72**	**1**	**1**	**4**	**8**	**14**	**21**	**50**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.3	12	1	1	3	4	5	7	18
20-34	637	3.4	12	<1	1	3	4	7	9	17
35-49	24	5.0	35	<1	1	3	6	12	19	27
50-64										
B. *Operated*										
0-19 YRS	17	4.5	24	<1	1	3	4	13	18	19
20-34	90	4.5	18	1	1	3	6	10	14	22
35-49	8	2.3	3	<1	<1	2	3	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.8	25	<1	1	4	5	10	19	23
20-34	190	4.5	25	1	1	3	5	7	13	27
35-49	10	4.6	10	1	1	4	6	9	11	11
50-64										
B. *Operated*										
0-19 YRS	3	6.7	30	1	1	7	11	12	12	12
20-34	36	5.5	32	1	1	4	7	11	14	31
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	3.4	12	<1	1	3	4	7	9	17
B. *Operated*	115	4.3	18	<1	1	3	5	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	245	4.6	24	1	1	3	5	8	13	24
B. *Operated*	40	5.6	31	1	1	4	7	11	14	31
1. SINGLE DX	912	3.5	13	<1	1	3	4	7	10	19
2. MULTIPLE DX	285	4.7	25	1	1	3	5	10	14	28
A. NOT OPERATED	1042	3.7	15	<1	1	3	4	7	10	21
B. OPERATED	155	4.7	21	1	1	3	6	10	14	24
TOTAL 0-19 YRS	201	3.8	16	<1	1	3	4	6	12	22
20-34	953	3.8	16	<1	1	3	5	7	11	21
35-49	43	4.4	23	<1	1	3	5	9	13	27
50-64										
GRAND TOTAL	**1197**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**7**	**11**	**22**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	4.2	7	1	1	4	5	8	9	13
20-34	313	3.7	7	<1	1	3	5	7	8	13
35-49	11	3.7	3	1	1	3	5	6	7	7
50-64										
B. *Operated*										
0-19 YRS	8	3.1	4	<1	<1	3	4	6	7	7
20-34	35	4.4	14	1	2	3	5	8	11	21
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.9	6	1	1	3	5	7	9	12
20-34	345	4.2	21	1	1	3	5	8	9	19
35-49	16	4.8	6	2	2	4	7	9	10	10
50-64										
B. *Operated*										
0-19 YRS	21	4.7	17	<1	1	2	7	10	14	17
20-34	62	5.4	15	1	2	4	6	12	15	17
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.8	7	<1	1	3	5	7	8	13
B. *Operated*	45	4.2	12	1	1	3	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	535	4.1	16	1	1	3	5	7	9	12
B. *Operated*	85	5.2	15	1	2	4	7	11	15	17
1. SINGLE DX	498	3.9	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	620	4.3	16	1	1	3	5	8	10	16
A. NOT OPERATED	988	4.0	11	1	1	3	5	7	9	13
B. OPERATED	130	4.9	14	1	1	4	6	9	13	18
TOTAL 0-19 YRS	332	4.0	7	1	1	4	5	8	9	12
20-34	755	4.1	14	1	1	3	5	7	9	17
35-49	31	4.6	6	2	2	4	7	8	9	10
50-64										
GRAND TOTAL	**1118**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	25	<1	1	4	6	13	15	25
20-34	198	5.2	17	<1	1	4	7	10	12	21
35-49	15	4.7	9	1	1	4	7	9	10	11
50-64										
B. *Operated*										
0-19 YRS	8	9.5	46	2	3	7	16	19	20	20
20-34	39	5.0	12	<1	1	4	7	8	11	19
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.8	8	<1	1	3	5	7	10	14
20-34	438	5.0	22	<1	1	4	6	11	14	22
35-49	31	7.2	35	1	1	5	11	16	21	23
50-64	3	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	5.3	13	1	1	5	8	11	11	11
20-34	80	8.9	109	1	2	6	10	17	29	61
35-49	7	5.7	24	2	2	5	6	14	16	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.2	17	<1	1	4	7	10	14	21
B. *Operated*	49	5.7	19	1	1	5	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	567	4.9	21	<1	1	4	6	11	14	22
B. *Operated*	99	8.2	93	1	2	5	9	16	26	60
1. SINGLE DX	302	5.3	18	<1	1	4	7	10	14	21
2. MULTIPLE DX	666	5.4	33	1	1	4	7	11	15	28
A. NOT OPERATED	820	5.0	20	<1	1	4	7	10	14	22
B. OPERATED	148	7.4	70	1	2	5	8	16	19	55
TOTAL 0-19 YRS	155	4.6	16	<1	1	3	6	10	14	20
20-34	755	5.5	31	<1	1	4	7	11	15	25
35-49	55	6.3	26	1	1	5	9	13	17	23
50-64	3	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**968**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.5	17	<1	<1	2	4	8	11	23
20-34	1412	3.7	24	<1	<1	2	4	8	11	24
35-49	71	5.3	27	1	1	4	6	12	15	29
50-64										
B. *Operated*										
0-19 YRS	90	4.8	29	<1	1	3	6	10	16	29
20-34	767	4.0	23	<1	<1	3	4	8	10	26
35-49	63	4.2	28	<1	<1	3	5	8	11	36
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	4.7	31	1	1	3	5	11	15	32
20-34	818	5.1	47	<1	1	3	6	11	17	38
35-49	33	8.0	112	1	1	4	8	19	40	43
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	63	5.8	33	<1	1	5	8	12	19	29
20-34	488	6.7	81	1	1	4	7	14	28	46
35-49	41	6.2	37	1	1	5	8	9	19	34
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	3.8	23	<1	<1	2	4	8	11	24
B. *Operated*	920	4.1	24	<1	<1	3	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	1036	5.1	46	<1	1	3	6	11	17	37
B. *Operated*	593	6.6	72	1	1	4	7	13	25	44
1. SINGLE DX	2737	3.9	23	<1	<1	3	4	8	11	25
2. MULTIPLE DX	1629	5.7	56	<1	1	3	6	11	19	41
A. NOT OPERATED	2853	4.3	32	<1	1	3	5	9	14	32
B. OPERATED	1513	5.1	44	<1	1	3	6	9	16	38
TOTAL 0-19 YRS	671	4.2	24	<1	1	3	5	9	15	27
20-34	3485	4.6	38	<1	1	3	5	9	14	34
35-49	208	5.6	44	<1	1	4	7	10	15	40
50-64	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**4366**	**4.6**	**36**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.3	2	2	2	5	5	6	6	6
20-34	128	5.2	18	2	3	4	5	7	10	30
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	7.9	24	3	3	6	11	16	16	16
20-34	97	7.9	29	4	4	6	9	16	21	26
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.2	3	3	3	5	6	7	10	10
20-34	134	6.0	19	3	3	5	6	10	12	21
35-49	7	5.1	6	2	2	5	5	9	10	10
50-64	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	23	15.0	214	3	4	7	21	35	46	64
20-34	309	12.3	163	4	4	8	14	24	37	74
35-49	32	11.4	65	4	4	8	15	24	33	34
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.0	15	2	3	4	5	7	9	29
B. *Operated*	111	7.8	29	3	4	6	9	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	170	5.8	16	3	3	5	6	10	11	16
B. *Operated*	364	12.4	158	4	4	8	14	24	35	72
1. SINGLE DX	263	6.2	23	3	3	5	6	11	16	27
2. MULTIPLE DX	534	10.3	122	3	4	7	10	21	31	66
A. NOT OPERATED	322	5.4	16	2	3	5	6	7	11	25
B. OPERATED	475	11.3	131	4	4	7	13	22	33	66
TOTAL 0-19 YRS	80	8.1	84	3	3	5	7	16	26	56
20-34	668	9.0	97	3	4	6	9	18	25	56
35-49	47	9.4	56	3	4	6	13	16	26	34
50-64	2	5.0	18	2	2	5	8	8	8	8
GRAND TOTAL	**797**	**8.9**	**93**	**3**	**4**	**6**	**9**	**17**	**25**	**55**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3317	4.7	4	3	3	5	5	6	7	10
20-34	21952	4.6	4	3	3	4	5	6	7	9
35-49	697	4.7	10	2	3	4	5	6	7	10
50-64	10	3.8	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	457	5.1	3	3	3	5	6	7	8	12
20-34	3408	5.1	6	3	3	5	6	7	8	11
35-49	155	5.1	2	3	3	5	6	7	7	9
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.5	7	3	3	5	6	8	10	17
20-34	1686	5.3	8	3	3	5	6	7	9	15
35-49	75	5.4	8	3	3	5	6	9	10	20
50-64	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	101	6.3	8	3	4	6	7	9	13	16
20-34	2829	5.7	6	4	4	5	6	8	9	15
35-49	314	6.1	9	4	4	6	7	8	9	21
50-64	3	12.0	127	5	5	6	20	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25976	4.6	4	3	3	4	5	6	7	9
B. *Operated*	4021	5.1	5	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	2037	5.3	8	3	3	5	6	7	9	16
B. *Operated*	3247	5.8	6	4	4	5	6	8	9	15
1. SINGLE DX	29997	4.6	4	3	3	4	5	6	7	9
2. MULTIPLE DX	5284	5.6	7	3	4	5	6	8	9	16
A. NOT OPERATED	28013	4.6	5	3	3	4	5	6	7	10
B. OPERATED	7268	5.4	6	3	4	5	6	7	8	13
TOTAL 0-19 YRS	4149	4.8	4	3	3	5	5	6	7	11
20-34	29875	4.8	5	3	3	5	5	6	7	11
35-49	1241	5.2	9	3	3	5	6	7	8	11
50-64	16	5.6	28	2	3	4	5	6	19	25
GRAND TOTAL	**35281**	**4.8**	**5**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	17	5.6	14	1	2	5	6	7	15	19
35-49	1	29.0		29	29	29	29	29	29	29
50-64										
B. *Operated*										
0-19 YRS	13	10.0	73	4	5	7	10	20	33	36
20-34	97	14.1	212	4	5	8	15	35	53	66
35-49	7	6.9	1	5	5	7	8	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	<1	<1	4	7	9	9	9
20-34	22	6.3	32	2	3	5	6	9	18	30
35-49	3	28.3	462	7	7	28	44	50	50	50
50-64										
B. *Operated*										
0-19 YRS	10	13.5	395	2	4	7	9	43	69	69
20-34	248	15.0	288	5	5	8	14	36	53	90
35-49	33	17.1	325	5	6	8	16	43	61	76
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.5	39	1	2	5	6	12	23	29
B. *Operated*	117	13.2	187	4	5	7	14	31	48	65
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	103	1	3	5	7	19	30	50
B. *Operated*	291	15.1	294	5	5	8	14	38	58	89
1. SINGLE DX	138	12.2	170	4	4	7	12	29	46	64
2. MULTIPLE DX	321	14.5	280	4	5	8	13	36	52	88
A. NOT OPERATED	51	7.5	76	1	2	5	7	14	29	50
B. OPERATED	408	14.6	263	4	5	8	14	36	53	82
TOTAL 0-19 YRS	31	9.6	162	1	3	6	8	16	35	69
20-34	384	13.8	248	4	5	8	13	33	50	84
35-49	44	16.5	293	5	6	8	17	42	54	76
50-64										
GRAND TOTAL	**459**	**13.8**	**247**	**4**	**5**	**8**	**13**	**34**	**50**	**79**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	4	<1	1	5	6	7	8	8
20-34	132	5.3	9	2	3	5	6	8	10	21
35-49	7	5.4	4	3	3	5	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	22	8.3	22	4	4	7	9	15	20	22
20-34	134	7.1	21	3	4	6	8	10	15	29
35-49	3	7.0	4	5	5	7	8	9	9	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	16	<1	1	3	5	9	15	16
20-34	102	5.1	11	2	3	5	5	8	11	21
35-49	3	5.3		5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	57	10.0	104	2	3	7	10	26	30	59
20-34	361	7.3	31	3	4	6	8	11	15	28
35-49	24	12.0	285	4	4	7	8	34	54	78
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.2	8	2	3	5	6	8	9	19
B. *Operated*	159	7.2	21	4	4	6	8	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	118	5.0	11	1	2	5	5	8	11	20
B. *Operated*	442	7.9	55	3	4	6	8	12	18	45
1. SINGLE DX	314	6.2	16	3	3	5	7	9	12	27
2. MULTIPLE DX	560	7.3	47	3	3	6	8	11	17	39
A. NOT OPERATED	273	5.1	9	2	3	5	6	8	10	19
B. OPERATED	601	7.7	46	3	4	6	8	12	17	37
TOTAL 0-19 YRS	108	8.2	67	1	3	6	8	16	27	46
20-34	729	6.6	23	3	3	5	7	10	14	27
35-49	37	9.8	193	4	4	6	8	11	40	78
50-64										
GRAND TOTAL	**874**	**6.9**	**36**	**3**	**3**	**6**	**7**	**10**	**15**	**31**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	7	2	2	5	7	9	10	10
20-34	43	4.7	3	1	3	5	5	7	8	9
35-49										
50-64										
B. *Operated*										
0-19 YRS	53	5.0	10	2	2	5	6	7	8	23
20-34	425	4.2	3	1	2	4	5	6	7	11
35-49	17	5.1	2	3	3	5	6	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8		4	4	5	5	5	5	5
20-34	30	4.8	3	3	3	5	5	7	7	11
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	35	5.6	9	3	4	5	6	7	14	17
20-34	361	5.4	8	3	3	5	6	7	9	17
35-49	14	6.7	13	1	3	6	9	10	15	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.8	3	1	3	5	6	7	8	10
B. *Operated*	495	4.3	4	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	36	4.7	3	2	3	5	5	6	7	11
B. *Operated*	410	5.5	9	3	3	5	6	8	9	17
1. SINGLE DX	546	4.4	4	1	2	4	5	6	7	11
2. MULTIPLE DX	446	5.4	8	3	3	5	6	7	9	17
A. NOT OPERATED	87	4.7	3	2	3	5	5	7	8	11
B. OPERATED	905	4.9	7	1	2	5	6	7	8	15
TOTAL 0-19 YRS	100	5.2	9	2	3	5	6	7	9	20
20-34	859	4.8	6	1	2	5	6	7	8	13
35-49	33	5.7	8	1	3	5	7	9	9	16
50-64										
GRAND TOTAL	**992**	**4.8**	**6**	**1**	**2**	**5**	**6**	**7**	**8**	**15**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.8	2	3	3	5	6	6	7	8
20-34	286	4.7	2	3	3	5	5	6	7	9
35-49	4	6.3	5	4	4	6	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	15	4.9	2	2	4	5	5	6	8	8
20-34	90	4.8	3	1	3	5	6	7	7	9
35-49	4	5.3	8	2	2	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.3	1	3	4	5	6	7	7	8
20-34	150	5.2	4	3	3	5	6	7	9	11
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	5.6	4	3	4	5	7	8	9	12
20-34	196	5.8	5	3	4	5	7	8	9	18
35-49	7	6.7	9	4	4	6	7	12	13	13
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.8	2	3	3	5	5	6	7	9
B. *Operated*	109	4.9	3	1	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	184	5.2	3	3	3	5	6	7	8	11
B. *Operated*	231	5.8	5	3	4	5	7	8	9	16
1. SINGLE DX	447	4.8	2	3	3	5	6	6	7	9
2. MULTIPLE DX	415	5.5	5	3	4	5	6	8	9	13
A. NOT OPERATED	522	4.9	2	3	3	5	6	7	8	10
B. OPERATED	340	5.5	5	3	4	5	6	8	9	13
TOTAL 0-19 YRS	121	5.1	2	3	4	5	6	7	8	10
20-34	722	5.1	3	3	3	5	6	7	8	11
35-49	17	6.2	6	3	4	6	7	9	12	13
50-64	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**862**	**5.1**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	18	3	3	6	8	14	16	16
20-34	56	7.4	53	4	4	6	7	9	19	50
35-49										
50-64										
B. *Operated*										
0-19 YRS	4	24.5	668	9	9	13	39	63	63	63
20-34	33	8.6	47	4	4	6	8	16	29	32
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.7	154	3	3	6	8	30	42	42
20-34	80	8.4	105	2	3	6	8	13	25	67
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	28	8.0	24	3	4	7	9	12	20	26
20-34	364	11.2	121	4	4	7	12	22	37	57
35-49	23	15.6	320	3	4	8	14	39	63	71
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	7.3	48	3	4	6	7	9	18	48
B. *Operated*	38	10.1	120	4	4	6	10	20	31	63
2. MULTIPLE DX										
A. *Not Operated*	93	8.3	105	2	3	6	8	12	26	63
B. *Operated*	415	11.3	126	4	4	7	12	22	36	58
1. SINGLE DX	102	8.3	76	3	4	6	8	14	25	57
2. MULTIPLE DX	508	10.7	123	3	4	7	11	21	34	58
A. NOT OPERATED	157	7.9	81	3	3	6	8	12	24	52
B. OPERATED	453	11.2	125	4	4	7	12	22	34	58
TOTAL 0-19 YRS	49	9.5	105	3	3	7	10	16	27	63
20-34	533	10.2	108	3	4	7	10	20	32	55
35-49	28	13.6	280	3	3	7	12	33	59	71
50-64										
GRAND TOTAL	**610**	**10.3**	**116**	**3**	**4**	**7**	**10**	**20**	**33**	**58**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.9	7	1	2	5	6	7	10	15
20-34	195	5.1	7	3	3	5	6	7	7	11
35-49	12	4.4	2	2	3	4	5	6	7	7
50-64										
B. *Operated*										
0-19 YRS	84	6.2	7	3	4	6	7	9	10	19
20-34	664	6.1	4	3	4	6	7	9	9	13
35-49	15	6.6	4	3	4	7	8	9	10	11
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.2	11	2	2	6	7	11	13	13
20-34	93	7.4	68	2	3	5	7	10	18	54
35-49	8	6.9	11	3	3	6	9	12	13	13
50-64										
B. *Operated*										
0-19 YRS	146	7.1	16	3	4	7	8	11	15	24
20-34	1257	7.2	15	3	4	7	8	10	13	23
35-49	77	8.0	22	3	4	7	8	13	20	26
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.0	6	3	3	5	6	7	7	13
B. *Operated*	764	6.1	5	3	4	6	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	110	7.3	59	2	3	5	7	11	17	49
B. *Operated*	1481	7.2	15	3	4	7	8	11	13	25
1. SINGLE DX	996	5.9	5	3	4	6	7	8	9	13
2. MULTIPLE DX	1591	7.2	18	3	4	7	8	11	13	26
A. NOT OPERATED	342	5.7	24	3	3	5	6	8	9	31
B. OPERATED	2245	6.8	12	3	4	6	8	10	12	22
TOTAL 0-19 YRS	264	6.6	12	3	4	6	8	10	13	23
20-34	2209	6.7	14	3	4	6	8	9	11	21
35-49	112	7.4	18	3	4	7	8	11	15	26
50-64	2	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2587**	**6.7**	**14**	**3**	**4**	**6**	**8**	**9**	**12**	**22**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.8	3	3	3	4	6	7	8	12
20-34	443	4.8	12	3	3	4	5	6	7	11
35-49	20	4.8	2	2	3	5	6	6	7	8
50-64										
B. *Operated*										
0-19 YRS	174	6.1	7	4	4	6	7	9	10	15
20-34	1025	5.7	4	3	4	5	7	8	9	13
35-49	38	6.0	18	3	3	5	6	10	12	28
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	40	2	3	5	6	9	21	39
20-34	285	5.2	6	3	3	5	6	7	8	19
35-49	16	5.1	3	1	4	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	343	6.7	16	3	4	6	8	9	11	22
20-34	2804	6.6	13	4	4	6	7	9	11	22
35-49	169	8.3	44	4	4	7	8	12	21	43
50-64	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	4.8	10	3	3	4	5	6	7	11
B. *Operated*	1237	5.7	5	3	4	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	349	5.4	11	3	3	5	6	7	9	23
B. *Operated*	3317	6.7	15	4	4	6	7	9	12	24
1. SINGLE DX	1780	5.5	7	3	4	5	6	8	9	13
2. MULTIPLE DX	3666	6.6	15	4	4	6	7	9	11	24
A. NOT OPERATED	892	5.0	10	3	3	5	5	7	8	14
B. OPERATED	4554	6.4	13	4	4	6	7	9	11	21
TOTAL 0-19 YRS	645	6.3	14	3	4	6	7	9	11	22
20-34	4557	6.1	11	3	4	5	7	8	10	20
35-49	243	7.5	36	3	4	6	8	11	16	37
50-64	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**5446**	**6.2**	**13**	**3**	**4**	**5**	**7**	**9**	**11**	**21**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	63	4.9	2	3	3	5	5	7	8	8
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	186	7.5	7	5	5	7	8	10	12	20
20-34	905	7.5	9	5	5	7	8	9	11	18
35-49	26	7.7	4	5	5	8	9	10	11	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	61	1	2	5	7	21	26	26
20-34	65	6.6	6	4	4	6	7	9	11	18
35-49	4	5.8	2	5	5	5	7	8	8	8
50-64										
B. *Operated*										
0-19 YRS	347	9.0	33	5	6	8	10	14	17	32
20-34	2373	8.2	21	5	5	7	9	11	13	27
35-49	119	8.6	14	5	6	8	9	11	15	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.9	2	3	3	5	5	7	8	8
B. *Operated*	1117	7.5	8	5	5	7	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	77	6.6	11	4	4	6	7	9	12	24
B. *Operated*	2839	8.3	23	5	5	7	9	11	14	27
1. SINGLE DX	1186	7.4	8	4	5	7	8	9	11	18
2. MULTIPLE DX	2916	8.2	22	5	5	7	9	11	14	27
A. NOT OPERATED	146	5.8	7	3	4	5	7	8	9	19
B. OPERATED	3956	8.1	19	5	5	7	9	11	13	25
TOTAL 0-19 YRS	545	8.5	25	5	5	7	9	12	15	28
20-34	3406	7.9	18	5	5	7	8	10	12	23
35-49	151	8.3	13	5	6	8	9	11	13	25
50-64										
GRAND TOTAL	**4102**	**8.0**	**18**	**5**	**5**	**7**	**9**	**10**	**13**	**25**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.9	2	2	3	5	6	7	7	10
20-34	437	5.2	4	3	4	5	6	7	8	12
35-49	10	6.1	5	4	4	6	7	9	11	11
50-64										
B. *Operated*										
0-19 YRS	205	5.6	5	3	4	5	6	8	10	14
20-34	1278	5.6	5	3	4	5	6	8	9	12
35-49	25	5.5	4	3	3	5	7	9	9	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.2	3	3	3	5	6	7	9	10
20-34	313	5.6	5	3	4	5	6	8	9	16
35-49	8	5.8	10	1	2	5	8	10	10	10
50-64										
B. *Operated*										
0-19 YRS	322	6.5	8	4	4	6	7	10	12	18
20-34	2396	6.4	10	4	4	6	7	9	11	19
35-49	111	7.4	16	4	4	6	8	11	15	26
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	5.2	3	3	4	5	6	7	8	12
B. *Operated*	1508	5.6	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	368	5.6	5	3	4	5	6	8	9	15
B. *Operated*	2829	6.5	10	4	4	6	7	9	11	19
1. SINGLE DX	2024	5.5	5	3	4	5	6	8	9	12
2. MULTIPLE DX	3197	6.4	9	4	4	6	7	9	11	18
A. NOT OPERATED	884	5.3	4	3	4	5	6	7	8	12
B. OPERATED	4337	6.2	8	4	4	6	7	9	10	16
TOTAL 0-19 YRS	643	5.9	6	3	4	5	7	9	11	16
20-34	4424	6.0	8	3	4	5	7	8	10	16
35-49	154	6.9	13	3	4	6	8	10	13	24
50-64										
GRAND TOTAL	**5221**	**6.0**	**8**	**3**	**4**	**5**	7	9	10	16

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	3	2	3	5	6	7	8	9
20-34	101	5.4	6	3	4	5	6	7	8	18
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	29	6.8	10	4	4	6	8	10	16	16
20-34	196	6.6	27	3	4	6	7	9	11	38
35-49	8	5.3	6	<1	1	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.2	1	4	4	5	6	6	7	7
20-34	83	6.2	49	3	4	5	6	7	9	51
35-49	5	5.0	2	4	4	5	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	54	8.6	48	4	4	7	8	16	20	48
20-34	464	7.5	28	4	4	7	8	10	12	30
35-49	38	8.1	28	3	3	7	8	15	22	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	5.2	5	3	3	5	6	7	8	14
B. *Operated*	233	6.6	24	3	4	6	7	9	11	37
2. MULTIPLE DX										
A. *Not Operated*	102	6.0	40	3	4	5	6	7	8	43
B. *Operated*	556	7.6	30	4	4	7	8	10	14	30
1. SINGLE DX	361	6.1	18	3	4	5	7	8	10	25
2. MULTIPLE DX	658	7.4	32	4	4	6	8	10	13	30
A. NOT OPERATED	230	5.6	21	3	4	5	6	7	8	22
B. OPERATED	789	7.3	29	4	4	6	8	10	13	34
TOTAL 0-19 YRS	120	7.1	27	4	4	6	8	10	16	29
20-34	844	6.9	28	3	4	6	7	9	11	30
35-49	55	7.1	22	3	3	6	8	10	19	27
50-64										
GRAND TOTAL	**1019**	**6.9**	**27**	**3**	**4**	**6**	**8**	**9**	**12**	**28**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	6.1	4	4	4	6	8	8	9	12
35-49	3	7.3		7	7	7	8	8	8	8
50-64										
B. *Operated*										
0-19 YRS	74	7.1	4	4	5	7	8	9	10	17
20-34	1982	7.3	4	5	6	7	8	9	10	14
35-49	66	7.8	16	6	6	7	8	9	10	34
50-64	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7		7	7	8	8	8	8	8
20-34	42	8.2	46	4	5	7	8	9	13	49
35-49	7	8.0		7	7	8	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	70	8.7	28	5	5	7	9	13	14	35
20-34	2607	8.1	15	5	6	7	8	10	13	25
35-49	237	8.6	12	6	6	8	9	10	14	22
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	6.2	4	4	4	6	8	8	9	12
B. *Operated*	2124	7.3	4	5	6	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	52	8.2	37	4	5	8	8	9	11	48
B. *Operated*	2915	8.1	15	5	6	7	8	10	13	25
1. SINGLE DX	2161	7.3	4	5	6	7	8	9	10	15
2. MULTIPLE DX	2967	8.1	15	5	6	7	8	10	13	25
A. NOT OPERATED	89	7.3	24	4	4	7	8	9	10	36
B. OPERATED	5039	7.8	10	5	6	7	8	9	11	22
TOTAL 0-19 YRS	147	7.9	16	5	5	7	8	10	13	33
20-34	4665	7.7	10	5	6	7	8	9	11	21
35-49	313	8.4	13	6	6	8	9	10	13	23
50-64	3	6.0	3	4	4	7	7	7	7	7
GRAND TOTAL	**5128**	**7.8**	**11**	**5**	**6**	**7**	**8**	**9**	**11**	**22**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.3	8	1	1	4	5	7	9	16
20-34	879	4.6	8	1	1	4	5	7	9	17
35-49	21	5.7	9	1	2	5	8	10	10	11
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	95	5.7	6	3	4	5	7	9	10	15
20-34	622	5.6	7	3	4	5	6	8	9	17
35-49	27	5.2	2	3	4	5	6	7	7	8
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	6.3	116	1	2	5	6	9	12	77
20-34	506	5.7	30	2	3	5	6	8	11	26
35-49	18	5.4	6	3	3	4	7	9	10	11
50-64										
B. *Operated*										
0-19 YRS	173	6.9	21	3	4	6	8	11	14	30
20-34	1537	6.9	23	3	4	6	8	10	13	30
35-49	90	7.3	21	4	4	6	8	11	13	32
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1077	4.6	8	1	1	4	5	7	9	17
B. *Operated*	745	5.6	7	3	4	5	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	594	5.7	39	1	3	5	6	8	11	27
B. *Operated*	1801	6.9	23	3	4	6	8	10	13	30
1. SINGLE DX	1822	5.0	8	1	2	5	6	7	9	17
2. MULTIPLE DX	2395	6.6	27	3	4	6	7	10	13	30
A. NOT OPERATED	1671	5.0	19	1	2	4	6	8	9	18
B. OPERATED	2546	6.5	18	3	4	6	7	9	12	28
TOTAL 0-19 YRS	514	5.7	28	1	2	5	7	9	11	22
20-34	3544	5.9	18	2	3	5	7	9	11	24
35-49	156	6.5	15	3	4	6	7	9	11	29
50-64	3	5.0	3	4	4	4	6	7	7	7
GRAND TOTAL	**4217**	**5.9**	**19**	**2**	**3**	**5**	**7**	**9**	**11**	**24**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	4.7	5	3	3	5	5	6	7	10
20-34	1971	4.6	2	3	3	4	5	6	7	9
35-49	62	4.8	3	3	3	5	5	7	8	11
50-64										
B. *Operated*										
0-19 YRS	69	4.9	1	3	4	5	5	6	7	9
20-34	536	5.1	4	3	4	5	6	7	8	15
35-49	29	5.6	7	3	4	5	7	8	11	16
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.0	4	2	3	5	6	7	8	13
20-34	665	4.9	2	3	3	5	6	6	8	10
35-49	20	5.0	2	3	3	5	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	121	5.5	7	3	3	5	6	8	10	17
20-34	1167	5.5	7	3	4	5	6	8	9	17
35-49	80	5.7	5	3	4	5	7	8	10	14
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2303	4.6	2	3	3	4	5	6	7	9
B. *Operated*	634	5.1	4	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	783	4.9	3	3	3	5	6	7	8	11
B. *Operated*	1369	5.5	7	3	4	5	6	8	9	16
1. SINGLE DX	2937	4.7	3	3	3	5	5	6	7	10
2. MULTIPLE DX	2152	5.3	6	3	4	5	6	7	8	14
A. NOT OPERATED	3086	4.7	2	3	3	5	5	6	7	10
B. OPERATED	2003	5.4	6	3	4	5	6	7	8	16
TOTAL 0-19 YRS	557	5.0	5	3	3	5	5	7	8	12
20-34	4339	4.9	4	3	3	5	5	7	8	11
35-49	191	5.3	4	3	3	5	6	8	10	14
50-64	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	**5089**	**4.9**	**4**	**3**	**3**	**5**	**5**	**7**	**8**	**12**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.6	4	3	3	4	5	6	7	14
20-34	779	4.4	3	2	3	4	5	6	7	10
35-49	34	3.9	3	1	1	4	5	6	7	8
50-64	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	424	4.4	3	2	3	4	5	6	7	10
20-34	5022	4.4	4	3	3	4	5	6	7	10
35-49	239	4.5	2	3	3	4	5	6	7	20
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	2	3	3	4	5	7	7	7
20-34	224	4.9	4	2	3	5	6	7	9	13
35-49	16	5.6	7	3	3	5	7	8	12	14
50-64										
B. *Operated*										
0-19 YRS	230	5.4	11	3	3	5	6	8	9	20
20-34	3172	5.3	9	3	3	5	6	7	9	16
35-49	272	5.9	12	3	4	5	6	8	10	27
50-64	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	4.4	3	2	3	4	5	6	7	10
B. *Operated*	5687	4.4	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	261	4.9	4	2	3	5	6	7	9	14
B. *Operated*	3676	5.3	9	3	3	5	6	7	9	16
1. SINGLE DX	6582	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	3937	5.3	9	3	3	5	6	7	9	16
A. NOT OPERATED	1156	4.5	4	2	3	4	5	6	7	11
B. OPERATED	9363	4.8	6	3	3	4	5	6	8	13
TOTAL 0-19 YRS	754	4.7	5	2	3	4	5	7	8	15
20-34	9197	4.7	6	3	3	4	5	6	7	12
35-49	561	5.2	8	3	3	5	6	7	8	24
50-64	7	3.7	2	1	1	4	5	5	5	5
GRAND TOTAL	**10519**	**4.8**	**6**	**3**	**3**	**4**	**5**	**6**	**8**	**13**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.5	3	2	2	4	6	7	8	8
20-34	116	4.7	2	2	3	5	6	6	7	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	194	4.9	5	3	3	5	5	6	8	17
20-34	1164	4.8	5	3	3	4	5	6	7	10
35-49	47	4.7	2	3	3	5	5	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	31	4	4	6	12	17	22	22
20-34	42	5.1	2	3	4	5	6	7	8	10
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	141	5.6	11	3	4	5	6	8	9	18
20-34	1038	5.5	16	3	4	5	6	8	9	19
35-49	48	5.8	7	4	4	5	6	9	12	17
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.7	2	2	3	5	6	6	7	8
B. *Operated*	1405	4.8	5	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	56	5.7	9	3	4	5	6	8	12	21
B. *Operated*	1227	5.6	15	3	4	5	6	8	9	18
1. SINGLE DX	1550	4.8	5	3	3	5	5	6	7	10
2. MULTIPLE DX	1283	5.6	14	3	4	5	6	8	9	18
A. NOT OPERATED	201	5.0	4	2	3	5	6	6	8	13
B. OPERATED	2632	5.1	10	3	4	5	6	7	8	16
TOTAL 0-19 YRS	374	5.3	8	3	3	5	6	7	9	20
20-34	2360	5.1	10	3	3	5	6	7	8	14
35-49	99	5.2	4	3	4	5	6	7	9	15
50-64										
GRAND TOTAL	**2833**	**5.1**	**9**	**3**	**3**	**5**	**6**	**7**	**8**	**15**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	2	<1	1	5	5	6	6	6
20-34	63	4.8	3	2	3	5	6	8	8	9
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	38	6.1	100	2	3	4	6	6	11	65
20-34	268	4.8	4	3	3	5	5	7	7	10
35-49	7	4.3	6	1	1	4	5	8	9	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	2	3	3	3	5	6	6	6
20-34	28	5.4	10	3	3	5	6	7	9	20
35-49	5	8.2	28	4	4	6	11	17	17	17
50-64										
B. *Operated*										
0-19 YRS	39	5.9	15	3	3	5	7	9	11	25
20-34	276	6.0	17	3	4	5	6	9	12	18
35-49	19	6.6	21	3	4	5	6	13	19	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.7	3	2	3	5	5	7	8	9
B. *Operated*	313	5.0	15	3	3	5	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	38	5.6	12	3	3	5	6	7	14	20
B. *Operated*	334	6.0	17	3	4	5	6	9	12	22
1. SINGLE DX	389	4.9	13	3	3	5	5	7	8	11
2. MULTIPLE DX	372	6.0	17	3	3	5	6	9	12	22
A. NOT OPERATED	114	5.0	6	2	3	5	6	7	8	18
B. OPERATED	647	5.5	16	3	3	5	6	8	10	18
TOTAL 0-19 YRS	92	5.7	48	3	3	5	6	8	10	48
20-34	635	5.3	10	3	3	5	6	8	9	18
35-49	34	6.2	18	3	3	5	6	10	17	22
50-64										
GRAND TOTAL	**761**	**5.4**	**15**	**3**	**3**	**5**	**6**	**8**	**10**	**18**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	4.9	14	1	2	4	5	8	10	20
20-34	3086	5.0	16	1	2	5	6	7	9	20
35-49	130	5.2	15	1	2	5	5	8	10	26
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	841	5.7	12	2	3	5	6	9	12	19
20-34	4921	5.3	10	2	3	5	6	8	10	19
35-49	181	6.3	39	2	3	5	7	9	11	
50-64	6	4.8	5	<1	<1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	5.5	12	1	2	5	6	9	12	20
20-34	1850	5.3	15	2	3	5	6	8	10	20
35-49	86	6.6	31	2	3	5	7	11	22	31
50-64	2	9.5	25	6	6	9	13	13	13	13
B. *Operated*										
0-19 YRS	894	7.1	32	3	4	6	8	11	17	29
20-34	7412	7.1	31	3	4	6	8	11	16	32
35-49	533	8.6	46	3	4	7	9	15	22	36
50-64	5	5.8	11	1	1	6	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3729	5.0	15	1	2	4	6	7	9	21
B. *Operated*	5949	5.4	11	2	3	5	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2274	5.4	16	2	3	5	6	8	10	21
B. *Operated*	8844	7.2	32	3	4	6	8	11	16	32
1. SINGLE DX	9678	5.3	13	2	3	5	6	8	10	20
2. MULTIPLE DX	11118	6.8	29	3	3	5	7	11	15	31
A. NOT OPERATED	6003	5.1	15	1	2	5	6	7	10	21
B. OPERATED	14793	6.5	24	3	3	5	7	10	14	28
TOTAL 0-19 YRS	2583	6.0	20	2	3	5	7	10	13	25
20-34	17269	6.0	21	2	3	5	7	9	12	26
35-49	930	7.5	41	3	3	6	8	13	18	35
50-64	14	5.6	11	<1	<1	6	7	10	12	13
GRAND TOTAL	**20796**	**6.1**	**22**	**2**	**3**	**5**	**7**	**9**	**13**	**27**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	6	2	2	5	6	9	9	11
20-34	107	4.7	7	2	2	4	6	8	10	16
35-49	3	7.0	16	3	3	7	10	11	11	11
50-64										
B. *Operated*										
0-19 YRS	8	7.8	53	2	3	5	8	20	25	25
20-34	23	6.0	7	2	3	6	8	9	10	11
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	4	1	2	4	6	7	8	8
20-34	54	5.7	11	2	3	5	7	10	12	19
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	10	9.0	33	1	2	8	14	17	19	19
20-34	30	7.3	17	1	2	7	9	13	16	18
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.8	7	2	2	4	6	8	10	14
B. *Operated*	31	6.4	18	2	3	6	8	10	11	25
2. MULTIPLE DX										
A. *Not Operated*	76	5.3	10	2	2	5	6	8	11	18
B. *Operated*	40	7.7	21	1	2	7	10	15	17	19
1. SINGLE DX	171	5.1	9	2	2	5	6	9	10	17
2. MULTIPLE DX	116	6.1	15	2	2	5	8	11	15	19
A. NOT OPERATED	216	5.0	8	2	2	5	6	8	10	17
B. OPERATED	71	7.2	20	1	2	7	9	13	16	24
TOTAL 0-19 YRS	65	5.7	17	1	2	5	7	9	14	24
20-34	214	5.5	10	2	2	5	7	9	11	18
35-49	8	5.3	8	3	3	4	6	10	11	11
50-64										
GRAND TOTAL	**287**	**5.5**	**11**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	6	<1	1	2	3	4	8	13
20-34	153	2.2	2	<1	1	2	3	4	5	8
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	63	2.0	2	<1	1	2	3	4	5	6
20-34	504	2.1	4	<1	1	2	2	4	5	12
35-49	19	2.1	2	<1	1	2	3	4	5	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	36	3.1	3	1	1	3	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	30	3.3	6	1	1	3	4	7	10	10
20-34	217	3.0	7	1	1	2	4	7	9	12
35-49	13	4.1	11	1	1	3	5	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	586	2.1	4	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	42	3.1	3	1	1	3	4	5	6	7
B. *Operated*	261	3.1	7	1	1	2	4	7	9	11
1. SINGLE DX	770	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX	303	3.1	6	1	1	2	4	7	9	11
A. NOT OPERATED	226	2.4	3	1	1	2	3	4	5	8
B. OPERATED	847	2.4	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	121	2.5	4	1	1	2	3	5	6	11
20-34	910	2.4	5	<1	1	2	3	4	6	11
35-49	41	2.8	5	1	1	2	3	5	9	11
50-64	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1073**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.1	12	2	3	5	7	9	14	16
20-34	98	5.0	29	1	2	4	6	8	11	35
35-49	4	9.8	80	4	4	6	15	23	23	23
50-64										
B. *Operated*										
0-19 YRS	16	5.5	14	<1	1	4	8	10	13	14
20-34	104	4.1	10	<1	1	4	5	8	10	16
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.5	32	2	2	5	6	16	20	20
20-34	55	5.7	36	1	1	4	7	12	14	40
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64										
B. *Operated*										
0-19 YRS	6	5.8	15	3	3	4	7	12	13	13
20-34	65	5.2	15	1	1	4	6	9	14	19
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.3	29	1	2	4	6	9	12	32
B. *Operated*	122	4.3	11	<1	1	4	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	65	5.9	35	1	2	4	7	12	15	38
B. *Operated*	74	5.2	15	1	1	4	6	9	14	19
1. SINGLE DX	239	4.8	20	1	1	4	6	9	11	19
2. MULTIPLE DX	139	5.5	24	1	1	4	7	11	15	22
A. NOT OPERATED	182	5.5	31	1	2	4	6	10	13	35
B. OPERATED	196	4.7	12	1	1	4	6	9	12	18
TOTAL 0-19 YRS	45	5.9	16	1	2	5	7	10	14	20
20-34	322	4.9	22	1	1	4	6	9	12	19
35-49	11	7.4	36	2	3	5	7	18	23	23
50-64										
GRAND TOTAL	**378**	**5.1**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	5.0	11	2	2	4	6	9	12	17
20-34	272	4.7	9	1	2	4	6	8	10	17
35-49	190	5.5	11	2	2	5	7	10	12	20
50-64	157	7.3	23	2	3	6	10	13	18	22
65+	103	9.0	72	2	3	7	11	17	22	78
B. *Operated*										
0-19 YRS	225	5.8	34	1	1	4	7	12	14	39
20-34	146	5.2	16	1	1	4	6	11	14	19
35-49	85	6.2	21	1	1	5	8	13	16	21
50-64	57	11.0	155	<1	1	7	15	23	37	65
65+	34	13.9	154	3	4	10	15	31	42	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	6.4	24	2	2	5	8	11	16	30
20-34	262	6.0	24	2	2	5	7	10	13	32
35-49	214	7.4	34	2	2	6	10	14	19	29
50-64	287	10.6	71	3	4	8	14	20	25	46
65+	386	13.3	160	3	4	10	17	29	45	99+
B. *Operated*										
0-19 YRS	162	7.8	43	1	2	6	9	14	19	34
20-34	137	7.4	54	1	2	5	9	15	22	41
35-49	97	15.4	191	1	2	11	21	36	48	58
50-64	116	18.3	261	2	4	12	26	39	58	84
65+	114	16.5	186	3	4	12	21	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	5.7	20	2	2	5	7	11	13	22
B. *Operated*	547	6.8	53	1	1	5	8	13	18	42
2. MULTIPLE DX										
A. *Not Operated*	1458	9.1	80	2	3	7	11	19	27	81
B. *Operated*	626	12.4	156	1	2	8	15	28	39	68
1. SINGLE DX	1649	6.1	31	1	2	5	7	11	15	29
2. MULTIPLE DX	2084	10.1	105	2	3	7	12	22	30	71
A. NOT OPERATED	2560	7.7	57	2	2	5	9	15	21	46
B. OPERATED	1173	9.8	116	1	2	6	12	22	33	58
TOTAL 0-19 YRS	1076	6.0	25	1	2	5	7	11	15	29
20-34	817	5.6	23	1	2	4	7	11	13	27
35-49	586	7.9	62	2	2	6	10	15	22	47
50-64	617	11.2	115	2	3	8	13	23	33	65
65+	637	13.2	154	3	4	10	17	29	44	99+
GRAND TOTAL	**3733**	**8.3**	**76**	**2**	**2**	**6**	**10**	**17**	**24**	**54**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	6.9	21	2	2	6	9	12	15	21
20-34	68	4.5	12	1	2	3	5	9	12	17
35-49	38	6.6	42	1	2	4	7	15	22	31
50-64	38	6.3	16	1	2	5	8	12	15	16
65+	27	9.5	53	3	3	7	11	17	25	36
B. *Operated*										
0-19 YRS	120	3.8	16	<1	<1	3	5	8	11	21
20-34	84	4.1	13	<1	<1	3	5	9	11	19
35-49	44	6.2	53	1	1	4	7	14	18	43
50-64	35	4.7	15	<1	1	3	7	10	14	15
65+	23	8.7	58	1	2	6	12	18	25	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	8.6	41	2	3	7	10	15	21	36
20-34	92	5.9	16	2	2	5	8	11	15	21
35-49	66	7.1	51	1	2	5	8	13	21	43
50-64	82	10.2	98	2	3	7	13	20	25	54
65+	99	13.2	87	3	4	11	17	26	34	75
B. *Operated*										
0-19 YRS	87	8.7	122	1	1	6	10	20	29	89
20-34	56	5.8	26	<1	1	4	8	13	17	23
35-49	52	10.6	145	2	2	6	15	22	36	57
50-64	44	11.2	135	1	2	7	16	28	41	99+
65+	48	13.5	212	2	3	9	15	33	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	6.7	23	2	2	6	8	12	16	23
B. *Operated*	306	4.7	25	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	739	8.9	55	2	3	7	10	17	23	42
B. *Operated*	287	9.7	129	1	2	6	12	21	35	77
1. SINGLE DX	813	5.9	25	1	1	5	8	12	15	23
2. MULTIPLE DX	1026	9.1	76	2	2	7	11	19	24	52
A. NOT OPERATED	1246	8.0	43	2	2	6	10	15	21	36
B. OPERATED	593	7.1	81	<1	1	4	9	16	22	58
TOTAL 0-19 YRS	943	7.4	41	1	2	6	9	13	19	36
20-34	300	5.1	17	<1	1	4	6	10	14	20
35-49	200	7.7	76	1	2	5	9	16	22	51
50-64	199	8.7	81	1	2	6	11	18	25	57
65+	197	12.2	111	2	3	9	16	24	36	67
GRAND TOTAL	**1839**	**7.7**	**56**	**1**	**2**	**6**	**9**	**15**	**21**	**42**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	7	1	1	4	5	8	10	11
20-34	26	5.1	21	<1	<1	4	6	9	18	21
35-49	5	3.4	6	1	1	2	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	634	5.3	14	2	2	4	6	9	12	21
20-34	1096	5.0	12	2	2	4	6	8	11	20
35-49	127	5.4	17	2	2	4	7	10	12	24
50-64	33	5.1	9	1	2	4	6	10	11	14
65+	8	7.4	68	2	2	4	7	22	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	12	<1	<1	4	7	10	10	10
20-34	10	3.3	8	<1	<1	3	4	7	10	10
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64	5	12.0	33	7	7	12	15	21	21	21
65+	3	10.3	146	1	1	6	19	24	24	24
B. *Operated*										
0-19 YRS	102	5.9	17	2	3	5	7	11	13	24
20-34	210	6.3	19	2	3	5	7	11	15	23
35-49	43	8.7	65	2	3	6	9	20	27	42
50-64	16	5.8	6	2	3	5	7	8	11	13
65+	10	9.8	66	3	3	8	12	23	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.5	13	<1	1	4	6	8	11	21
B. *Operated*	1898	5.2	13	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	38	5.4	28	<1	1	4	7	12	18	24
B. *Operated*	381	6.5	25	2	3	5	8	12	17	27
1. SINGLE DX	1956	5.1	13	2	2	4	6	9	11	21
2. MULTIPLE DX	419	6.4	25	2	2	5	8	12	17	27
A. NOT OPERATED	96	4.9	19	<1	1	4	6	10	13	23
B. OPERATED	2279	5.4	15	2	2	4	6	9	12	22
TOTAL 0-19 YRS	777	5.3	14	2	2	4	6	10	12	21
20-34	1342	5.2	14	2	2	4	6	9	11	21
35-49	181	6.0	30	2	2	5	7	10	15	34
50-64	54	5.9	14	2	2	5	7	11	13	21
65+	21	9.0	70	2	2	6	10	25	28	29
GRAND TOTAL	**2375**	**5.4**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	9	<1	<1	2	4	8	8	8
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	87	2.1	3	<1	<1	2	2	4	6	10
20-34	104	2.1	4	<1	<1	1	3	4	5	13
35-49	47	2.3	5	<1	<1	1	3	6	8	10
50-64	46	2.4	7	<1	<1	2	3	5	6	17
65+	20	3.8	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	6	3.0	8	1	1	2	4	8	8	8
50-64										
65+	2	13.5	41	9	9	13	18	18	18	18
B. *Operated*										
0-19 YRS	15	2.8	8	<1	<1	1	4	7	9	10
20-34	28	2.1	2	<1	<1	2	2	4	5	8
35-49	29	4.3	21	<1	<1	3	5	10	16	20
50-64	22	3.6	10	<1	<1	2	4	9	11	12
65+	17	5.0	17	<1	<1	4	8	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	5	<1	<1	2	3	6	8	8
B. *Operated*	304	2.3	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	12	4.9	24	1	1	3	6	12	17	18
B. *Operated*	111	3.5	12	<1	<1	2	4	8	11	18
1. SINGLE DX	315	2.3	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX	123	3.6	14	<1	<1	2	4	8	11	19
A. NOT OPERATED	23	3.8	15	<1	1	2	5	8	12	18
B. OPERATED	415	2.6	7	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	108	2.2	4	<1	<1	2	2	4	7	10
20-34	139	2.2	4	<1	<1	2	3	4	5	12
35-49	83	3.0	11	<1	<1	2	4	7	9	19
50-64	68	2.8	8	<1	<1	2	3	6	8	16
65+	40	4.7	15	<1	1	3	7	9	13	18
GRAND TOTAL	**438**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	797	6.4	35	1	1	5	8	14	18	28
20-34	304	7.4	42	1	1	5	10	17	21	28
35-49	163	9.3	90	1	2	7	12	19	26	54
50-64	172	11.0	135	2	2	8	14	21	27	73
65+	206	12.0	135	2	3	8	17	25	32	88
B. *Operated*										
0-19 YRS	619	3.9	34	<1	<1	2	4	8	13	30
20-34	610	4.1	39	<1	<1	2	4	8	12	35
35-49	331	5.5	47	<1	1	3	6	12	21	35
50-64	319	5.5	63	<1	1	3	6	11	21	44
65+	221	10.2	183	<1	1	5	12	26	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	8.3	55	1	2	6	11	17	23	38
20-34	222	8.7	103	1	2	6	10	18	25	51
35-49	223	12.4	150	1	2	9	16	29	41	74
50-64	380	15.2	177	3	4	11	20	31	46	69
65+	582	18.1	287	3	4	13	25	43	74	99+
B. *Operated*										
0-19 YRS	207	8.6	130	1	1	4	11	20	28	61
20-34	394	11.3	274	<1	1	5	13	37	68	99+
35-49	322	13.5	306	1	2	6	21	46	83	99+
50-64	382	12.4	273	1	2	5	16	39	57	99+
65+	413	21.0	443	2	3	14	32	61	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	8.0	69	1	2	6	10	17	23	38
B. *Operated*	2100	5.1	61	<1	<1	3	5	11	20	44
2. MULTIPLE DX										
A. *Not Operated*	1995	13.0	179	2	3	9	16	30	42	94
B. *Operated*	1718	14.0	320	1	2	6	20	45	67	99+
1. SINGLE DX	3742	6.4	67	<1	1	4	8	15	21	41
2. MULTIPLE DX	3713	13.4	244	1	2	8	17	36	53	99+
A. NOT OPERATED	3637	10.7	135	1	2	7	14	24	34	77
B. OPERATED	3818	9.1	197	<1	1	4	9	26	45	99+
TOTAL 0-19 YRS	2211	6.4	52	<1	1	4	8	15	19	35
20-34	1530	7.3	118	<1	1	4	8	18	27	88
35-49	1039	10.1	167	1	2	5	12	27	41	99+
50-64	1253	11.3	185	1	2	6	14	27	43	80
65+	1422	16.8	309	2	2	11	23	44	66	99+
GRAND TOTAL	**7455**	**9.9**	**167**	**<1**	**1**	**5**	**12**	**25**	**39**	**93**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	9.4	35	3	4	8	13	19	22	23
20-34	35	7.9	60	1	2	5	9	19	23	39
35-49	30	10.1	64	2	3	7	14	20	26	37
50-64	14	11.9	57	2	4	9	20	21	25	26
65+	7	11.1	32	2	4	12	17	76	99+	99+
B. *Operated*										
0-19 YRS	8	13.3	57	4	5	13	15	25	29	29
20-34	16	10.6	73	<1	<1	9	14	27	29	29
35-49	5	7.8	81	2	2	3	12	23	23	23
50-64	17	20.4	474	1	3	15	26	62	75	77
65+	13	6.2	39	<1	<1	3	9	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	15.1	394	3	4	9	17	53	96	99+
20-34	58	10.3	56	2	3	8	17	22	25	94
35-49	57	14.9	221	4	6	10	18	26	35	87
50-64	58	14.5	103	3	4	12	21	29	34	41
65+	47	18.7	319	3	3	13	23	42	59	89
B. *Operated*										
0-19 YRS	11	21.4	364	6	7	18	26	49	70	72
20-34	28	19.1	205	4	5	15	26	41	47	59
35-49	32	16.9	121	3	4	17	24	37	41	99+
50-64	36	20.4	269	3	5	14	32	53	64	99+
65+	33	22.6	244	5	6	21	29	55	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	9.6	54	2	2	7	13	20	24	66
B. *Operated*	59	12.6	200	<1	2	9	15	28	29	76
2. MULTIPLE DX										
A. *Not Operated*	241	14.5	191	3	3	11	19	28	38	94
B. *Operated*	140	20.0	221	4	5	17	27	42	61	99+
1. SINGLE DX	163	10.6	108	1	2	8	15	21	28	76
2. MULTIPLE DX	381	16.5	208	3	4	12	22	34	52	99+
A. NOT OPERATED	345	13.0	155	2	3	9	17	26	36	94
B. OPERATED	199	17.8	225	2	3	14	25	37	59	99+
TOTAL 0-19 YRS	58	14.3	237	3	4	10	17	29	56	99+
20-34	137	11.5	103	2	2	8	16	25	31	64
35-49	124	14.0	156	3	4	10	20	27	37	91
50-64	125	16.7	201	3	4	13	21	35	52	82
65+	100	17.9	263	2	3	14	24	43	64	99+
GRAND TOTAL	**544**	**14.7**	**185**	**2**	**3**	**11**	**20**	**30**	**42**	**99+**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	10.8	103	2	2	8	14	23	30	55
20-34	67	13.7	86	4	4	12	18	28	32	44
35-49	115	12.8	79	2	3	11	18	24	30	41
50-64	215	14.6	102	2	4	12	20	27	33	48
65+	188	13.9	101	3	4	12	18	25	30	49
B. *Operated*										
0-19 YRS	10	11.3	78	1	1	11	16	25	26	26
20-34	35	12.7	137	2	2	9	19	31	38	46
35-49	67	10.7	79	2	2	7	16	22	31	35
50-64	129	15.2	118	2	3	14	22	30	36	46
65+	89	15.7	146	2	3	16	22	28	43	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	13.9	170	2	4	9	15	35	37	69
20-34	56	16.3	273	3	4	12	17	30	61	88
35-49	129	16.2	141	2	4	14	20	28	42	57
50-64	296	17.5	178	3	5	15	23	35	48	80
65+	411	18.3	261	3	5	14	24	49	83	99+
B. *Operated*										
0-19 YRS	10	28.7	617	2	6	21	37	67	90	90
20-34	39	13.9	109	1	3	13	19	30	72	99+
35-49	90	17.4	240	2	3	15	25	36	49	95
50-64	229	21.6	309	3	5	17	31	53	75	99+
65+	182	23.4	271	3	5	21	35	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	13.5	97	2	3	12	18	26	32	47
B. *Operated*	330	14.1	121	2	2	13	21	28	35	52
2. MULTIPLE DX										
A. *Not Operated*	944	17.4	215	3	5	14	23	38	57	99+
B. *Operated*	550	21.1	283	3	4	18	31	49	71	99+
1. SINGLE DX	1010	13.7	105	2	3	12	19	26	33	49
2. MULTIPLE DX	1494	18.7	243	3	4	15	25	43	66	99+
A. NOT OPERATED	1624	15.8	169	2	4	12	21	32	45	99+
B. OPERATED	880	18.4	234	2	3	16	26	41	57	99+
TOTAL 0-19 YRS	167	12.9	166	2	2	9	16	28	37	68
20-34	197	14.3	152	2	3	11	18	30	39	94
35-49	401	14.6	140	2	3	12	20	30	37	62
50-64	869	17.5	192	3	4	15	24	36	50	99+
65+	870	18.1	226	3	4	15	24	42	66	99+
GRAND TOTAL	**2504**	**16.7**	**194**	**2**	**4**	**13**	**23**	**36**	**50**	**99+**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	8	2	2	5	7	9	9	9
20-34	15	8.7	72	1	1	5	10	25	26	26
35-49	34	6.4	37	2	2	4	7	13	16	34
50-64	96	8.8	44	1	2	7	12	17	21	32
65+	259	10.9	118	2	2	7	14	24	31	96
B. *Operated*										
0-19 YRS	15	4.5	16	1	2	3	4	11	15	16
20-34	113	5.9	25	2	2	4	6	12	17	28
35-49	181	8.3	42	2	2	6	12	18	22	29
50-64	457	13.0	86	2	3	12	17	23	28	47
65+	497	18.0	85	5	8	17	22	29	38	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	3	3	3	4	5	7	7	7
20-34	12	8.4	107	1	2	5	7	27	34	35
35-49	42	9.5	78	2	3	7	11	21	27	46
50-64	163	10.5	68	2	3	8	14	19	26	49
65+	875	14.6	180	2	4	11	19	34	53	99+
B. *Operated*										
0-19 YRS	6	13.0	578	1	1	4	5	56	62	62
20-34	56	9.1	153	2	2	4	10	21	29	67
35-49	127	12.4	133	2	3	9	17	28	34	71
50-64	519	16.1	131	3	4	15	21	30	37	59
65+	789	22.9	201	6	9	19	29	44	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	9.9	93	2	2	7	13	21	29	56
B. *Operated*	1263	13.6	91	2	3	13	18	24	30	46
2. MULTIPLE DX										
A. *Not Operated*	1097	13.7	161	2	3	10	17	31	48	99+
B. *Operated*	1497	19.1	188	3	4	17	24	37	48	98
1. SINGLE DX	1671	12.7	94	2	3	11	18	24	30	47
2. MULTIPLE DX	2594	16.8	184	3	4	14	22	35	48	99+
A. NOT OPERATED	1505	12.6	145	2	3	9	16	28	42	99+
B. OPERATED	2760	16.6	151	3	4	15	21	32	41	71
TOTAL 0-19 YRS	30	6.3	120	1	2	4	5	10	16	62
20-34	196	7.2	71	2	2	4	8	16	24	48
35-49	384	9.6	79	2	2	6	13	21	27	51
50-64	1235	13.7	105	2	3	12	18	25	32	56
65+	2420	17.6	177	3	5	15	23	36	48	99+
GRAND TOTAL	**4265**	**15.2**	**152**	**2**	**3**	**13**	**20**	**31**	**41**	**97**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	8.6	49	1	2	7	10	18	25	33
20-34	84	7.3	71	2	2	5	9	12	15	57
35-49	68	7.0	21	2	2	6	10	14	15	22
50-64	66	7.7	25	2	2	7	10	14	15	28
65+	119	10.3	89	2	2	7	13	23	27	80
B. *Operated*										
0-19 YRS	26	15.0	147	2	2	10	22	33	42	48
20-34	58	6.4	31	2	2	5	8	13	16	33
35-49	50	7.7	45	2	2	5	10	17	18	33
50-64	32	10.2	86	2	3	9	13	18	21	52
65+	22	10.6	52	2	3	10	15	20	57	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.8	51	2	3	8	13	21	25	34
20-34	66	8.4	54	2	3	6	10	15	28	39
35-49	64	10.7	82	2	2	8	14	22	31	44
50-64	111	10.8	106	2	3	8	13	22	32	54
65+	295	13.9	194	2	3	9	18	30	53	99+
B. *Operated*										
0-19 YRS	25	19.0	117	4	8	17	28	35	38	42
20-34	48	10.8	97	2	3	7	14	24	32	47
35-49	44	10.8	98	2	3	7	14	26	38	99+
50-64	65	17.0	185	3	5	12	30	48	99+	99+
65+	58	21.2	306	3	5	17	30	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	8.4	57	2	2	7	11	16	23	36
B. *Operated*	188	9.1	69	2	2	6	12	18	27	50
2. MULTIPLE DX										
A. *Not Operated*	601	11.9	138	2	3	8	15	26	35	93
B. *Operated*	240	15.9	189	3	3	12	24	37	58	99+
1. SINGLE DX	636	8.6	61	2	2	7	11	16	24	41
2. MULTIPLE DX	841	13.0	156	2	3	9	17	30	43	99+
A. NOT OPERATED	1049	10.4	107	2	3	8	13	22	30	73
B. OPERATED	428	12.9	148	2	3	9	17	32	46	99+
TOTAL 0-19 YRS	227	10.8	79	1	2	8	14	24	29	40
20-34	256	8.0	64	2	2	6	9	15	24	41
35-49	226	8.9	61	2	2	7	12	19	25	46
50-64	274	11.5	113	2	3	9	14	29	35	99+
65+	494	13.7	184	2	3	10	18	30	52	99+
GRAND TOTAL	**1477**	**11.1**	**120**	**2**	**3**	**8**	**14**	**25**	**34**	**99+**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	7	<1	<1	3	5	7	9	11
20-34	60	3.0	4	<1	<1	3	4	6	7	10
35-49	27	4.1	6	<1	1	4	6	7	8	11
50-64	22	4.2	5	1	2	4	5	7	8	10
65+	6	9.8	74	2	2	7	16	23	24	24
B. *Operated*										
0-19 YRS	757	4.3	5	2	2	4	5	7	8	11
20-34	1778	4.3	5	1	2	4	5	7	8	12
35-49	890	4.5	8	2	2	4	5	7	8	13
50-64	415	5.1	6	2	2	5	6	8	10	14
65+	55	5.3	7	2	2	5	6	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	3	5	6	6
20-34	27	3.0	4	1	1	2	4	6	7	8
35-49	17	3.2	3	1	1	3	4	5	6	6
50-64	15	4.1	11	<1	1	3	6	8	12	13
65+	9	4.1	14	1	1	2	7	10	10	10
B. *Operated*										
0-19 YRS	252	5.1	14	2	2	4	6	8	10	17
20-34	689	4.9	9	2	2	4	6	8	10	15
35-49	419	5.1	11	2	2	4	6	8	11	20
50-64	363	5.6	16	1	2	5	7	10	13	23
65+	76	8.0	20	2	3	7	10	15	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.8	9	<1	1	3	5	7	9	17
B. *Operated*	3895	4.4	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	81	3.2	6	1	1	3	4	6	8	12
B. *Operated*	1799	5.3	12	2	2	4	6	9	12	20
1. SINGLE DX	4035	4.4	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1880	5.2	12	1	2	4	6	9	11	19
A. NOT OPERATED	221	3.6	8	<1	1	3	5	7	8	14
B. OPERATED	5694	4.7	8	2	2	4	6	7	9	15
TOTAL 0-19 YRS	1047	4.5	7	1	2	4	5	7	8	13
20-34	2554	4.4	6	1	2	4	5	7	8	13
35-49	1353	4.7	9	1	2	4	6	7	9	14
50-64	815	5.3	11	2	2	5	6	9	11	18
65+	146	6.8	19	2	2	6	9	13	15	22
GRAND TOTAL	**5915**	**4.7**	**8**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.2	15	1	2	4	7	9	12	21
20-34	114	4.5	20	1	1	3	5	10	12	27
35-49	48	5.1	19	1	1	4	7	12	13	22
50-64	49	7.1	69	1	1	5	8	15	19	51
65+	45	7.5	40	<1	1	5	9	19	20	28
B. *Operated*										
0-19 YRS	746	4.7	9	2	2	4	6	8	10	16
20-34	1058	4.5	9	2	2	4	5	7	9	16
35-49	230	5.3	23	2	2	4	6	10	14	27
50-64	128	5.5	27	2	2	4	6	12	17	30
65+	39	8.8	128	1	1	5	11	20	30	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.4	18	1	1	4	7	10	14	22
20-34	91	6.9	186	1	1	4	6	10	17	93
35-49	45	7.1	48	1	1	5	10	13	14	43
50-64	75	9.1	72	2	2	6	11	19	29	44
65+	114	12.0	162	2	3	8	14	27	42	99+
B. *Operated*										
0-19 YRS	221	6.9	77	2	2	5	7	11	17	48
20-34	313	5.7	47	1	2	4	7	9	12	44
35-49	136	5.6	19	1	2	4	7	12	15	21
50-64	101	7.6	41	2	2	5	10	18	22	27
65+	73	18.2	290	3	3	11	25	43	56	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	5.4	25	1	1	4	7	11	15	24
B. *Operated*	2201	4.8	14	2	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	450	8.2	106	1	2	5	10	16	25	78
B. *Operated*	844	7.3	82	2	2	5	8	14	22	50
1. SINGLE DX	2681	4.9	16	1	2	4	6	8	11	22
2. MULTIPLE DX	1294	7.6	90	1	2	5	8	15	23	55
A. NOT OPERATED	930	6.8	66	1	1	5	8	13	20	44
B. OPERATED	3045	5.5	34	2	2	4	6	9	13	30
TOTAL 0-19 YRS	1316	5.2	23	1	2	4	6	9	12	22
20-34	1576	4.9	28	1	2	4	6	8	10	23
35-49	459	5.6	24	1	2	4	6	12	14	25
50-64	353	7.1	48	2	2	4	9	16	21	31
65+	271	12.5	185	1	2	8	15	29	43	77
GRAND TOTAL	**3975**	**5.8**	**42**	**1**	**2**	**4**	**6**	**10**	**15**	**35**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	16	9.5	31	2	3	8	13	18	21	22
35-49	12	9.8	43	2	3	8	16	19	19	19
50-64	11	11.6	66	3	3	9	16	25	26	26
65+	5	11.2	22	7	7	11	13	19	19	19
B. *Operated*										
0-19 YRS										
20-34	7	8.0	34	2	2	8	10	17	19	19
35-49	2	18.0	2	17	17	18	19	19	19	19
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	65	5	5	5	16	19	19	19
20-34	13	11.0	37	3	4	9	14	20	23	24
35-49	12	8.8	20	3	4	8	11	16	17	17
50-64	20	18.5	351	1	3	12	26	33	60	85
65+	12	18.2	108	2	5	18	25	32	35	35
B. *Operated*										
0-19 YRS										
20-34	6	11.3	46	4	4	10	14	22	23	23
35-49	9	18.2	116	2	4	18	22	34	40	40
50-64	9	20.2	214	3	5	15	31	44	46	46
65+	4	26.5	124	10	10	31	33	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	10.4	39	3	3	10	15	19	23	26
B. *Operated*	12	12.3	53	2	3	12	18	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	60	14.4	165	2	4	11	19	30	33	80
B. *Operated*	28	18.6	142	3	5	15	26	38	41	46
1. SINGLE DX	58	10.8	42	2	3	10	16	19	24	26
2. MULTIPLE DX	88	15.7	160	3	4	12	22	32	36	70
A. NOT OPERATED	106	12.7	113	3	3	11	16	24	31	57
B. OPERATED	40	16.7	122	2	3	15	22	33	40	46
TOTAL 0-19 YRS	5	11.2	40	5	5	11	17	19	19	19
20-34	42	10.0	34	2	3	9	13	19	22	24
35-49	35	12.1	66	2	3	11	17	21	23	40
50-64	42	16.9	232	2	3	12	24	33	42	85
65+	22	18.4	105	4	7	16	27	33	34	35
GRAND TOTAL	**146**	**13.8**	**118**	**3**	**3**	**11**	**18**	**27**	**33**	**48**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	8	2.5	2	<1	<1	2	4	5	5	5
35-49	45	7.9	49	2	2	5	10	17	20	37
50-64	102	7.8	38	1	2	6	11	16	21	29
65+	155	8.9	50	2	3	7	12	17	21	37
B. *Operated*										
0-19 YRS										
20-34	13	8.3	36	1	2	9	11	16	22	23
35-49	70	9.7	61	1	1	8	15	20	26	30
50-64	115	10.1	60	1	2	10	14	21	25	37
65+	31	9.1	111	1	1	4	12	20	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	145	12	12	20	29	29	29	29
20-34	11	11.4	62	3	3	8	17	24	25	25
35-49	49	7.5	27	2	2	7	10	15	16	22
50-64	203	10.9	64	2	3	9	15	23	29	36
65+	571	13.4	148	3	4	10	17	27	37	73
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	8.8	33	3	3	7	14	17	17	17
35-49	60	11.1	65	2	3	10	15	20	24	47
50-64	158	13.4	137	1	2	11	17	29	36	60
65+	81	19.5	210	2	4	17	26	44	46	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	8.2	45	2	2	6	11	17	21	35
B. *Operated*	229	9.8	65	1	2	9	13	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	836	12.4	122	2	3	10	16	25	33	72
B. *Operated*	308	14.5	148	1	2	12	19	30	38	68
1. SINGLE DX	542	8.9	54	1	2	7	12	18	22	34
2. MULTIPLE DX	1144	13.0	129	2	3	10	17	26	35	72
A. NOT OPERATED	1149	11.3	104	2	3	9	14	22	29	64
B. OPERATED	537	12.4	118	1	2	10	16	26	33	58
TOTAL 0-19 YRS	6	10.2	108	1	1	8	12	27	29	29
20-34	40	8.1	43	1	2	6	11	18	23	25
35-49	224	9.3	54	1	2	8	13	19	22	32
50-64	578	10.9	82	1	2	9	14	23	29	38
65+	838	13.0	142	2	3	10	16	26	37	72
GRAND TOTAL	**[illegible]86**	**11.7**	**109**	**2**	**3**	**9**	**15**	**23**	**30**	**62**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	8.3	42	1	1	7	13	18	19	21
20-34	448	8.4	47	1	2	7	11	16	20	24
35-49	639	9.2	36	2	3	8	12	17	22	28
50-64	459	10.8	58	2	3	9	14	21	25	35
65+	150	11.7	69	3	3	10	14	22	28	40
B. *Operated*										
0-19 YRS	65	10.1	67	1	1	8	13	21	28	35
20-34	1143	9.8	61	1	1	9	13	18	24	35
35-49	1522	10.2	56	1	2	9	14	19	23	36
50-64	784	10.6	65	1	1	10	14	21	25	39
65+	105	11.4	73	1	1	10	17	22	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	11.6	32	4	5	11	14	19	24	25
20-34	144	10.1	56	2	3	8	13	19	26	36
35-49	313	11.2	71	2	4	9	14	21	30	47
50-64	387	12.1	59	2	5	11	16	21	27	37
65+	291	14.2	135	3	4	11	19	27	39	68
B. *Operated*										
0-19 YRS	18	12.7	64	2	3	11	15	27	30	30
20-34	303	13.9	85	2	4	12	17	27	33	45
35-49	683	14.6	105	2	5	12	19	29	33	62
50-64	543	16.0	146	2	4	13	20	31	39	57
65+	167	20.2	227	3	6	16	26	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1734	9.6	49	2	3	8	12	18	22	32
B. *Operated*	3619	10.2	60	1	1	9	14	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	1156	12.1	82	2	4	10	16	23	29	48
B. *Operated*	1714	15.5	129	2	4	13	19	30	37	57
1. SINGLE DX	5353	10.0	56	1	2	9	13	19	24	35
2. MULTIPLE DX	2870	14.1	113	2	4	12	18	27	35	56
A. NOT OPERATED	2890	10.6	64	2	3	9	14	20	25	39
B. OPERATED	5333	11.9	88	1	2	10	15	23	30	45
TOTAL 0-19 YRS	142	10.2	55	1	2	9	14	20	25	33
20-34	2038	10.1	64	1	2	9	13	19	25	38
35-49	3157	11.0	68	1	2	10	14	21	27	39
50-64	2173	12.3	87	1	2	11	16	23	29	45
65+	713	14.7	143	2	4	12	19	29	37	67
GRAND TOTAL	**8223**	**11.4**	**80**	**1**	**2**	**10**	**15**	**22**	**28**	**43**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	9	2	2	6	8	10	11	11
20-34	85	8.0	43	1	2	6	9	15	24	32
35-49	142	8.6	29	2	3	8	12	15	18	29
50-64	95	9.3	39	1	3	7	14	18	22	26
65+	28	7.5	25	2	2	6	12	15	16	17
B. *Operated*										
0-19 YRS	5	11.2	48	3	3	9	16	21	21	21
20-34	88	9.1	56	1	2	8	12	19	24	37
35-49	262	9.2	47	1	2	8	12	16	23	36
50-64	148	8.7	37	1	2	8	11	15	20	29
65+	18	11.3	176	1	2	9	11	35	46	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.8	97	3	3	7	14	28	28	28
20-34	34	9.9	90	<1	1	6	13	24	28	40
35-49	89	9.7	38	1	2	9	13	20	22	23
50-64	96	11.0	76	2	3	8	14	21	25	48
65+	95	11.0	53	3	4	9	16	20	26	36
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	13.2	110	4	5	10	17	25	38	48
35-49	122	11.1	74	1	2	9	15	23	28	38
50-64	168	11.5	117	1	2	10	14	21	32	61
65+	31	20.8	266	3	5	18	33	50	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	8.5	34	2	3	7	11	16	20	30
B. *Operated*	521	9.1	50	1	2	8	12	16	23	38
2. MULTIPLE DX										
A. *Not Operated*	319	10.5	60	2	3	9	14	21	25	37
B. *Operated*	341	12.3	121	1	2	10	16	26	34	79
1. SINGLE DX	881	8.9	44	1	2	8	12	16	22	32
2. MULTIPLE DX	660	11.4	92	1	2	9	15	22	29	50
A. NOT OPERATED	679	9.4	47	2	3	8	12	19	23	33
B. OPERATED	862	10.4	80	1	2	9	13	20	27	44
TOTAL 0-19 YRS	21	8.2	41	2	2	7	9	17	24	28
20-34	226	9.1	62	1	2	7	11	21	25	41
35-49	615	9.5	47	1	2	9	12	18	23	33
50-64	507	10.2	72	1	2	9	13	19	25	39
65+	172	12.2	115	2	3	9	17	26	36	96
GRAND TOTAL	**1541**	**10.0**	**66**	**1**	**2**	**8**	**13**	**19**	**25**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	42	2	3	5	9	22	23	23
20-34	38	6.6	26	1	2	6	8	12	19	25
35-49	43	7.4	74	1	1	5	9	15	23	47
50-64	25	5.9	12	1	2	5	9	10	11	13
65+	12	8.2	56	1	2	6	9	17	28	30
B. *Operated*										
0-19 YRS	5	5.4	11	1	1	5	8	10	10	10
20-34	45	10.7	54	1	2	10	15	22	25	28
35-49	44	12.1	54	1	2	12	18	21	24	29
50-64	19	11.7	266	1	2	8	14	20	51	74
65+	4	6.5	107	1	1	2	12	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.1	16	<1	1	4	7	11	15	15
20-34	24	6.3	23	1	1	5	9	12	16	21
35-49	48	9.1	48	2	3	8	11	17	20	42
50-64	36	10.4	54	2	3	9	14	21	26	31
65+	29	10.3	37	2	3	10	15	20	21	22
B. *Operated*										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	17	13.0	68	2	5	11	17	26	31	33
35-49	32	14.7	167	2	3	12	17	29	34	67
50-64	14	15.4	97	3	3	13	25	29	31	32
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.0	42	1	2	5	9	13	21	33
B. *Operated*	117	11.0	88	1	2	10	16	21	24	44
2. MULTIPLE DX										
A. *Not Operated*	148	8.9	43	1	2	7	11	18	21	31
B. *Operated*	66	14.4	120	2	3	12	18	28	32	62
1. SINGLE DX	250	8.9	67	1	2	7	12	19	23	30
2. MULTIPLE DX	214	10.6	73	2	3	9	14	21	27	38
A. NOT OPERATED	281	8.0	44	1	2	6	10	16	21	31
B. OPERATED	183	12.2	101	1	2	11	17	25	28	56
TOTAL 0-19 YRS	33	6.5	29	1	2	5	8	15	21	23
20-34	124	8.9	47	1	2	7	12	18	24	29
35-49	167	10.5	85	1	2	9	14	20	27	46
50-64	94	10.2	98	2	2	8	13	21	27	55
65+	46	9.8	52	1	2	8	14	21	23	30
GRAND TOTAL	**464**	**9.7**	**71**	**1**	**2**	**8**	**13**	**20**	**25**	**35**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	26	<1	<1	4	8	14	15	15
20-34	48	6.7	20	2	2	6	8	13	17	21
35-49	47	8.3	30	2	3	8	10	16	18	28
50-64	69	9.0	49	1	2	7	13	18	22	35
65+	35	9.1	58	2	3	7	10	16	30	36
B. *Operated*										
0-19 YRS	6	7.5	49	2	2	5	9	20	21	21
20-34	18	5.6	22	1	1	5	8	11	16	19
35-49	24	4.4	14	1	1	3	7	9	12	15
50-64	16	6.4	25	1	1	5	11	12	15	16
65+	2	11.0	200	1	1	11	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	25	5	5	14	15	16	16	16
20-34	31	7.4	22	1	2	8	11	15	15	16
35-49	62	11.3	52	1	2	10	18	21	25	31
50-64	70	11.7	85	2	3	9	16	25	33	39
65+	79	13.3	90	3	4	10	17	25	34	48
B. *Operated*										
0-19 YRS										
20-34	19	11.5	96	1	2	7	17	26	33	37
35-49	21	10.9	81	1	1	9	13	25	30	34
50-64	22	11.5	72	2	3	10	17	24	30	31
65+	11	15.7	55	4	7	14	22	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	8.2	39	2	2	7	10	16	21	34
B. *Operated*	66	5.7	25	1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	246	11.6	72	2	3	10	16	22	30	40
B. *Operated*	73	12.0	78	1	2	10	17	25	30	36
1. SINGLE DX	271	7.6	37	1	2	6	10	15	21	32
2. MULTIPLE DX	319	11.7	73	2	3	10	16	23	30	39
A. NOT OPERATED	451	10.1	60	2	2	8	13	20	25	37
B. OPERATED	139	9.0	62	1	1	7	12	21	26	34
TOTAL 0-19 YRS	16	8.1	37	1	2	5	14	16	19	21
20-34	116	7.5	36	1	2	7	10	15	19	31
35-49	154	9.2	48	1	2	8	12	19	24	32
50-64	177	10.1	66	1	2	8	15	21	29	37
65+	127	12.3	82	3	4	10	16	24	32	45
GRAND TOTAL	**590**	**9.8**	**60**	**1**	**2**	**8**	**13**	**20**	**25**	**37**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.6	15	1	1	3	6	11	13	17
20-34	409	6.0	24	1	1	5	8	12	15	24
35-49	421	6.9	25	1	2	6	9	13	16	29
50-64	251	7.9	43	2	2	6	10	16	20	34
65+	111	8.7	41	1	2	7	12	17	19	32
B. *Operated*										
0-19 YRS	36	6.1	24	1	1	5	8	12	14	26
20-34	248	6.3	32	1	1	5	8	14	19	22
35-49	294	7.5	49	1	1	5	10	16	19	42
50-64	215	9.0	75	1	2	7	12	19	24	33
65+	57	12.5	148	1	2	9	17	30	37	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.9	12	<1	1	3	5	9	12	17
20-34	265	6.7	38	1	1	5	9	16	20	28
35-49	322	8.5	54	1	2	7	11	17	23	52
50-64	319	9.8	89	2	2	7	13	19	26	55
65+	266	12.0	122	2	3	9	15	26	34	99+
B. *Operated*										
0-19 YRS	19	10.9	38	3	4	10	14	21	23	24
20-34	145	8.8	87	1	1	6	12	17	22	59
35-49	248	12.1	125	2	2	9	16	24	35	59
50-64	247	13.2	90	2	2	12	18	27	32	63
65+	110	19.4	275	1	3	15	24	43	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1298	6.7	30	1	2	5	9	14	17	29
B. *Operated*	850	7.8	58	1	2	6	10	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	1246	8.9	76	1	2	7	12	19	25	56
B. *Operated*	769	12.8	135	1	2	10	17	27	37	67
1. SINGLE DX	2148	7.2	41	1	2	5	9	15	18	33
2. MULTIPLE DX	2015	10.4	102	1	2	8	14	22	30	63
A. NOT OPERATED	2544	7.8	54	1	2	6	10	16	21	36
B. OPERATED	1619	10.2	101	1	2	8	14	22	30	59
TOTAL 0-19 YRS	235	5.1	20	1	1	4	7	11	14	21
20-34	1067	6.6	39	1	1	5	9	14	19	29
35-49	1285	8.4	60	1	2	6	11	17	23	45
50-64	1032	10.0	79	2	2	8	13	20	27	44
65+	544	12.9	151	2	3	9	17	28	37	99+
GRAND TOTAL	**4163**	**8.7**	**73**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.9	45	1	2	4	7	11	13	41
20-34	82	4.3	12	1	1	3	5	8	13	18
35-49	91	4.6	14	<1	1	4	6	9	15	66
50-64	78	5.4	18	<1	1	4	8	12	13	22
65+	44	6.0	28	1	1	5	7	13	17	26
B. *Operated*										
0-19 YRS	191	3.2	8	<1	1	3	4	5	7	13
20-34	308	3.5	8	<1	1	3	4	6	8	16
35-49	414	3.5	16	<1	1	3	4	6	8	19
50-64	429	3.4	8	<1	1	3	4	6	8	15
65+	130	4.1	13	<1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.8	9	1	2	4	6	10	11	13
20-34	55	6.3	17	1	2	5	8	12	14	22
35-49	66	6.6	26	2	2	5	9	15	16	26
50-64	122	8.3	59	2	2	6	10	18	27	36
65+	110	11.2	78	2	3	9	16	24	26	44
B. *Operated*										
0-19 YRS	52	5.1	31	1	2	3	5	10	21	27
20-34	143	5.1	57	1	1	3	6	8	13	57
35-49	189	5.4	29	1	1	3	7	12	17	28
50-64	276	5.9	64	<1	1	3	7	11	18	42
65+	125	7.5	77	1	2	4	9	16	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	5.2	26	1	1	4	6	11	14	26
B. *Operated*	1472	3.5	11	<1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	395	8.2	52	2	2	6	10	18	24	33
B. *Operated*	785	5.8	55	1	1	3	7	11	18	40
1. SINGLE DX	1905	3.9	15	<1	1	3	4	7	10	18
2. MULTIPLE DX	1180	6.6	55	1	2	4	8	15	21	40
A. NOT OPERATED	828	6.6	40	1	2	5	8	14	19	32
B. OPERATED	2257	4.3	27	<1	1	3	5	8	11	29
TOTAL 0-19 YRS	423	4.5	24	1	1	3	5	8	11	26
20-34	588	4.3	22	1	1	3	5	8	11	21
35-49	760	4.4	21	<1	1	3	5	8	14	27
50-64	905	5.0	36	<1	1	3	6	10	14	32
65+	409	7.3	59	1	2	4	9	17	24	36
GRAND TOTAL	**3085**	**4.9**	**32**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	44	1	1	5	12	14	14	14
20-34	9	5.1	7	<1	1	5	6	9	10	10
35-49	5	2.8	7	<1	<1	1	5	7	7	7
50-64	15	3.6	4	<1	<1	3	5	6	8	8
65+	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	153	4.2	5	1	2	4	5	7	7	14
20-34	280	4.8	7	2	2	4	6	8	9	17
35-49	342	4.9	6	2	2	4	6	8	10	13
50-64	502	5.0	7	2	2	5	6	9	10	13
65+	220	4.8	9	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	8	3.3	3	<1	<1	4	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	22	4.9	44	<1	1	4	5	7	18	33
65+	15	8.9	229	1	1	5	7	20	51	61
B. *Operated*										
0-19 YRS	107	5.0	13	1	2	4	6	8	11	24
20-34	220	5.4	7	2	3	5	7	9	10	15
35-49	332	6.2	43	2	3	5	7	9	12	48
50-64	709	5.9	15	2	3	5	7	9	11	23
65+	411	7.4	66	2	2	6	9	12	17	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.1	8	<1	<1	4	5	8	9	14
B. *Operated*	1497	4.8	7	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	51	5.4	89	1	1	4	5	7	19	61
B. *Operated*	1779	6.2	31	2	3	5	7	10	12	27
1. SINGLE DX	1534	4.8	7	2	2	4	6	8	10	13
2. MULTIPLE DX	1830	6.1	33	2	2	5	7	10	12	28
A. NOT OPERATED	88	4.9	55	<1	1	4	5	7	10	50
B. OPERATED	3276	5.6	21	2	2	5	7	9	11	21
TOTAL 0-19 YRS	266	4.5	9	1	2	4	5	7	8	17
20-34	517	5.0	7	2	2	5	6	8	9	15
35-49	682	5.5	25	2	2	5	6	9	11	22
50-64	1248	5.5	12	2	2	5	7	9	10	18
65+	651	6.5	51	1	2	5	8	11	15	40
GRAND TOTAL	**3364**	**5.5**	**22**	**2**	**2**	**5**	**7**	**9**	**11**	**21**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	9	3.0	21	<1	<1	1	2	10	15	15
35-49	6	1.8	1	<1	<1	2	2	3	3	3
50-64	5	3.0	8	<1	<1	1	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	318	2.2	4	<1	<1	2	2	4	5	11
20-34	363	1.8	2	<1	<1	1	2	3	4	7
35-49	185	2.7	49	<1	<1	2	2	4	6	11
50-64	158	3.1	12	<1	<1	2	4	6	7	17
65+	50	3.8	10	<1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	8	7.3	70	1	1	5	7	21	27	27
65+	6	5.5	7	3	3	5	7	10	10	10
B. *Operated*										
0-19 YRS	37	2.6	3	<1	<1	2	4	5	6	7
20-34	96	2.5	7	<1	<1	2	3	5	7	16
35-49	72	3.2	6	<1	<1	2	4	7	8	13
50-64	87	4.0	13	<1	<1	3	5	8	11	20
65+	44	5.1	31	<1	1	3	5	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.5	8	<1	<1	2	3	5	8	15
B. *Operated*	1074	2.4	13	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	25	<1	<1	1	5	8	10	27
B. *Operated*	336	3.4	12	<1	<1	2	4	7	9	22
1. SINGLE DX	1102	2.4	12	<1	<1	2	3	4	6	11
2. MULTIPLE DX	367	3.4	13	<1	<1	2	4	7	9	22
A. NOT OPERATED	59	3.1	17	<1	<1	2	3	7	9	26
B. OPERATED	1410	2.6	13	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	368	2.2	4	<1	<1	2	3	4	5	11
20-34	475	2.0	3	<1	<1	1	2	3	5	9
35-49	268	2.8	35	<1	<1	2	3	5	7	11
50-64	258	3.6	15	<1	<1	2	5	7	9	23
65+	100	4.5	19	<1	1	3	5	9	13	25
GRAND TOTAL	**1469**	**2.6**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	12.1	94	2	3	9	15	24	31	52
20-34	25	10.1	131	<1	1	6	12	24	41	44
35-49	16	9.1	50	2	2	7	15	19	23	25
50-64	17	10.4	39	4	5	9	12	20	26	28
65+	13	12.5	72	1	3	11	22	33	85	99+
B. *Operated*										
0-19 YRS	80	18.0	171	3	4	15	25	36	47	57
20-34	67	14.5	193	2	2	10	23	35	38	73
35-49	48	15.5	245	1	2	10	26	44	73	99+
50-64	32	14.2	220	1	2	8	18	45	47	57
65+	11	19.5	500	4	4	11	15	64	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	16.0	124	3	5	13	20	32	39	53
20-34	23	9.7	37	1	3	9	11	15	22	31
35-49	22	13.7	150	2	2	11	21	32	39	42
50-64	30	19.9	295	3	5	13	24	41	52	80
65+	32	18.9	184	4	4	17	30	36	59	99+
B. *Operated*										
0-19 YRS	66	22.7	260	4	5	21	30	43	54	79
20-34	70	19.3	215	2	3	16	30	44	50	91
35-49	46	19.4	245	1	3	19	30	56	99+	99+
50-64	60	22.7	203	4	6	21	34	49	75	99+
65+	35	22.9	318	5	6	20	46	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	11.3	87	2	3	9	15	24	29	57
B. *Operated*	238	16.1	212	2	2	12	23	38	48	81
2. MULTIPLE DX										
A. *Not Operated*	152	16.1	168	2	4	12	22	35	41	79
B. *Operated*	277	21.3	240	3	4	19	31	50	63	99+
1. SINGLE DX	395	14.2	168	2	3	10	20	33	44	76
2. MULTIPLE DX	429	19.5	221	2	4	16	29	44	58	99+
A. NOT OPERATED	309	13.7	132	2	3	10	17	30	37	70
B. OPERATED	515	18.9	234	2	3	15	28	44	58	99+
TOTAL 0-19 YRS	277	17.0	175	3	4	13	23	36	44	59
20-34	185	15.1	185	2	2	11	23	36	44	71
35-49	132	15.8	213	1	2	12	25	41	63	99+
50-64	139	18.6	223	3	4	15	27	42	54	99+
65+	91	19.6	260	4	4	15	29	62	99+	99+
GRAND TOTAL	**824**	**16.9**	**202**	**2**	**3**	**13**	**25**	**40**	**51**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	9.9	136	1	2	7	14	19	28	78
20-34	76	4.4	17	1	1	3	6	9	13	21
35-49	74	5.4	26	1	1	4	6	10	17	27
50-64	60	9.4	103	2	2	7	13	19	23	61
65+	100	12.8	172	2	3	10	15	27	39	74
B. *Operated*										
0-19 YRS	569	6.4	67	1	2	4	7	13	18	51
20-34	580	5.6	27	2	2	4	6	10	15	34
35-49	204	7.6	67	2	2	5	9	16	20	34
50-64	166	10.3	112	1	2	6	13	23	37	62
65+	68	14.1	147	2	2	11	18	27	38	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.0	171	1	1	6	11	30	42	97
20-34	58	6.0	40	1	1	4	7	12	16	33
35-49	75	6.9	49	1	1	5	9	15	22	34
50-64	173	11.1	152	1	2	8	14	23	32	88
65+	608	19.0	276	3	5	14	26	44	66	99+
B. *Operated*										
0-19 YRS	178	9.9	175	1	2	6	10	25	36	72
20-34	274	8.8	98	2	2	5	10	22	29	80
35-49	142	11.9	211	2	3	7	14	29	42	74
50-64	194	16.8	265	2	3	12	21	40	58	99+
65+	226	23.7	402	3	5	18	31	66	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	8.9	113	1	2	5	12	18	26	59
B. *Operated*	1587	7.0	65	1	2	4	8	15	20	44
2. MULTIPLE DX										
A. *Not Operated*	974	15.3	239	2	3	10	20	36	57	99+
B. *Operated*	1014	14.3	260	2	2	8	18	35	55	99+
1. SINGLE DX	2088	7.4	77	1	2	5	9	16	22	44
2. MULTIPLE DX	1988	14.8	250	2	3	9	20	36	56	99+
A. NOT OPERATED	1475	13.1	205	1	2	9	17	31	45	99+
B. OPERATED	2601	9.8	153	2	2	5	11	23	35	78
TOTAL 0-19 YRS	998	7 9	108	1	2	4	9	17	26	63
20-34	988	6.4	49	1	2	4	7	13	20	35
35-49	495	8.4	105	1	2	5	10	17	25	63
50-64	593	12.6	181	2	2	8	17	28	43	94
65+	1002	19.1	295	3	4	14	26	45	68	99+
GRAND TOTAL	**4076**	**11.0**	**175**	**1**	**2**	**6**	**14**	**26**	**39**	**88**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	6	3.3	11	1	1	2	3	9	10	10
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	132	5.3	25	1	1	4	6	10	13	28
20-34	82	3.7	8	<1	1	2	6	8	9	13
35-49	50	5.0	31	<1	1	3	6	11	15	35
50-64	28	5.5	32	1	1	4	7	10	23	24
65+	20	7.3	57	1	2	4	9	17	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.0	111	<1	1	5	8	18	36	42
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	6	6.3	27	<1	<1	4	10	14	15	15
50-64	8	9.8	61	2	2	7	15	22	24	24
65+	4	26.8	203	14	14	24	38	45	45	45
B. *Operated*										
0-19 YRS	121	7.3	47	2	2	5	9	15	20	36
20-34	69	6.5	24	1	2	5	9	14	15	24
35-49	39	6.4	19	2	2	5	9	13	16	18
50-64	52	10.0	91	2	3	6	13	24	29	48
65+	24	12.2	156	2	3	10	15	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	11	<1	<1	2	4	10	11	11
B. *Operated*	312	5.0	25	1	1	4	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	36	9.9	117	<1	2	5	14	23	39	45
B. *Operated*	305	7.8	56	2	2	5	10	16	22	50
1. SINGLE DX	328	4.9	24	1	1	3	6	10	13	26
2. MULTIPLE DX	341	8.1	63	2	2	5	10	17	24	48
A. NOT OPERATED	52	7.9	92	<1	1	5	10	17	30	45
B. OPERATED	617	6.4	42	1	2	4	8	13	18	37
TOTAL 0-19 YRS	272	6.3	40	1	2	4	8	12	17	39
20-34	160	4.9	16	1	1	4	7	11	13	18
35-49	97	5.6	26	<1	1	4	8	12	15	27
50-64	90	8.4	72	1	2	6	9	23	25	42
65+	50	11.0	137	2	2	6	15	31	45	99+
GRAND TOTAL	**669**	**6.5**	**46**	**1**	**2**	**4**	**8**	**14**	**18**	**42**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.0	28	1	1	3	6	14	17	17
35-49	4	5.5	6	3	3	5	7	9	9	9
50-64	6	10.0	143	2	2	5	12	31	33	33
65+	8	5.1	21	1	1	3	8	12	14	14
B. *Operated*										
0-19 YRS										
20-34	5	5.0	27	1	1	3	6	14	14	14
35-49	4	12.3	128	2	2	10	21	27	27	27
50-64	6	5.3	3	3	3	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	6.6	49	2	2	4	6	19	22	22
35-49	8	6.9	41	2	2	5	8	17	21	21
50-64	18	9.4	86	2	2	6	13	21	33	39
65+	20	12.3	316	1	2	7	12	23	54	83
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	19.5	28	12	12	21	23	24	24	24
50-64	12	12.3	60	1	2	11	19	23	25	25
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	47	1	1	4	8	14	19	33
B. *Operated*	15	7.1	47	1	2	5	8	15	24	27
2. MULTIPLE DX										
A. *Not Operated*	54	9.6	158	2	2	6	10	21	25	81
B. *Operated*	20	13.0	74	1	2	11	21	24	25	26
1. SINGLE DX	42	6.4	46	1	1	4	8	14	21	33
2. MULTIPLE DX	74	10.5	136	1	2	7	13	22	25	72
A. NOT OPERATED	81	8.4	122	1	2	5	9	18	24	69
B. OPERATED	35	10.4	70	1	2	8	17	24	26	27
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	22	5.3	30	1	1	4	5	15	19	22
35-49	20	10.2	69	2	2	7	17	23	25	27
50-64	42	9.7	74	2	2	7	12	23	28	39
65+	29	10.8	239	1	1	7	11	23	29	83
GRAND TOTAL	**116**	**9.0**	**107**	**1**	**2**	**5**	**11**	**22**	**25**	**54**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.9	13	1	1	3	5	9	14	17
20-34	158	3.9	13	1	1	3	5	8	10	19
35-49	135	4.9	13	1	1	4	6	10	13	18
50-64	127	5.2	19	1	1	4	7	11	13	21
65+	98	9.1	115	1	2	6	11	17	32	60
B. *Operated*										
0-19 YRS	369	7.4	105	1	1	3	8	19	26	45
20-34	479	4.1	19	<1	1	3	4	9	11	24
35-49	324	4.8	50	1	1	3	5	11	14	43
50-64	432	4.1	20	1	1	3	4	9	12	24
65+	226	3.9	12	1	2	3	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	5.7	28	1	1	4	8	12	16	27
20-34	153	5.2	51	1	1	3	7	10	14	62
35-49	156	7.4	62	1	2	5	9	15	25	35
50-64	200	8.3	52	1	2	6	12	18	23	34
65+	276	9.7	54	2	3	8	12	21	25	42
B. *Operated*										
0-19 YRS	262	6.8	98	1	1	3	7	18	29	84
20-34	412	5.1	46	<1	1	3	5	10	16	41
35-49	260	7.0	107	1	2	4	7	14	22	65
50-64	309	7.1	61	1	2	4	9	17	21	42
65+	193	10.7	211	2	2	5	12	30	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	5.1	32	1	1	3	6	11	14	29
B. *Operated*	1830	4.8	43	1	1	3	5	10	15	34
2. MULTIPLE DX										
A. *Not Operated*	908	7.7	54	1	2	5	10	17	23	37
B. *Operated*	1436	6.9	95	1	2	3	7	16	24	55
1. SINGLE DX	2497	4.9	40	1	1	3	5	11	15	33
2. MULTIPLE DX	2344	7.2	79	1	2	4	9	16	23	51
A. NOT OPERATED	1575	6.6	46	1	1	4	9	14	20	34
B. OPERATED	3266	5.8	67	1	1	3	6	13	19	44
TOTAL 0-19 YRS	903	6.4	79	1	1	3	7	15	23	44
20-34	1202	4.5	32	<1	1	3	5	9	12	34
35-49	875	5.9	65	1	1	3	7	12	17	51
50-64	1068	5.9	41	1	2	3	7	14	19	32
65+	793	8.2	96	1	2	5	10	19	27	68
GRAND TOTAL	**4841**	**6.0**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**42**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	7.3	102	1	1	2	15	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	8	<1	<1	4	6	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	7.6	52	1	1	7	11	19	19	19
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	4	4.3	8	<1	<1	4	6	7	7	7
2. MULTIPLE DX	6	7.0	44	1	1	5	9	18	19	19
A. NOT OPERATED	9	6.1	32	<1	<1	6	8	15	19	19
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.7	6	4	4	7	8	9	9	9
50-64	3	7.3	102	1	1	2	15	19	19	19
65+	2	4.0	18	<1	<1	3	7	7	7	7
GRAND TOTAL	**10**	**5.9**	**29**	**<1**	**<1**	**5**	**7**	**14**	**19**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.8	78	1	1	5	9	20	31	38
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	2	16.0	8	14	14	16	18	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	17	9.2	24	3	4	8	12	15	20	22
20-34	5	25.0	185	11	11	23	33	46	46	46
35-49	2	14.0	18	11	11	14	17	17	17	17
50-64	1	31.0		31	31	31	31	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	9.9	163	2	2	5	11	22	42	92
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	28.0		28	28	28	28	28	28	28
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	61	18.4	271	4	5	12	24	50	67	96
20-34	11	19.5	411	1	2	17	27	48	70	72
35-49	5	26.6	422	14	14	17	32	63	63	63
50-64	2	16.5	5	15	15	18	79	99+	99+	99+
65+	2	16.0	18	13	13	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.8	73	1	1	5	9	19	29	38
B. *Operated*	25	13.6	101	4	5	11	16	29	35	46
2. MULTIPLE DX										
A. *Not Operated*	93	9.9	159	2	3	5	11	24	42	91
B. *Operated*	81	19.0	281	3	5	14	24	52	69	99+
1. SINGLE DX	57	10.4	93	1	1	8	13	23	31	45
2. MULTIPLE DX	174	14.1	235	2	3	9	18	38	61	99+
A. NOT OPERATED	125	9.3	137	2	2	5	10	22	39	84
B. OPERATED	106	17.7	242	4	5	13	22	44	66	99+
TOTAL 0-19 YRS	193	12.2	190	2	3	8	14	34	47	90
20-34	21	17.1	307	<1	1	14	24	38	58	72
35-49	10	22.1	229	11	12	17	22	45	63	63
50-64	5	14.2	132	3	3	16	31	93	99+	99+
65+	2	16.0	18	13	13	16	19	19	19	19
GRAND TOTAL	**231**	**13.2**	**202**	**2**	**3**	**9**	**17**	**34**	**51**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.2	1	<1	<1	<1	1	2	2	6
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	558	2.8	8	1	1	2	3	4	6	16
20-34	116	3.2	5	<1	1	3	4	5	6	12
35-49	51	3.8	5	1	1	3	5	7	9	9
50-64	22	3.5	2	1	1	4	4	6	6	6
65+	17	5.6	6	1	3	6	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.7	19	<1	<1	2	5	8	12	23
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	121	3.8	19	<1	1	2	5	7	9	24
20-34	43	4.2	11	<1	1	3	6	9	11	15
35-49	18	4.3	5	1	2	4	5	7	9	10
50-64	21	4.6	7	2	2	4	5	9	11	12
65+	21	9.3	43	3	4	7	13	15	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	1.3	1	<1	<1	<1	1	2	3	7
B. *Operated*	764	3.0	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	43	3.6	18	<1	<1	2	4	8	12	23
B. *Operated*	224	4.5	19	1	1	3	6	9	12	21
1. SINGLE DX	868	2.8	7	<1	1	2	3	5	6	14
2. MULTIPLE DX	267	4.4	19	<1	1	3	6	8	12	22
A. NOT OPERATED	147	2.0	7	<1	<1	1	2	4	8	13
B. OPERATED	988	3.3	10	1	1	2	4	6	8	16
TOTAL 0-19 YRS	816	2.8	10	<1	<1	2	3	5	7	17
20-34	165	3.4	6	<1	1	3	4	6	8	15
35-49	71	3.9	5	1	1	3	5	7	9	10
50-64	45	4.0	5	1	2	4	5	6	8	12
65+	38	7.7	29	2	3	6	8	14	16	32
GRAND TOTAL	**1135**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.7	15	1	1	4	7	10	14	15
20-34	10	4.6	22	1	1	3	8	12	13	13
35-49	4	6.8	7	4	4	9	32	99+	99+	99+
50-64	7	4.6	26	1	1	2	8	13	14	14
65+	5	10.0	151	1	1	6	15	31	31	31
B. *Operated*										
0-19 YRS	258	5.4	26	2	2	3	9	12	14	26
20-34	67	6.8	37	1	2	5	10	12	13	39
35-49	29	5.9	21	1	1	4	10	13	17	99+
50-64	22	7.8	56	1	2	4	11	20	24	29
65+	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	7.9	84	1	1	5	11	19	24	99+
20-34	30	5.9	30	1	1	4	10	13	14	24
35-49	16	5.9	43	<1	1	4	8	15	21	24
50-64	17	9.6	69	1	1	7	14	23	28	30
65+	15	7.3	29	1	2	6	7	17	20	21
B. *Operated*										
0-19 YRS	215	9.0	122	2	2	3	12	20	30	57
20-34	63	9.0	53	1	2	8	12	20	22	36
35-49	34	9.8	64	1	1	10	15	20	24	33
50-64	34	14.8	151	1	2	12	23	31	39	44
65+	16	13.2	192	1	1	9	21	27	45	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	5.2	26	1	1	4	8	13	14	88
B. *Operated*	379	5.8	29	2	2	3	9	13	14	29
2. MULTIPLE DX										
A. *Not Operated*	213	7.5	68	1	1	5	11	18	24	76
B. *Operated*	362	9.8	112	2	2	5	13	23	30	53
1. SINGLE DX	445	5.7	29	1	2	3	9	13	14	31
2. MULTIPLE DX	575	9.0	97	1	2	5	12	21	28	58
A. NOT OPERATED	279	7.0	59	1	1	5	10	15	22	88
B. OPERATED	741	7.8	74	2	2	3	11	17	25	45
TOTAL 0-19 YRS	648	7.1	72	1	2	3	10	15	22	54
20-34	170	7.3	42	1	1	5	11	14	20	35
35-49	83	7.5	45	1	1	5	12	17	24	99+
50-64	80	10.9	107	1	1	7	16	27	31	43
65+	39	9.8	113	1	1	6	11	26	29	53
GRAND TOTAL	**1020**	**7.6**	**70**	**1**	**2**	**4**	**11**	**16**	**24**	**52**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	171	1	1	4	12	32	32	32
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	204	7.1	12	2	3	7	9	12	14	18
20-34	13	6.2	8	2	3	6	7	9	13	14
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.7	36	<1	1	5	8	18	18	18
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	111	11.3	78	3	4	9	14	20	27	51
20-34	7	4.4	16	<1	<1	4	5	11	13	13
35-49	5	4.4	9	<1	<1	4	6	9	9	9
50-64										
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.8	171	1	1	4	12	32	32	32
B. *Operated*	222	7.0	12	2	3	7	8	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	16	6.7	34	<1	1	5	8	18	18	18
B. *Operated*	124	10.6	75	2	3	9	13	19	26	47
1. SINGLE DX	227	7.1	15	2	3	7	8	12	14	18
2. MULTIPLE DX	140	10.2	71	2	3	8	13	19	25	42
A. NOT OPERATED	21	7.2	60	<1	1	5	8	18	24	32
B. OPERATED	346	8.3	37	2	3	7	10	15	18	30
TOTAL 0-19 YRS	335	8.5	41	2	3	7	10	15	18	33
20-34	20	5.6	11	1	2	5	7	10	13	14
35-49	9	5.7	12	<1	1	5	8	11	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**367**	**8.3**	**39**	**2**	**3**	**7**	**10**	**15**	**18**	**32**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.5	53	1	1	4	7	19	21	29
B. *Operated*										
0-19 YRS	185	7.1	18	3	4	6	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	28	3	3	4	11	15	17	17
B. *Operated*										
0-19 YRS	72	9.6	31	4	5	8	12	17	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.5	53	1	1	4	7	19	21	29
B. *Operated*	185	7.1	18	3	4	6	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	28	3	3	4	11	15	17	17
B. *Operated*	72	9.6	31	4	5	8	12	17	21	28
1. SINGLE DX	212	7.1	22	2	3	6	8	12	17	28
2. MULTIPLE DX	80	9.4	31	3	4	8	12	17	20	28
A. NOT OPERATED	35	6.6	47	1	1	4	8	18	20	29
B. OPERATED	257	7.8	23	3	4	7	9	14	17	28
TOTAL 0-19 YRS	292	7.7	26	3	3	6	9	14	18	28
GRAND TOTAL	**292**	**7.7**	**26**	**3**	**3**	**6**	**9**	**14**	**18**	**28**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	9	<1	<1	1	3	8	9	15
20-34	7	4.3	13	2	2	2	7	10	10	10
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	6	5.3	5	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	118	4.8	37	<1	<1	3	6	10	14	36
20-34	46	4.3	9	<1	<1	4	5	9	10	15
35-49	11	9.4	112	1	1	7	10	26	36	37
50-64	14	11.6	92	3	4	8	14	28	34	36
65+	8	9.9	24	2	3	10	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	9.0	117	1	2	5	10	22	33	56
20-34	4	9.3	17	4	4	9	12	14	14	14
35-49	6	4.5	3	2	2	5	6	6	6	6
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	10	10.8	46	3	3	10	16	20	21	21
B. *Operated*										
0-19 YRS	120	9.7	124	2	2	7	11	30	81	99+
20-34	44	8.3	72	<1	1	7	10	19	32	99+
35-49	14	12.5	37	4	6	12	16	20	25	27
50-64	28	11.0	110	2	2	9	15	26	38	38
65+	14	13.1	180	<1	<1	11	15	23	48	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.1	10	<1	<1	2	4	8	9	14
B. *Operated*	197	5.6	42	<1	<1	4	7	11	16	37
2. MULTIPLE DX										
A. *Not Operated*	105	8.8	99	2	2	5	10	21	26	53
B. *Operated*	220	10.0	109	1	2	8	13	26	47	99+
1. SINGLE DX	322	4.7	31	<1	<1	3	6	10	14	32
2. MULTIPLE DX	325	9.6	106	1	2	7	12	23	38	99+
A. NOT OPERATED	230	5.7	58	<1	1	3	7	11	21	46
B. OPERATED	417	7.9	82	<1	1	5	10	18	31	99+
TOTAL 0-19 YRS	428	6.5	78	<1	1	4	8	14	27	99+
20-34	101	6.2	41	<1	1	4	8	13	19	73
35-49	33	9.7	60	2	2	7	13	19	26	37
50-64	47	10.6	95	2	2	9	14	26	36	38
65+	38	10.6	87	1	2	9	14	19	21	55
GRAND TOTAL	**647**	**7.1**	**75**	**<1**	**1**	**4**	**9**	**16**	**26**	**99**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	4	<1	<1	1	4	5	6	7
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	588	4.3	8	2	2	4	5	8	9	12
20-34	39	4.3	3	2	3	4	5	7	8	8
35-49	8	4.6	7	2	2	4	7	9	9	9
50-64	3	4.3	2	3	3	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	15	<1	<1	1	2	6	13	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	392	4.4	8	2	2	4	5	8	10	17
20-34	63	5.0	10	2	3	4	7	8	9	21
35-49	16	4.9	5	2	3	4	6	8	10	11
50-64	6	10.8	71	4	4	7	17	24	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	638	4.3	7	2	2	4	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	24	2.5	15	<1	<1	1	2	5	12	18
B. *Operated*	479	4.6	9	2	2	4	5	8	10	18
1. SINGLE DX	660	4.3	7	2	2	4	5	8	9	11
2. MULTIPLE DX	503	4.5	9	2	2	4	5	8	10	18
A. NOT OPERATED	46	2.6	10	<1	<1	1	3	5	8	18
B. OPERATED	1117	4.5	8	2	2	4	5	8	9	16
TOTAL 0-19 YRS	1021	4.3	8	2	2	4	5	8	9	15
20-34	107	4.7	7	2	2	4	6	8	8	16
35-49	24	4.8	6	2	2	4	6	8	10	11
50-64	9	8.7	56	3	3	5	11	22	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**1163**	**4.4**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**16**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	7	<1	<1	2	3	7	9	10
20-34	12	3.8	8	1	1	3	6	8	9	9
35-49	8	4.8	6	2	2	4	7	8	8	8
50-64	8	3.0	4	1	1	2	4	6	7	7
65+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-19 YRS	275	6.6	31	<1	1	5	10	14	17	23
20-34	143	4.9	22	<1	1	3	7	11	16	21
35-49	43	8.1	40	1	2	7	10	19	22	25
50-64	24	6.8	29	1	1	6	10	15	17	20
65+	12	8.9	26	2	3	8	12	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.2	52	<1	<1	4	7	13	29	30
20-34	16	8.2	141	1	1	4	8	18	39	48
35-49	24	5.1	10	1	2	4	8	10	11	11
50-64	15	8.4	34	2	2	6	14	17	17	17
65+	10	11.2	124	2	2	7	16	28	39	39
B. *Operated*										
0-19 YRS	206	8.4	53	1	2	6	13	18	22	32
20-34	145	7.8	46	2	2	6	10	16	23	41
35-49	77	11.3	245	1	2	7	12	22	35	90
50-64	52	11.8	79	2	3	9	17	23	27	49
65+	28	10.3	73	1	2	8	15	23	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	8	<1	1	2	6	8	9	12
B. *Operated*	497	6.3	30	<1	1	5	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	95	7.1	61	1	1	5	9	16	18	44
B. *Operated*	509	9.1	85	1	2	7	12	19	26	53
1. SINGLE DX	549	6.0	28	<1	1	4	8	14	17	22
2. MULTIPLE DX	604	8.8	82	1	2	6	12	18	26	48
A. NOT OPERATED	147	5.9	45	<1	1	4	7	13	17	39
B. OPERATED	1006	7.7	60	1	1	6	11	16	21	38
TOTAL 0-19 YRS	533	7.1	41	<1	1	5	11	15	19	30
20-34	317	6.3	40	1	1	5	8	14	19	38
35-49	152	9.1	143	1	2	6	11	19	25	82
50-64	99	9.4	61	1	2	8	14	19	24	40
65+	52	10.2	67	2	2	9	14	18	37	98
GRAND TOTAL	**1153**	**7.5**	**58**	**1**	**1**	**5**	**10**	**16**	**20**	**39**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.6	56	<1	1	2	4	13	22	35
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	256	4.5	12	1	1	3	5	9	12	16
20-34	26	6.2	15	2	3	5	7	12	16	19
35-49	8	4.1	3	2	2	4	5	6	7	7
50-64	6	5.8	3	4	4	5	8	8	8	8
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.6	113	<1	<1	3	7	26	32	37
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.9	19	2	2	4	7	12	15	24
20-34	35	6.0	24	2	3	5	6	9	12	31
35-49	19	4.8	5	2	2	4	6	8	9	9
50-64	22	6.5	25	2	3	5	7	11	17	26
65+	9	7.6	32	3	3	4	12	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.6	54	<1	1	2	4	12	22	35
B. *Operated*	298	4.7	12	1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	105	<1	1	3	6	25	31	37
B. *Operated*	210	6.0	20	2	3	5	7	12	15	25
1. SINGLE DX	327	4.7	16	1	1	4	5	9	12	19
2. MULTIPLE DX	233	6.1	28	1	2	4	7	12	16	29
A. NOT OPERATED	52	5.7	76	<1	1	2	4	21	28	37
B. OPERATED	508	5.3	16	1	2	4	6	10	13	20
TOTAL 0-19 YRS	430	5.1	22	1	1	4	6	11	14	24
20-34	63	6.0	20	2	3	5	7	9	14	29
35-49	28	4.6	4	2	2	4	6	8	9	9
50-64	28	6.4	20	3	3	5	7	10	13	26
65+	11	7.9	26	3	3	6	11	16	17	17
GRAND TOTAL	**560**	**5.3**	**21**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	4.9	31	<1	1	3	7	11	13	34
20-34	43	6.0	42	<1	1	4	7	12	20	33
35-49	17	7.2	57	1	1	6	9	12	26	33
50-64	16	8.1	39	1	1	6	13	18	19	20
65+	10	7.2	44	3	3	4	9	18	24	24
B. *Operated*										
0-19 YRS	730	6.1	38	1	2	4	8	13	17	29
20-34	359	4.8	26	1	1	3	6	12	14	30
35-49	168	6.0	41	1	1	3	9	15	19	31
50-64	66	8.1	42	2	2	5	11	17	20	34
65+	14	7.4	41	2	2	4	14	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	8.0	105	1	1	5	10	17	26	60
20-34	39	7.9	61	1	1	5	11	22	29	99+
35-49	31	11.5	84	2	3	12	17	29	92	99+
50-64	32	10.3	176	1	2	6	12	25	33	69
65+	36	18.5	312	3	3	13	23	43	60	75
B. *Operated*										
0-19 YRS	325	10.1	153	2	2	6	12	23	34	64
20-34	209	8.4	95	1	2	5	10	20	29	61
35-49	90	11.9	192	1	2	7	15	25	37	76
50-64	77	13.2	232	1	2	10	17	28	43	99
65+	29	16.7	141	2	3	14	27	33	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.6	36	1	1	4	7	12	16	33
B. *Operated*	1337	5.8	36	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	320	9.8	137	1	1	6	12	22	38	82
B. *Operated*	730	10.4	152	1	2	6	13	24	34	70
1. SINGLE DX	1563	5.8	36	1	1	4	8	13	17	31
2. MULTIPLE DX	1050	10.2	148	1	2	6	13	24	35	74
A. NOT OPERATED	546	8.0	100	1	1	5	10	19	27	67
B. OPERATED	2067	7.5	82	1	2	4	10	16	23	51
TOTAL 0-19 YRS	1377	7.2	77	1	2	4	9	15	22	51
20-34	650	6.2	54	1	1	4	8	14	21	46
35-49	306	8.3	98	1	1	5	12	19	25	69
50-64	191	10.5	145	1	2	7	13	20	31	89
65+	89	14.9	202	2	3	10	21	33	44	70
GRAND TOTAL	**2613**	**7.6**	**86**	**1**	**1**	**4**	**10**	**17**	**24**	**53**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	482	4.9	36	1	1	3	5	8	16	33
B. *Operated*										
0-19 YRS	10	4.0	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	383	12.3	205	1	2	6	17	34	52	99+
B. *Operated*										
0-19 YRS	26	18.7	588	2	2	8	39	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	4.9	36	1	1	3	5	8	16	33
B. *Operated*	10	4.0	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	383	12.3	205	1	2	6	17	34	52	99+
B. *Operated*	26	18.7	588	2	2	8	39	85	99+	99+
1. SINGLE DX	492	4.9	35	1	1	3	5	8	16	32
2. MULTIPLE DX	409	12.7	230	1	2	6	18	37	54	99+
A. NOT OPERATED	865	8.2	124	1	2	4	8	23	34	65
B. OPERATED	36	14.6	466	2	2	6	21	67	96	99+
TOTAL 0-19 YRS	901	8.4	139	1	2	4	8	24	37	90
GRAND TOTAL	**901**	**8.4**	**139**	**1**	**2**	**4**	**8**	**24**	**37**	**90**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	929	3.8	14	1	1	3	5	7	9	20
20-34	127	3.6	12	1	1	3	4	8	9	19
35-49	68	3.3	5	1	1	3	4	6	9	10
50-64	59	6.2	32	<1	1	5	8	14	17	32
65+	52	5.4	22	1	1	4	7	13	16	20
B. *Operated*										
0-19 YRS	6	5.7	11	2	2	6	8	10	10	10
20-34	3	4.7	12	1	1	5	7	8	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	2	16.0	72	10	10	16	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1281	4.7	22	1	1	3	5	9	13	25
20-34	153	4.9	24	1	1	3	6	10	15	30
35-49	158	5.4	32	1	1	4	7	11	14	26
50-64	194	7.5	49	1	2	5	9	14	25	37
65+	174	9.5	69	1	2	8	11	20	30	85
B. *Operated*										
0-19 YRS	31	10.1	73	2	2	7	14	19	22	44
20-34	6	10.5	72	2	2	8	13	25	26	26
35-49	12	11.9	124	1	1	8	15	28	39	41
50-64	18	13.9	173	1	3	8	18	35	45	49
65+	13	20.4	269	1	1	19	32	42	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	3.9	15	1	1	3	5	8	10	20
B. *Operated*	17	6.6	27	1	1	7	9	11	18	22
2. MULTIPLE DX										
A. *Not Operated*	1960	5.5	32	1	1	4	6	11	16	31
B. *Operated*	80	12.9	141	1	2	8	18	31	40	51
1. SINGLE DX	1252	3.9	15	1	1	3	5	8	10	20
2. MULTIPLE DX	2040	5.8	39	1	1	4	7	12	18	40
A. NOT OPERATED	3195	4.9	26	1	1	3	6	10	14	28
B. OPERATED	97	11.8	126	1	2	8	16	27	40	51
TOTAL 0-19 YRS	2247	4.4	20	1	1	3	5	8	12	23
20-34	289	4.5	21	1	1	3	6	9	12	28
35-49	240	5.2	32	1	1	3	6	11	14	27
50-64	275	7.5	56	1	1	5	9	15	25	40
65+	241	9.3	79	1	2	7	11	20	31	55
GRAND TOTAL	**3292**	**5.1**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	768	3.4	12	1	1	3	4	6	8	15
20-34	49	4.3	12	1	1	3	6	9	12	16
35-49	24	4.5	9	1	1	4	6	9	11	14
50-64	24	7.4	27	2	3	6	9	15	19	23
65+	35	7.8	31	2	2	6	10	17	18	24
B. *Operated*										
0-19 YRS	6	8.2	49	3	3	6	7	21	22	22
20-34	5	20.2	404	2	2	18	30	53	53	53
35-49	3	12.3	209	3	3	5	23	29	29	29
50-64	1	28.0		28	28	28	28	28	28	28
65+	4	14.0	139	1	1	15	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	714	4.3	21	1	1	3	5	8	10	17
20-34	76	5.4	18	1	2	4	7	9	13	26
35-49	46	7.2	41	2	2	5	9	14	23	32
50-64	64	7.8	38	2	3	7	9	13	18	38
65+	126	9.9	54	3	3	8	12	18	23	42
B. *Operated*										
0-19 YRS	14	7.9	31	3	3	7	9	15	22	24
20-34	12	8.6	32	1	3	9	12	38	88	99+
35-49	8	19.0	345	8	8	14	17	50	64	64
50-64	12	18.0	604	1	2	8	21	50	84	90
65+	23	26.9	437	7	8	17	50	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.8	14	1	1	3	5	7	10	18
B. *Operated*	19	14.3	183	1	2	7	23	29	42	53
2. MULTIPLE DX										
A. *Not Operated*	1026	5.4	31	1	2	4	7	11	14	30
B. *Operated*	69	17.4	349	3	4	10	21	59	67	99+
1. SINGLE DX	919	4.0	20	1	1	3	5	7	10	22
2. MULTIPLE DX	1095	6.2	59	1	2	4	7	12	17	49
A. NOT OPERATED	1926	4.7	24	1	1	3	5	9	12	23
B. OPERATED	88	16.7	312	3	3	10	22	54	64	99+
TOTAL 0-19 YRS	1502	3.9	17	1	1	3	5	7	9	18
20-34	142	5.8	36	1	2	4	7	12	16	56
35-49	81	7.8	78	1	2	5	9	15	23	54
50-64	101	9.1	111	2	3	6	9	15	26	64
65+	188	11.7	129	2	3	9	13	23	37	66
GRAND TOTAL	**2014**	**5.2**	**42**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.3	11	1	1	3	6	8	13	15
20-34	167	3.6	8	1	1	3	4	7	9	14
35-49	85	5.1	18	1	1	4	7	10	14	20
50-64	48	6.1	47	1	1	4	8	11	18	39
65+	23	7.3	27	1	2	6	11	13	18	20
B. *Operated*										
0-19 YRS	5	6.2	15	4	4	5	7	13	13	13
20-34	24	4.6	12	1	1	4	6	11	13	14
35-49	19	6.1	16	1	2	5	9	12	15	15
50-64	11	4.5	4	2	2	4	6	7	7	7
65+	5	9.8	45	4	4	7	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.6	7	1	1	3	5	7	9	12
20-34	144	4.9	28	1	1	3	6	9	13	23
35-49	99	5.9	36	1	1	4	7	14	18	31
50-64	104	6.7	23	1	2	6	9	12	17	24
65+	76	9.7	153	2	2	6	12	17	25	82
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	13	8.2	66	1	2	4	12	24	25	25
35-49	26	7.2	36	1	1	5	11	15	19	24
50-64	18	11.9	473	2	3	6	10	13	64	98
65+	10	11.6	99	1	2	9	11	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	4.5	17	1	1	3	6	10	12	20
B. *Operated*	64	5.5	15	1	2	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	555	5.8	44	1	1	4	7	12	16	26
B. *Operated*	70	9.2	160	1	2	6	11	16	25	84
1. SINGLE DX	514	4.7	17	1	1	3	6	10	13	20
2. MULTIPLE DX	625	6.1	58	1	1	4	7	12	16	29
A. NOT OPERATED	1005	5.2	32	1	1	4	7	11	14	25
B. OPERATED	134	7.4	94	1	2	5	10	14	18	41
TOTAL 0-19 YRS	267	4.0	9	1	1	3	5	8	11	15
20-34	348	4.4	20	1	1	3	5	9	12	21
35-49	229	5.8	28	1	1	4	7	12	16	25
50-64	181	6.9	73	1	2	5	8	12	16	35
65+	114	9.4	118	1	2	7	11	17	25	60
GRAND TOTAL	**1139**	**5.5**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.2	4	<1	<1	1	3	5	6	10
20-34	70	3.2	5	<1	1	3	4	7	8	10
35-49	76	3.1	5	<1	1	3	4	6	6	13
50-64	119	3.6	6	1	1	3	5	6	7	12
65+	143	3.4	5	<1	1	3	5	6	7	13
B. *Operated*										
0-19 YRS	49	2.7	6	<1	<1	2	3	6	7	14
20-34	33	4.9	9	1	1	5	7	8	11	13
35-49	35	4.1	7	1	1	4	6	8	9	11
50-64	67	5.2	10	1	2	5	7	9	10	18
65+	68	5.3	14	1	2	5	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.1	19	1	1	3	5	9	15	20
20-34	43	3.0	4	<1	1	2	4	6	7	9
35-49	70	4.8	10	1	1	4	7	9	11	15
50-64	155	5.1	13	1	1	5	7	10	12	18
65+	293	6.4	67	1	2	4	7	12	16	59
B. *Operated*										
0-19 YRS	40	5.2	85	<1	1	3	6	8	12	59
20-34	27	5.5	10	2	2	5	7	10	12	13
35-49	45	6.5	13	2	3	6	8	12	15	18
50-64	103	5.7	15	1	2	5	8	10	12	21
65+	128	6.9	66	2	2	5	8	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	252	4.6	10	<1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	667	5.4	38	1	1	4	7	10	13	24
B. *Operated*	343	6.2	42	1	2	5	8	11	15	23
1. SINGLE DX	748	3.6	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	1010	5.6	39	1	1	4	7	11	14	24
A. NOT OPERATED	1163	4.4	25	1	1	3	6	9	11	20
B. OPERATED	595	5.5	29	1	1	4	7	10	13	20
TOTAL 0-19 YRS	283	3.4	22	<1	<1	2	4	7	10	20
20-34	173	3.8	7	1	1	3	5	8	9	13
35-49	226	4.5	10	1	1	4	6	8	10	16
50-64	444	4.9	12	1	1	4	6	9	11	18
65+	632	5.7	49	1	1	4	7	11	15	27
GRAND TOTAL	**1758**	**4.8**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.6	6	1	1	3	4	8	9	10
20-34	9	3.8	13	1	1	3	4	9	13	13
35-49	18	3.8	24	1	1	2	4	7	16	22
50-64	17	3.6	14	1	1	2	5	10	13	14
65+	16	3.8	7	<1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	82	2.9	10	<1	1	2	3	6	10	19
20-34	68	3.8	12	<1	<1	3	4	9	10	19
35-49	23	3.8	15	<1	<1	2	4	11	13	15
50-64	47	3.7	9	1	2	3	4	7	10	15
65+	12	7.1	103	<1	1	3	5	27	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.6	7	1	1	4	7	8	9	12
20-34	23	4.6	24	<1	1	3	7	12	16	20
35-49	25	5.4	23	<1	<1	4	8	11	15	21
50-64	31	5.5	28	1	1	4	6	11	17	26
65+	52	11.2	254	1	1	6	12	24	46	90
B. *Operated*										
0-19 YRS	18	7.7	106	<1	1	4	7	19	35	43
20-34	24	5.1	25	<1	<1	3	6	15	16	19
35-49	18	7.4	56	2	2	4	9	22	26	27
50-64	41	7.3	78	1	2	4	8	11	36	38
65+	36	11.6	167	2	2	4	17	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.7	11	1	1	3	5	8	10	18
B. *Operated*	232	3.6	16	<1	1	2	4	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	175	6.8	96	1	1	4	8	13	20	55
B. *Operated*	137	8.1	95	1	2	4	9	21	35	61
1. SINGLE DX	332	3.6	14	<1	1	2	4	7	10	22
2. MULTIPLE DX	312	7.4	96	1	1	4	9	16	26	57
A. NOT OPERATED	275	5.7	67	1	1	3	7	10	17	43
B. OPERATED	369	5.3	50	<1	1	3	5	12	19	42
TOTAL 0-19 YRS	184	3.9	19	<1	1	3	4	8	10	22
20-34	124	4.2	17	<1	<1	3	5	9	14	19
35-49	84	5.0	29	<1	1	3	6	11	17	26
50-64	136	5.2	36	1	1	3	6	10	14	37
65+	116	9.9	182	1	2	5	13	26	41	94
GRAND TOTAL	**644**	**5.5**	**57**	**<1**	**1**	**3**	**6**	**12**	**18**	**43**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	6	11.3	33	4	4	12	15	19	19	19
B. *Operated*										
0-19 YRS	6	10.8	80	2	2	10	17	23	24	24
20-34	10	12.5	135	1	2	7	20	31	34	34
35-49	5	16.4	44	6	6	18	20	24	24	24
50-64	21	16.3	271	1	2	12	23	40	58	59
65+	15	13.0	110	1	3	11	17	20	38	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	57	2	2	8	15	17	17	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	11.5	61	6	6	11	17	17	17	17
50-64	8	8.1	29	1	2	8	13	14	14	14
65+	44	18.1	334	1	2	12	25	40	67	78
B. *Operated*										
0-19 YRS	9	13.7	162	2	2	10	23	34	36	36
20-34	13	19.1	503	2	2	10	32	55	65	67
35-49	20	18.1	289	1	3	9	26	45	58	62
50-64	64	33.7	493	8	12	28	52	87	99+	99+
65+	188	31.3	445	6	9	29	50	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.3	32	1	2	6	13	17	19	19
B. *Operated*	57	14.2	161	1	2	12	20	28	40	59
2. MULTIPLE DX										
A. *Not Operated*	58	15.8	277	1	2	11	18	37	57	77
B. *Operated*	294	29.8	461	[illegible]	8	26	50	81	99+	99+
1. SINGLE DX	68	13.2	144	1	2	11	19	26	35	59
2. MULTIPLE DX	352	27.5	457	3	5	23	45	71	99+	99+
A. NOT OPERATED	69	14.6	244	1	2	9	17	33	42	76
B. OPERATED	351	27.3	445	3	5	23	45	69	99+	99+
TOTAL 0-19 YRS	19	11.6	107	2	2	8	17	28	34	36
20-34	25	15.4	320	2	2	8	22	49	56	67
35-49	27	17.3	224	2	4	15	24	34	56	62
50-64	96	26.8	490	2	4	21	42	63	90	99+
65+	253	27.5	439	4	6	23	45	74	99+	99+
GRAND TOTAL	**420**	**25.2**	**433**	**2**	**4**	**20**	**40**	**67**	**98**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.3	15	1	1	2	4	6	7	27
20-34	281	3.1	6	<1	1	2	4	6	8	14
35-49	597	3.8	12	1	1	3	5	7	9	17
50-64	584	4.4	10	1	1	3	6	9	11	15
65+	278	4.8	15	1	1	4	6	10	12	17
B. *Operated*										
0-19 YRS										
20-34	27	4.0	7	1	2	3	5	8	10	13
35-49	103	4.7	22	1	1	3	5	11	16	22
50-64	114	4.6	25	1	1	3	7	11	15	26
65+	18	4.2	33	1	1	2	3	15	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.3	51	1	1	3	4	7	12	45
20-34	241	4.2	18	1	1	3	5	8	10	22
35-49	715	5.0	25	1	1	4	6	10	13	24
50-64	1177	5.5	22	1	2	4	7	11	13	21
65+	858	7.1	48	1	2	5	8	14	19	36
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	32	6.5	33	1	2	4	10	15	18	24
35-49	134	6.9	37	1	2	5	9	16	22	41
50-64	176	8.7	81	1	1	5	12	20	25	34
65+	43	11.2	153	1	1	8	14	21	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1810	4.0	11	1	1	3	5	8	10	15
B. *Operated*	262	4.5	22	1	1	3	5	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	3031	5.7	31	1	2	4	7	11	14	26
B. *Operated*	386	8.2	71	1	1	5	11	18	24	49
1. SINGLE DX	2072	4.1	13	1	1	3	5	8	11	18
2. MULTIPLE DX	3417	6.0	36	1	1	4	7	12	16	29
A. NOT OPERATED	4841	5.1	24	1	1	4	6	10	13	22
B. OPERATED	648	6.7	54	1	1	4	9	16	21	32
TOTAL 0-19 YRS	111	3.7	28	1	1	3	4	6	8	36
20-34	581	3.8	13	1	1	3	5	8	10	17
35-49	1549	4.7	22	1	1	3	6	10	13	24
50-64	2051	5.4	25	1	1	4	7	11	14	25
65+	1197	6.6	46	1	2	5	8	13	18	34
GRAND TOTAL	**5489**	**5.3**	**28**	**1**	**1**	**4**	**7**	**11**	**14**	**26**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.8	13	1	1	3	5	7	10	20
20-34	25	2.1	1	<1	1	2	3	4	4	5
35-49	26	3.5	6	1	1	3	4	6	8	13
50-64	37	5.1	18	1	1	3	7	13	16	17
65+	41	5.8	23	<1	1	4	8	12	14	23
B. *Operated*										
0-19 YRS	8	4.9	16	2	2	3	6	12	14	14
20-34	21	4.7	14	1	1	3	6	10	14	15
35-49	23	3.9	9	<1	1	3	6	8	10	12
50-64	52	6.1	45	<1	1	4	8	11	19	39
65+	34	6.8	37	<1	1	4	11	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	7.1	86	1	2	4	9	13	19	61
20-34	39	4.6	10	<1	1	4	7	9	11	12
35-49	56	5.4	41	1	1	4	6	10	17	40
50-64	116	7.1	36	1	2	6	9	13	19	32
65+	161	9.1	62	2	2	7	11	18	25	37
B. *Operated*										
0-19 YRS	3	7.7	80	2	2	3	14	18	18	18
20-34	10	5.0	20	<1	1	3	6	13	14	14
35-49	37	6.0	28	<1	1	4	9	12	17	23
50-64	75	10.6	96	1	2	8	14	22	32	51
65+	76	9.9	50	2	3	8	12	18	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.1	14	1	1	3	5	9	12	19
B. *Operated*	138	5.6	31	<1	1	3	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	537	7.3	59	1	2	5	9	14	21	36
B. *Operated*	201	9.2	65	1	2	8	12	18	23	43
1. SINGLE DX	426	4.6	20	1	1	3	6	10	14	23
2. MULTIPLE DX	738	7.8	61	1	2	6	10	16	22	38
A. NOT OPERATED	825	6.2	46	1	1	4	8	13	17	34
B. OPERATED	339	7.7	54	1	2	6	10	16	21	39
TOTAL 0-19 YRS	335	5.5	52	1	1	3	6	12	14	35
20-34	95	4.0	11	<1	1	3	5	8	12	15
35-49	142	5.0	27	1	1	4	6	11	14	25
50-64	280	7.6	55	1	2	6	10	16	21	38
65+	312	8.6	53	1	2	7	11	16	23	35
GRAND TOTAL	**1164**	**6.7**	**49**	**1**	**1**	**4**	**9**	**14**	**19**	**35**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.6	13	1	1	3	5	6	10	22
20-34	375	2.4	4	<1	1	2	3	5	6	9
35-49	329	2.2	3	<1	1	2	3	4	5	8
50-64	240	2.7	4	1	1	2	3	5	7	11
65+	163	4.7	21	<1	1	4	6	9	13	27
B. *Operated*										
0-19 YRS	164	3.1	8	<1	<1	2	3	7	10	13
20-34	84	4.9	17	<1	<1	4	7	11	13	21
35-49	87	5.4	27	<1	<1	5	7	9	12	78
50-64	73	5.5	21	<1	1	4	8	11	15	24
65+	73	6.1	27	<1	1	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.4	17	1	1	3	5	10	12	21
20-34	164	3.6	9	<1	1	3	5	7	10	16
35-49	151	3.4	8	1	1	3	4	7	10	17
50-64	194	4.1	9	1	1	3	5	9	10	13
65+	343	8.9	127	1	2	6	10	16	31	68
B. *Operated*										
0-19 YRS	109	3.2	10	<1	<1	2	4	7	11	17
20-34	69	7.9	58	<1	1	5	11	21	24	87
35-49	97	8.2	35	2	2	7	10	17	18	30
50-64	93	10.0	63	1	2	8	13	21	25	36
65+	238	13.3	167	2	2	11	18	26	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1226	2.8	7	<1	1	2	3	5	7	14
B. *Operated*	481	4.7	19	<1	<1	3	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	933	5.7	59	1	1	4	7	11	15	46
B. *Operated*	606	9.6	102	<1	1	7	13	21	27	83
1. SINGLE DX	1707	3.3	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	1539	7.2	79	1	1	5	9	16	22	56
A. NOT OPERATED	2159	4.1	32	1	1	3	5	8	11	28
B. OPERATED	1087	7.4	71	<1	1	5	10	17	23	49
TOTAL 0-19 YRS	473	3.5	11	<1	<1	2	4	7	10	18
20-34	692	3.6	15	<1	1	2	4	7	11	22
35-49	664	3.8	16	<1	1	2	5	8	11	19
50-64	600	4.6	23	1	1	3	5	10	13	24
65+	817	9.1	118	1	2	6	11	20	28	82
GRAND TOTAL	**3246**	**5.2**	**47**	**<1**	**1**	**3**	**6**	**11**	**16**	**36**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3300	2.8	9	1	1	2	3	6	8	13
20-34	2094	3.1	6	1	1	2	4	6	8	13
35-49	940	3.8	13	1	1	3	5	8	10	16
50-64	649	4.7	21	1	1	3	6	9	12	19
65+	475	5.9	24	1	1	5	8	11	14	25
B. *Operated*										
0-19 YRS	351	5.0	13	2	2	4	6	9	11	17
20-34	466	4.5	13	1	1	4	6	9	12	19
35-49	163	6.2	24	<1	1	5	8	12	16	24
50-64	95	7.8	47	<1	1	6	10	18	21	31
65+	45	9.7	67	1	2	8	14	18	33	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1448	3.5	13	1	1	2	4	7	9	20
20-34	1489	3.9	15	1	1	3	5	8	11	19
35-49	684	5.4	22	1	1	4	7	11	14	26
50-64	701	6.8	44	1	2	5	8	13	17	31
65+	1042	8.7	78	2	2	7	10	17	24	68
B. *Operated*										
0-19 YRS	178	5.9	25	2	2	5	7	10	14	22
20-34	350	6.5	39	1	1	5	8	14	19	29
35-49	190	9.5	73	2	2	7	13	20	23	36
50-64	153	11.4	74	1	2	10	16	21	25	45
65+	130	13.0	107	2	3	11	16	25	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7458	3.4	11	1	1	2	4	7	9	15
B. *Operated*	1120	5.4	21	1	2	4	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	5364	5.3	35	1	1	4	7	11	15	29
B. *Operated*	1001	8.6	64	1	2	6	11	19	23	43
1. SINGLE DX	8578	3.6	13	1	1	3	5	8	10	17
2. MULTIPLE DX	6365	5.8	41	1	1	4	7	12	17	31
A. NOT OPERATED	12822	4.2	22	1	1	3	5	9	12	22
B. OPERATED	2121	6.9	44	1	2	5	9	15	20	32
TOTAL 0-19 YRS	5277	3.3	11	1	1	2	4	7	9	16
20-34	4399	3.8	13	1	1	3	5	8	10	18
35-49	1977	5.1	26	1	1	4	7	11	14	25
50-64	1598	6.4	41	1	1	5	8	13	18	30
65+	1692	8.2	68	1	2	6	10	16	23	54
GRAND TOTAL	**14943**	**4.6**	**26**	**1**	**1**	**3**	**6**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	4.7	20	1	1	3	6	10	14	22
20-34	57	3.5	9	<1	1	3	5	8	9	16
35-49	48	4.3	20	<1	1	3	6	11	14	22
50-64	48	5.0	19	1	1	3	6	12	14	21
65+	82	5.4	31	1	1	3	7	12	14	34
B. *Operated*										
0-19 YRS	6	3.5	8	1	1	2	7	7	7	7
20-34	24	5.8	12	1	2	6	7	10	13	15
35-49	20	7.7	73	1	1	4	10	25	27	28
50-64	25	7.6	58	1	1	6	12	15	22	35
65+	16	13.0	119	1	2	11	18	25	38	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	5.9	37	1	1	4	7	14	19	32
20-34	91	5.0	22	1	1	4	7	10	12	28
35-49	98	6.6	76	1	1	4	8	14	16	56
50-64	143	7.5	43	1	2	6	10	15	22	36
65+	320	10.2	118	2	2	7	12	20	27	68
B. *Operated*										
0-19 YRS	15	10.1	56	<1	2	10	15	19	25	27
20-34	24	11.5	160	<1	2	9	13	16	34	66
35-49	35	8.5	37	1	2	7	12	18	20	22
50-64	42	8.4	66	1	2	6	13	18	23	39
65+	70	13.4	215	1	2	10	17	26	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	4.7	20	1	1	3	6	10	14	22
B. *Operated*	91	7.8	61	1	1	6	10	[illegible]	25	40
2. MULTIPLE DX										
A. *Not Operated*	976	7.5	71	1	2	5	9	16	22	49
B. *Operated*	186	10.8	130	1	2	9	14	22	27	74
1. SINGLE DX	629	5.1	27	1	1	3	6	12	15	26
2. MULTIPLE DX	1162	8.0	82	1	2	5	10	17	23	52
A. NOT OPERATED	1514	6.5	55	1	1	4	8	14	19	39
B. OPERATED	277	9.8	110	1	2	7	14	21	27	60
TOTAL 0-19 YRS	648	5.4	30	1	1	4	6	13	17	30
20-34	196	5.4	39	1	1	4	7	11	14	28
35-49	201	6.5	57	1	1	4	9	14	19	34
50-64	258	7.2	45	1	1	5	9	15	20	35
65+	488	9.9	122	1	2	7	12	21	27	72
GRAND TOTAL	**1791**	**7.0**	**64**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1294	4.8	27	1	1	3	6	9	13	27
20-34	319	3.6	10	1	1	3	5	7	9	14
35-49	265	5.1	49	1	1	3	6	10	13	31
50-64	343	5.0	24	1	1	4	7	11	14	26
65+	514	8.2	106	1	1	5	10	21	31	99+
B. *Operated*										
0-19 YRS	69	4.8	27	<1	<1	3	5	9	14	39
20-34	166	3.7	21	<1	1	2	3	7	11	26
35-49	85	5.0	18	<1	1	3	8	12	14	17
50-64	95	5.7	35	1	1	3	7	14	21	26
65+	55	8.0	116	1	1	4	10	18	23	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1062	7.1	66	1	2	5	9	15	20	47
20-34	323	4.8	22	1	1	3	6	10	13	23
35-49	376	6.0	51	1	1	4	7	12	19	44
50-64	751	6.9	41	1	1	5	9	14	18	35
65+	1842	11.3	165	2	2	7	14	27	42	99+
B. *Operated*										
0-19 YRS	63	11.9	132	1	2	8	18	27	37	53
20-34	112	6.3	63	<1	1	4	7	14	22	45
35-49	109	8.8	117	1	1	5	10	19	27	61
50-64	165	9.8	112	1	2	7	13	25	32	99+
65+	171	15.7	222	2	2	13	23	41	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2735	5.3	44	1	1	3	6	11	15	35
B. *Operated*	470	5.0	38	<1	1	3	6	11	17	[illegible]
2. MULTIPLE DX										
A. *Not Operated*	4354	8.6	105	1	2	6	10	19	28	88
B. *Operated*	620	10.8	147	1	2	7	15	28	42	99+
1. SINGLE DX	3205	5.3	43	1	1	3	6	11	15	35
2. MULTIPLE DX	4974	8.9	111	1	2	6	11	20	31	93
A. NOT OPERATED	7089	7.3	84	1	1	5	9	16	23	69
B. OPERATED	1090	8.3	108	1	1	4	11	22	31	99+
TOTAL 0-19 YRS	2488	6.0	49	1	1	4	7	13	17	38
20-34	920	4.4	23	<1	1	3	5	9	12	25
35-49	835	6.0	57	1	1	4	7	12	18	46
50-64	1354	6.7	47	1	1	5	9	14	20	43
65+	2582	10.9	159	1	2	7	14	27	42	99+
GRAND TOTAL	**8179**	**7.5**	**87**	**1**	**1**	**5**	**9**	**17**	**25**	**72**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.7	6	1	1	2	3	5	7	9
20-34	27	3.8	17	<1	<1	2	5	8	15	16
35-49	10	6.2	15	2	2	5	9	11	13	13
50-64	6	3.2	3	1	1	3	5	5	5	5
65+	2	16.0	18	13	13	16	19	19	19	19
B. *Operated*										
0-19 YRS	22	8.0	77	2	2	5	10	14	26	43
20-34	10	7.8	43	1	1	6	13	18	21	21
35-49	3	6.7	24	1	1	9	10	10	10	10
50-64	2	15.5	61	10	10	15	21	21	21	21
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.3	45	1	1	3	6	12	17	28
20-34	46	5.7	15	1	1	5	8	10	12	20
35-49	22	8.2	286	<1	1	4	6	13	42	82
50-64	14	11.9	127	1	2	7	17	32	35	36
65+	10	7.5	31	<1	2	8	16	99+	99+	99+
B. *Operated*										
0-19 YRS	57	12.8	232	1	2	8	16	39	56	98
20-34	60	16.9	376	1	2	11	23	67	99+	99+
35-49	23	18.4	405	2	3	15	58	99+	99+	99+
50-64	13	21.2	739	3	4	13	76	99+	99+	99+
65+	17	21.6	545	1	2	14	29	41	76	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.0	9	1	1	2	4	6	8	16
B. *Operated*	38	8.2	61	1	2	6	10	15	21	43
2. MULTIPLE DX										
A. *Not Operated*	253	6.1	66	1	1	4	7	13	19	81
B. *Operated*	170	16.5	374	1	2	11	27	77	99+	99+
1. SINGLE DX	329	3.6	18	1	1	2	4	8	10	21
2. MULTIPLE DX	423	10.3	216	1	1	5	12	34	76	99+
A. NOT OPERATED	544	4.4	38	1	1	3	5	9	14	32
B. OPERATED	208	15.0	327	1	2	9	21	62	99+	99+
TOTAL 0-19 YRS	486	5.0	58	1	1	3	5	10	17	52
20-34	143	10.2	201	1	1	6	12	26	63	99+
35-49	58	11.8	294	1	2	7	15	84	99+	99+
50-64	35	14.1	354	1	2	7	23	84	99+	99+
65+	30	16.0	357	1	2	10	27	58	99	99+
GRAND TOTAL	**752**	**7.4**	**140**	**1**	**1**	**4**	**8**	**19**	**41**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	3.1	6	1	1	2	4	6	8	14
20-34	37	3.8	9	1	1	3	5	9	10	12
35-49	17	5.5	26	1	1	4	7	10	18	22
50-64	7	4.7	25	1	1	2	8	13	14	14
65+	3	8.0	21	4	4	7	11	13	13	13
B. *Operated*										
0-19 YRS	7	4.6	6	1	2	4	5	8	9	9
20-34	6	7.8	47	2	2	6	10	19	20	20
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	5.6	23	1	2	4	6	11	16	24
20-34	65	7.2	60	1	1	5	9	13	19	43
35-49	31	8.3	32	1	2	6	13	18	22	99+
50-64	30	10.3	65	<1	2	8	14	25	25	32
65+	22	13.1	159	2	4	12	19	99+	99+	99+
B. *Operated*										
0-19 YRS	36	10.6	168	1	2	7	12	37	54	99+
20-34	50	14.0	341	1	3	8	18	70	99+	99+
35-49	21	15.0	330	1	1	12	24	99+	99+	99+
50-64	16	24.6	550	3	3	18	35	54	80	91
65+	7	16.3	177	3	7	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.5	9	1	1	2	5	7	9	14
B. *Operated*	15	6.5	28	1	2	4	9	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	242	7.7	56	1	2	5	10	18	24	99+
B. *Operated*	130	14.6	316	1	2	9	25	99+	99+	99+
1. SINGLE DX	218	3.7	11	1	1	3	5	8	10	17
2. MULTIPLE DX	372	10.1	157	1	2	6	13	31	97	99+
A. NOT OPERATED	445	5.8	39	1	1	4	7	13	18	62
B. OPERATED	145	13.8	292	1	2	9	21	94	99+	99+
TOTAL 0-19 YRS	276	5.0	38	1	1	3	6	10	14	48
20-34	158	8.6	150	1	1	5	10	19	46	99+
35-49	70	9.8	130	1	2	6	14	23	94	99+
50-64	53	13.9	252	1	2	10	17	33	37	90
65+	33	13.1	146	3	4	14	56	99+	99+	99+
GRAND TOTAL	**590**	**7.8**	**112**	**1**	**1**	**5**	**10**	**20**	**44**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	3	<1	1	2	3	5	6	9
20-34	85	2.6	11	<1	<1	1	3	5	7	21
35-49	20	1.7	1	<1	<1	1	2	4	4	5
50-64	14	2.8	9	<1	1	2	3	7	11	12
65+	5	4.4	30	1	1	3	6	14	14	14
B. *Operated*										
0-19 YRS	560	2.4	3	<1	1	2	3	5	6	10
20-34	782	2.6	4	<1	1	2	3	5	7	11
35-49	191	3.3	6	1	1	2	4	7	9	13
50-64	53	3.3	6	1	1	3	4	5	8	14
65+	22	4.5	19	1	1	3	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	5	<1	<1	2	3	5	7	12
20-34	111	2.9	9	<1	<1	2	4	6	10	51
35-49	69	3.9	12	<1	<1	2	6	10	11	14
50-64	29	4.8	15	1	1	4	7	10	12	17
65+	36	6.5	89	<1	1	4	7	12	21	54
B. *Operated*										
0-19 YRS	340	5.0	34	1	1	3	6	10	14	24
20-34	570	4.9	28	1	1	3	6	10	14	26
35-49	185	6.0	37	1	1	4	8	12	17	32
50-64	89	7.9	69	1	2	6	11	15	22	52
65+	48	12.5	131	1	2	9	20	29	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	2.5	8	<1	<1	1	3	5	6	14
B. *Operated*	1608	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	307	3.7	20	<1	<1	2	5	8	11	22
B. *Operated*	1232	5.6	40	1	1	4	7	12	17	32
1. SINGLE DX	1770	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1539	5.2	37	1	1	3	6	11	15	32
A. NOT OPERATED	469	3.3	16	<1	<1	2	4	7	11	20
B. OPERATED	2840	4.0	22	1	1	2	5	8	11	24
TOTAL 0-19 YRS	1000	3.3	15	<1	1	2	4	6	9	19
20-34	1548	3.5	15	<1	1	2	4	7	10	21
35-49	465	4.4	21	1	1	3	6	9	12	26
50-64	185	5.7	42	1	1	4	7	12	15	32
65+	111	8.6	101	1	1	5	11	24	29	74
GRAND TOTAL	**3309**	**3.9**	**21**	**<1**	**1**	**2**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	6.9	54	1	2	5	8	12	20	45
20-34	227	6.8	73	1	2	5	8	11	15	46
35-49	100	6.2	19	1	1	6	8	11	16	20
50-64	103	9.1	49	1	2	7	12	18	25	33
65+	113	13.5	120	2	4	11	18	24	32	59
B. *Operated*										
0-19 YRS	15	18.3	282	5	6	11	20	44	57	61
20-34	20	17.8	304	1	4	14	21	43	64	68
35-49	15	14.3	219	1	2	11	15	46	49	50
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	9.4	150	1	2	6	11	17	27	68
20-34	216	9.2	71	1	2	7	11	20	28	47
35-49	112	9.7	51	2	3	9	13	18	24	63
50-64	137	13.1	82	2	4	12	16	24	31	43
65+	334	18.6	198	4	5	15	26	39	53	99+
B. *Operated*										
0-19 YRS	47	17.1	258	2	3	11	22	36	68	99+
20-34	84	19.3	256	2	4	15	32	52	85	99+
35-49	37	18.7	201	2	4	17	31	42	85	99+
50-64	31	19.5	132	7	8	15	28	36	45	46
65+	37	31.9	453	8	11	28	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	8.2	71	1	2	6	10	17	23	45
B. *Operated*	53	16.5	253	2	4	11	20	44	59	68
2. MULTIPLE DX										
A. *Not Operated*	912	13.3	143	2	3	10	17	30	39	94
B. *Operated*	236	20.8	282	3	5	18	32	58	99+	99+
1. SINGLE DX	748	8.7	88	1	2	6	10	19	24	53
2. MULTIPLE DX	1148	14.8	181	2	3	11	20	35	46	99+
A. NOT OPERATED	1607	11.1	119	1	2	8	14	24	34	61
B. OPERATED	289	20.0	278	3	5	15	30	53	81	99+
TOTAL 0-19 YRS	327	9.7	140	1	2	6	11	20	35	68
20-34	547	10.1	128	1	2	7	11	22	34	83
35-49	264	9.9	85	1	2	7	13	21	32	94
50-64	273	12.3	84	2	3	10	16	25	31	44
65+	485	18.4	217	4	5	15	25	39	62	99+
GRAND TOTAL	**1896**	**12.4**	**153**	**2**	**2**	**9**	**16**	**29**	**41**	**99+**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.1	311	1	1	6	7	27	59	67
20-34	12	6.8	21	3	3	5	10	14	15	15
35-49	6	7.3	8	4	4	7	9	12	12	12
50-64	11	12.7	44	2	5	14	17	49	93	99+
65+	11	9.9	73	<1	1	9	12	24	29	30
B. *Operated*										
0-19 YRS										
20-34	6	20.8	315	2	2	20	27	49	51	51
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.6	251	<1	1	8	22	63	92	99+
20-34	13	7.5	33	<1	1	7	18	99+	99+	99+
35-49	10	12.7	338	1	1	6	12	42	62	62
50-64	10	13.1	167	1	2	10	33	99+	99+	99+
65+	20	15.0	185	2	4	12	23	75	99+	99+
B. *Operated*										
0-19 YRS	10	30.5	420	4	10	58	99+	99+	99+	99+
20-34	19	25.2	558	1	6	94	99+	99+	99+	99+
35-49	6	30.0	771	<1	2	62	99+	99+	99+	99+
50-64	4	10.0	41	1	3	16	99+	99+	99+	99+
65+	3	27.3	42	21	21	27	32	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	104	1	2	7	13	18	29	99
B. *Operated*	7	20.0	267	2	3	17	26	46	51	51
2. MULTIPLE DX										
A. *Not Operated*	66	12.4	183	1	1	9	22	99+	99+	99+
B. *Operated*	42	25.9	469	1	6	59	99+	99+	99+	99+
1. SINGLE DX	60	10.8	130	1	2	7	14	24	39	96
2. MULTIPLE DX	108	17.6	334	1	2	21	99+	99+	99+	99+
A. NOT OPERATED	119	11.1	149	1	2	8	17	54	99+	99+
B. OPERATED	49	25.0	438	1	5	47	99+	99+	99+	99+
TOTAL 0-19 YRS	36	16.7	377	1	1	14	60	99+	99+	99+
20-34	50	15.6	326	1	3	17	99+	99+	99+	99+
35-49	23	15.9	394	1	2	9	24	96	99+	99+
50-64	25	12.4	87	1	2	14	26	99+	99+	99+
65+	34	14.4	153	1	3	11	22	34	89	99+
GRAND TOTAL	**168**	**15.2**	**271**	**1**	**2**	**13**	**51**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	5	<1	<1	2	5	6	7	9
20-34	54	3.1	8	<1	1	2	4	6	8	13
35-49	63	4.3	36	1	1	3	5	7	11	42
50-64	93	4.9	11	1	1	4	7	9	11	16
65+	80	7.4	33	1	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	7.0	19	4	4	5	10	12	12	12
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	10.7	82	4	4	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	9	1	1	2	5	8	9	13
20-34	136	5.3	24	1	1	4	7	10	14	25
35-49	190	6.2	20	1	1	5	8	12	15	18
50-64	290	8.9	63	1	2	7	11	18	26	41
65+	407	13.5	204	2	3	9	16	29	41	93
B. *Operated*										
0-19 YRS	13	7.1	15	3	3	6	10	14	14	14
20-34	61	9.3	76	1	2	6	12	20	31	39
35-49	45	12.9	127	2	3	9	18	28	47	99+
50-64	75	16.0	269	2	4	11	19	33	61	75
65+	42	22.4	366	1	4	17	30	54	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	5.0	23	1	1	4	6	10	14	19
B. *Operated*	15	6.4	24	2	3	4	7	12	19	21
2. MULTIPLE DX										
A. *Not Operated*	1074	9.4	113	1	2	7	12	19	29	52
B. *Operated*	236	14.3	215	2	3	9	18	31	50	89
1. SINGLE DX	327	5.1	23	1	1	4	6	10	14	20
2. MULTIPLE DX	1310	10.3	135	1	2	7	12	22	32	73
A. NOT OPERATED	1386	8.4	96	1	1	6	10	17	25	47
B. OPERATED	251	13.9	207	2	3	9	17	30	46	88
TOTAL 0-19 YRS	89	3.8	10	<1	1	3	5	8	10	14
20-34	254	5.8	37	<1	1	4	7	12	17	37
35-49	302	6.8	45	1	1	5	9	13	18	45
50-64	460	9.2	97	1	2	6	11	19	27	56
65+	532	13.2	201	2	3	9	16	29	41	93
GRAND TOTAL	**1637**	**9.3**	**117**	**1**	**1**	**6**	**11**	**19**	**29**	**63**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	9.9	50	1	2	8	14	19	21	37
20-34	45	10.4	86	1	2	8	14	19	35	40
35-49	20	12.2	121	3	4	8	17	25	37	48
50-64	45	13.3	66	3	4	11	18	25	30	40
65+	82	16.3	169	3	4	13	21	34	46	90
B. *Operated*										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	6	26.5	388	5	5	24	46	49	49	49
35-49	1	49.0		49	49	49	49	49	49	49
50-64										
65+	2	28.0	242	17	17	28	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	12.7	138	2	3	10	16	27	31	65
20-34	92	15.0	181	3	4	11	17	31	50	71
35-49	49	16.4	201	3	5	13	17	41	46	72
50-64	64	17.7	141	3	6	16	23	40	46	92
65+	281	27.9	418	5	7	23	40	66	90	99+
B. *Operated*										
0-19 YRS	36	24.0	368	2	3	19	40	53	69	99+
20-34	53	27.4	370	6	7	23	39	51	63	92
35-49	21	33.8	650	5	7	29	56	79	92	99+
50-64	25	33.4	622	7	8	30	50	78	86	99+
65+	36	34.2	403	7	15	37	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	12.7	106	2	3	10	16	26	34	51
B. *Operated*	11	26.8	294	5	8	17	44	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	582	21.2	327	3	5	16	28	50	69	99+
B. *Operated*	171	29.8	453	5	7	28	46	76	99+	99+
1. SINGLE DX	280	13.2	120	2	3	11	16	30	39	51
2. MULTIPLE DX	753	23.2	368	3	6	17	33	56	77	99+
A. NOT OPERATED	851	18.5	273	3	4	14	24	43	61	99+
B. OPERATED	182	29.6	442	5	7	28	46	76	99	99+
TOTAL 0-19 YRS	211	13.6	166	2	3	10	17	30	45	76
20-34	196	17.6	257	2	4	13	22	42	52	77
35-49	91	19.9	352	4	5	13	26	50	69	94
50-64	134	19.1	252	3	6	14	25	42	57	99+
65+	401	26.1	391	4	6	21	38	65	91	99+
GRAND TOTAL	**1033**	**20.5**	**320**	**3**	**4**	**15**	**28**	**49**	**70**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	2.2	7	1	1	1	2	4	6	13
20-34	33	2.8	7	<1	<1	2	3	6	8	14
35-49	30	3.1	6	1	1	2	4	7	8	10
50-64	44	7.3	110	1	1	3	7	17	25	57
65+	108	9.8	135	1	2	6	11	24	34	61
B. *Operated*										
0-19 YRS	577	3.9	21	1	1	2	4	8	13	24
20-34	64	6.3	59	1	1	4	7	19	24	40
35-49	41	5.5	95	1	1	3	5	10	16	62
50-64	80	5.6	33	1	1	4	6	10	19	33
65+	73	10.4	108	1	2	7	13	26	37	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.4	9	1	1	2	5	8	11	12
20-34	27	6.3	29	1	1	5	8	17	18	21
35-49	19	14.8	545	1	1	5	13	43	70	92
50-64	67	10.7	115	2	2	8	14	27	30	59
65+	217	17.2	256	2	3	12	26	44	61	99+
B. *Operated*										
0-19 YRS	177	8.7	98	1	1	5	11	22	31	61
20-34	99	10.6	181	1	2	7	11	26	45	99+
35-49	65	14.2	381	1	1	5	18	47	55	93
50-64	76	13.0	204	1	2	9	20	39	54	99+
65+	145	19.1	383	1	2	12	27	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	5.1	67	1	1	2	5	12	19	42
B. *Operated*	835	4.9	40	1	1	3	5	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	376	13.5	223	1	2	8	19	37	48	99+
B. *Operated*	562	12.9	248	1	2	7	17	37	52	99+
1. SINGLE DX	1208	5.0	48	1	1	3	5	11	17	38
2. MULTIPLE DX	938	13.2	238	1	2	8	18	37	50	99+
A. NOT OPERATED	749	9.3	162	1	1	4	11	27	40	90
B. OPERATED	1397	8.1	139	1	1	4	9	21	35	71
TOTAL 0-19 YRS	958	4.5	37	1	1	2	5	11	17	33
20-34	223	7.7	109	1	1	4	9	19	26	98
35-49	155	9.8	273	1	1	4	8	30	47	91
50-64	267	9.3	123	1	2	5	12	22	33	69
65+	543	15.3	259	1	2	10	21	40	55	99+
GRAND TOTAL	**2146**	**8.5**	**147**	**1**	**1**	**4**	**10**	**23**	**37**	**73**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.4	1	<1	1	1	2	2	3	5
20-34	46	2.0	2	<1	<1	1	2	3	5	9
35-49	25	2.2	5	<1	<1	1	2	5	8	9
50-64	34	2.7	7	<1	1	2	3	6	9	11
65+	39	6.0	198	<1	1	2	4	8	41	65
B. *Operated*										
0-19 YRS	2112	1.8	3	1	1	1	2	3	4	8
20-34	442	2.7	4	1	1	2	3	5	6	10
35-49	303	2.6	8	1	1	2	3	5	6	15
50-64	451	2.5	5	1	1	2	3	5	7	11
65+	390	3.3	17	1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	23	1	1	2	4	9	15	22
20-34	40	5.1	33	<1	1	2	6	12	18	26
35-49	12	2.7	2	1	1	2	3	5	6	6
50-64	45	7.7	110	1	1	4	8	16	35	50
65+	76	14.9	329	1	2	8	21	61	99+	99+
B. *Operated*										
0-19 YRS	376	3.7	20	1	1	2	4	9	12	29
20-34	249	6.5	67	1	1	4	8	14	23	69
35-49	151	6.1	53	1	1	4	7	13	20	33
50-64	206	5.1	40	1	1	3	6	11	17	38
65+	321	8.9	192	1	1	4	8	24	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	2.6	37	<1	1	1	2	4	6	20
B. *Operated*	3698	2.2	6	1	1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	223	8.5	167	1	1	4	10	23	50	99+
B. *Operated*	1303	6.0	82	1	1	3	7	13	22	58
1. SINGLE DX	3932	2.2	8	1	1	1	2	4	6	11
2. MULTIPLE DX	1526	6.4	95	1	1	3	7	14	25	73
A. NOT OPERATED	457	5.5	109	<1	1	2	5	13	26	98
B. OPERATED	5001	3.2	28	1	1	2	3	6	10	28
TOTAL 0-19 YRS	2628	2.1	7	1	1	1	2	4	6	13
20-34	777	4.0	29	1	1	3	4	8	12	30
35-49	491	3.7	24	1	1	2	4	7	13	27
50-64	736	3.6	23	1	1	2	4	7	11	24
65+	826	6.7	135	1	1	3	6	15	31	89
GRAND TOTAL	**5458**	**3.4**	**36**	**1**	**1**	**2**	**3**	**7**	**11**	**35**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	3	<1	1	1	2	4	6	9
20-34	35	1.7	2	<1	<1	1	2	3	4	7
35-49	7	2.6	4	1	1	2	4	6	6	6
50-64	7	1.9	2	1	1	1	3	5	5	5
65+	4	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	391	2.0	8	<1	1	1	2	3	5	10
20-34	315	2.3	6	<1	1	2	2	4	6	13
35-49	99	2.1	2	<1	1	2	3	4	5	9
50-64	53	2.2	2	<1	1	2	3	5	5	6
65+	33	2.9	12	1	1	2	3	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	10	1	1	3	4	7	10	14
20-34	36	2.4	2	<1	<1	2	3	5	6	6
35-49	19	4.1	11	<1	1	3	5	10	12	12
50-64	7	11.0	319	2	2	4	9	43	51	51
65+	17	13.7	293	1	2	5	19	39	55	63
B. *Operated*										
0-19 YRS	145	3.5	18	1	1	2	4	7	10	22
20-34	216	4.2	35	1	1	3	4	8	12	38
35-49	82	5.1	31	1	1	4	5	12	16	31
50-64	64	4.4	42	1	1	3	5	9	12	44
65+	43	8.0	151	1	1	3	9	20	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	891	2.2	7	<1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	107	5.3	85	1	1	3	5	10	19	56
B. *Operated*	550	4.4	41	1	1	3	5	9	15	36
1. SINGLE DX	975	2.2	6	<1	1	2	2	4	6	11
2. MULTIPLE DX	657	4.6	48	1	1	3	5	9	15	41
A. NOT OPERATED	191	3.8	51	<1	1	2	4	7	10	47
B. OPERATED	1441	3.0	21	<1	1	2	3	6	9	24
TOTAL 0-19 YRS	595	2.4	11	<1	1	2	3	5	7	16
20-34	602	2.9	17	<1	1	2	3	5	8	24
35-49	207	3.5	16	<1	1	2	4	7	12	22
50-64	131	3.7	40	1	1	2	4	6	10	49
65+	97	7.1	134	1	1	3	7	20	29	67
GRAND TOTAL	**1632**	**3.1**	**24**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	13.9	332	<1	<1	11	14	44	59	59
20-34	11	11.5	359	<1	1	7	11	36	64	67
35-49	7	9.7	120	<1	<1	4	16	27	30	30
50-64	23	20.7	643	<1	<1	13	29	60	82	85
65+	83	20.3	378	1	2	16	34	86	99+	99+
B. *Operated*										
0-19 YRS	30	19.3	209	5	5	15	28	39	54	57
20-34	25	13.0	52	5	6	11	19	24	27	30
35-49	33	13.1	144	3	5	10	16	21	32	69
50-64	165	17.0	128	5	7	14	20	30	40	85
65+	683	22.1	262	4	7	18	29	48	69	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	19.7	242	4	4	16	27	44	52	54
20-34	7	20.4	763	3	4	13	16	69	82	82
35-49	10	22.3	309	4	6	17	43	72	98	99+
50-64	23	20.4	375	1	3	17	36	78	99+	99+
65+	187	25.6	504	1	4	23	48	99+	99+	99+
B. *Operated*										
0-19 YRS	37	26.1	305	6	7	21	29	51	64	83
20-34	48	20.5	274	4	9	14	29	62	99	99+
35-49	70	21.9	328	6	7	17	25	55	78	99+
50-64	294	25.4	346	6	8	20	34	57	75	99+
65+	1899	30.6	450	7	10	27	50	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	18.6	407	<1	1	13	28	60	95	99+
B. *Operated*	936	20.5	234	5	6	17	27	42	62	99+
2. MULTIPLE DX										
A. *Not Operated*	240	24.5	474	2	4	20	44	99+	99+	99+
B. *Operated*	2348	29.4	434	7	9	26	46	85	99+	99+
1. SINGLE DX	1069	20.3	256	3	5	17	27	45	66	99+
2. MULTIPLE DX	2588	29.0	439	6	9	25	46	86	99+	99+
A. NOT OPERATED	373	22.4	457	1	3	17	40	86	99+	99+
B. OPERATED	3284	26.9	393	6	8	22	40	76	99+	99+
TOTAL 0-19 YRS	89	21.6	274	4	5	18	28	47	57	76
20-34	91	17.4	263	2	5	13	22	40	78	99+
35-49	120	18.8	279	4	5	14	21	46	71	99+
50-64	505	22.2	302	5	7	17	28	48	69	99+
65+	2852	28.0	421	5	8	24	43	84	99+	99+
GRAND TOTAL	**3657**	**26.4**	**401**	**5**	**7**	**21**	**40**	**77**	**99+**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	26.0	291	1	3	26	36	49	53	75
20-34	22	17.3	457	<1	<1	8	24	46	68	84
35-49	10	7.6	32	1	1	7	14	15	16	16
50-64	9	37.6	942	1	3	43	73	96	99+	99+
65+	21	29.9	710	1	1	27	65	85	99+	99+
B. *Operated*										
0-19 YRS	190	25.2	414	1	3	20	39	54	69	89
20-34	61	20.4	312	4	5	15	24	49	63	85
35-49	25	17.6	251	3	3	13	22	46	51	67
50-64	25	25.7	597	4	8	18	26	83	97	99+
65+	33	25.2	446	3	8	19	30	78	98	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	30.7	353	2	4	30	43	62	73	99+
20-34	19	28.9	972	1	3	16	71	97	99+	99+
35-49	7	10.6	204	2	2	10	99+	99+	99+	99+
50-64	19	30.1	669	2	4	28	48	98	99+	99+
65+	47	36.6	854	3	4	35	77	99+	99+	99+
B. *Operated*										
0-19 YRS	226	33.9	486	5	10	31	49	71	92	99+
20-34	174	27.8	460	6	8	24	50	99+	99+	99+
35-49	34	29.1	399	5	10	27	48	97	99+	99+
50-64	47	33.6	602	6	8	31	72	99+	99+	99+
65+	81	43.8	606	15	19	58	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	25.3	364	1	2	24	37	51	67	98
B. *Operated*	334	23.8	402	2	4	18	33	55	70	99+
2. MULTIPLE DX										
A. *Not Operated*	175	31.2	595	2	3	30	54	93	99+	99+
B. *Operated*	562	33.1	522	6	10	31	59	99+	99+	99+
1. SINGLE DX	607	24.5	385	1	3	21	35	52	69	99+
2. MULTIPLE DX	737	32.7	539	4	8	31	58	99+	99+	99+
A. NOT OPERATED	448	27.6	462	1	3	26	42	69	91	99+
B. OPERATED	896	29.6	497	4	7	25	49	90	99+	99+
TOTAL 0-19 YRS	710	28.9	406	2	4	26	41	59	72	99+
20-34	276	25.4	472	4	5	20	42	88	99+	99+
35-49	76	20.8	343	2	3	16	37	75	99+	99+
50-64	100	31.3	636	5	7	26	59	99+	99+	99+
65+	182	36.9	694	4	9	40	82	99+	99+	99+
GRAND TOTAL	**1344**	**29.0**	**486**	**3**	**5**	**26**	**47**	**82**	**99+**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	3.4	14	1	1	2	5	6	8	23
20-34	140	4.1	10	1	1	3	5	8	10	17
35-49	67	6.1	36	<1	1	5	8	10	13	37
50-64	67	8.4	51	1	2	6	11	21	24	29
65+	33	13.8	174	2	3	10	17	33	46	53
B. *Operated*										
0-19 YRS	522	5.4	37	1	1	4	6	10	16	35
20-34	421	6.8	46	1	2	5	9	13	17	37
35-49	189	7.2	37	2	2	5	9	14	18	35
50-64	108	9.4	98	2	3	7	11	20	25	54
65+	50	18.6	318	1	3	14	23	34	39	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	7.4	55	1	1	6	9	17	30	89
20-34	64	8.5	114	<1	1	4	10	19	39	47
35-49	51	12.0	256	1	2	6	14	29	52	83
50-64	64	15.5	273	2	2	9	18	45	58	97
65+	74	20.7	435	2	4	16	31	90	99+	99+
B. *Operated*										
0-19 YRS	217	13.6	244	1	2	8	17	41	51	99+
20-34	326	13.7	205	2	3	10	17	31	45	92
35-49	171	13.7	196	2	3	10	17	35	58	99+
50-64	151	18.6	258	3	5	13	26	45	75	99+
65+	73	29.5	634	4	6	23	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	5.0	35	1	1	3	6	10	16	31
B. *Operated*	1290	7.0	62	1	1	5	8	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	321	13.0	253	1	2	8	16	36	58	99+
B. *Operated*	938	15.7	272	2	3	11	20	43	65	99+
1. SINGLE DX	1890	6.3	54	1	1	4	8	13	19	37
2. MULTIPLE DX	1259	15.0	269	2	3	10	19	42	64	99+
A. NOT OPERATED	921	7.8	125	1	1	4	8	20	31	92
B. OPERATED	2228	10.6	169	1	2	6	13	25	42	99
TOTAL 0-19 YRS	1100	6.6	86	1	1	4	7	15	24	53
20-34	951	8.9	113	1	2	6	11	19	28	57
35-49	478	9.9	127	1	2	6	12	21	35	96
50-64	390	13.8	199	2	3	9	17	34	46	99+
65+	230	22.0	461	3	4	16	32	70	99+	99+
GRAND TOTAL	**3149**	**9.8**	**158**	**1**	**1**	**6**	**11**	**24**	**38**	**98**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	2.9	7	<1	1	2	4	5	7	14
20-34	197	3.4	7	<1	1	3	5	7	8	12
35-49	103	4.6	70	1	1	3	5	8	12	48
50-64	114	5.4	44	1	1	4	7	11	14	43
65+	72	8.8	63	1	2	6	11	21	24	40
B. *Operated*										
0-19 YRS	496	4.4	15	1	1	4	5	7	10	23
20-34	697	4.9	15	1	2	4	6	8	11	19
35-49	399	6.1	34	1	2	5	7	11	15	36
50-64	307	7.1	28	2	3	6	8	13	17	28
65+	148	9.7	64	2	3	7	12	20	27	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.3	18	1	1	4	7	11	15	22
20-34	130	5.5	40	1	1	4	7	11	15	64
35-49	76	6.5	70	1	1	4	8	10	16	57
50-64	91	8.5	81	2	2	5	11	19	25	51
65+	147	15.7	289	2	3	10	19	45	63	99+
B. *Operated*										
0-19 YRS	283	6.5	34	1	2	5	8	12	17	27
20-34	497	7.9	74	1	2	5	10	16	24	66
35-49	295	8.4	90	2	2	6	9	16	23	64
50-64	276	10.6	150	2	3	7	12	22	29	85
65+	191	16.3	191	4	5	12	21	38	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	4.3	32	1	1	3	5	9	12	24
B. *Operated*	2047	5.7	26	1	2	4	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	516	9.0	137	1	1	5	10	20	32	81
B. *Operated*	1542	9.3	106	2	2	6	11	19	28	70
1. SINGLE DX	2725	5.4	28	1	1	4	6	10	14	27
2. MULTIPLE DX	2058	9.2	114	1	2	6	11	19	29	71
A. NOT OPERATED	1194	6.4	83	1	1	4	7	13	21	63
B. OPERATED	3589	7.2	64	1	2	5	8	14	21	51
TOTAL 0-19 YRS	1043	4.7	20	1	1	4	6	9	12	23
20-34	1521	5.8	38	1	1	4	7	11	15	36
35-49	873	6.7	62	1	2	5	8	13	17	51
50-64	788	8.2	82	1	2	6	10	17	22	42
65+	558	13.4	176	2	3	9	16	31	50	99+
GRAND TOTAL	**4783**	**7.0**	**68**	**1**	**2**	**5**	**8**	**14**	**21**	**56**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.4	13	<1	1	1	2	4	8	20
20-34	49	3.0	10	<1	1	2	3	5	8	20
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	4	4
65+	8	6.4	51	1	1	3	10	19	21	21
B. *Operated*										
0-19 YRS	44	2.8	3	1	1	2	4	4	6	10
20-34	28	3.6	7	1	1	3	4	6	11	12
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	3	6.3	24	3	3	4	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.6	8	1	1	3	5	7	9	15
20-34	95	4.3	13	1	1	3	5	9	12	17
35-49	34	5.7	8	1	2	5	7	10	12	22
50-64	46	7.7	56	1	1	4	11	18	24	35
65+	56	15.2	302	1	2	12	20	48	95	99+
B. *Operated*										
0-19 YRS	39	5.8	44	1	1	4	6	13	20	35
20-34	51	6.5	58	1	1	4	6	18	24	35
35-49	21	6.9	42	1	2	4	9	17	23	26
50-64	14	9.4	260	1	2	4	10	18	54	64
65+	10	10.0	41	2	3	8	16	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.7	13	<1	1	2	3	5	8	21
B. *Operated*	84	3.2	6	1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	331	6.6	83	1	1	4	8	15	22	91
B. *Operated*	135	6.9	70	1	1	4	7	17	23	40
1. SINGLE DX	264	2.8	11	1	1	2	3	5	9	19
2. MULTIPLE DX	466	6.7	79	1	1	4	8	16	22	81
A. NOT OPERATED	511	5.2	62	1	1	3	6	12	19	66
B. OPERATED	219	5.5	49	1	1	3	6	12	19	35
TOTAL 0-19 YRS	286	3.3	15	1	1	2	4	7	9	20
20-34	223	4.4	23	1	1	3	5	9	14	26
35-49	74	5.1	24	1	1	3	6	10	14	25
50-64	70	7.3	91	1	1	4	10	15	24	58
65+	77	13.3	240	1	2	9	19	30	87	99+
GRAND TOTAL	**730**	**5.3**	**58**	**1**	**1**	**3**	**6**	**12**	**19**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	11	1	1	2	6	9	10	10
20-34	2	14.5	25	11	11	14	18	18	18	18
35-49										
50-64	3	16.3	112	5	5	18	24	26	26	26
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
B. *Operated*										
0-19 YRS										
20-34	4	16.8	97	8	8	22	46	99+	99+	99+
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	30.3	409	7	7	42	71	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	8.3	64	1	1	5	13	20	25	26
B. *Operated*	3	5.3	8	2	2	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.7	26	1	1	9	10	14	14	14
B. *Operated*	8	20.1	252	3	5	25	43	99+	99+	99+
1. SINGLE DX	16	7.8	54	1	1	6	10	18	24	26
2. MULTIPLE DX	14	14.8	186	1	2	10	34	94	99+	99+
A. NOT OPERATED	19	8.1	50	1	1	8	11	18	23	26
B. OPERATED	11	16.1	225	2	3	9	41	99+	99+	99+
TOTAL 0-19 YRS	13	4.6	14	1	1	3	8	10	10	10
20-34	8	13.4	73	2	4	11	23	71	99+	99+
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	22.0	235	5	6	22	42	83	99+	99+
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**30**	**11.0**	**124**	**1**	**2**	**8**	**18**	**42**	**94**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	4	<1	<1	1	1	5	7	7
20-34	19	1.2		<1	<1	1	1	2	3	3
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	5	2.6	3	1	1	2		5	5	5
65+	7	3.0	11	1	1	1	4	9	10	10
B. *Operated*										
0-19 YRS	133	2.6	3	<1	1	2	4	5	6	8
20-34	413	2.7	5	<1	1	2	3	5	6	11
35-49	102	2.9	5	<1	1	2	4	5	8	12
50-64	61	2.0	4	<1	<1	1	2	5	7	10
65+	53	2.6	8	1	1	2	3	5	7	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	10	1.4		<1	<1	1	2	3	3	3
35-49	6	4.5	8	1	1	4	6	9	9	9
50-64	5	4.4	10	<1	<1	4	7	9	9	9
65+	14	10.8	80	1	1	8	19	24	26	26
B. *Operated*										
0-19 YRS	20	3.5	7	<1	<1	3	5	6	9	11
20-34	95	3.6	11	<1	1	3	4	6	9	19
35-49	41	5.5	41	<1	1	3	7	12	24	26
50-64	44	5.0	32	1	1	3	5	12	20	24
65+	63	8.5	181	1	1	5	11	18	25	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.1	4	<1	<1	1	2	5	7	10
B. *Operated*	762	2.7	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	40	5.6	45	<1	1	3	6	16	23	26
B. *Operated*	263	5.3	63	1	1	3	6	12	18	26
1. SINGLE DX	807	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	303	5.3	60	1	1	3	6	12	20	26
A. NOT OPERATED	85	3.7	26	<1	<1	1	4	9	15	25
B. OPERATED	1025	3.3	21	<1	1	2	4	6	9	23
TOTAL 0-19 YRS	168	2.6	3	<1	1	2	4	5	6	8
20-34	537	2.8	6	<1	1	2	3	5	6	17
35-49	153	3.7	16	<1	1	3	4	7	11	26
50-64	115	3.3	16	<1	1	2	4	7	11	22
65+	137	6.1	104	1	1	3	7	15	23	39
GRAND TOTAL	**1110**	**3.4**	**21**	**<1**	**1**	**2**	**4**	**6**	**9**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	6	<1	1	2	4	7	8	9
20-34	43	2.2	3	<1	1	2	2	4	6	8
35-49	14	2.6	3	<1	1	2	4	5	6	6
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	3	4.3	24	1	1	2	8	10	10	10
B. *Operated*										
0-19 YRS	273	4.3	4	1	2	4	5	7	8	11
20-34	594	4.5	6	2	2	4	5	7	9	14
35-49	274	4.9	7	2	3	4	6	8	10	15
50-64	102	5.0	4	3	3	5	6	8	11	53
65+	17	6.3	10	2	3	6	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	11	1	1	2	3	9	10	10
20-34	17	3.0	5	<1	1	3	4	6	8	9
35-49	9	2.9	8	1	1	2	3	7	10	10
50-64	6	3.8	11	<1	<1	2	7	9	9	9
65+	4	13.8	101	3	3	13	22	25	25	25
B. *Operated*										
0-19 YRS	88	5.8	13	2	3	5	7	10	12	23
20-34	228	5.8	12	2	3	5	6	11	13	19
35-49	111	6.0	9	3	3	5	8	11	12	15
50-64	84	8.6	95	3	4	6	9	15	27	92
65+	8	7.1	12	4	4	6	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.6	4	<1	1	2	4	5	7	10
B. *Operated*	1260	4.6	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	42	4.2	24	<1	1	3	5	9	14	25
B. *Operated*	519	6.3	26	3	3	5	7	11	13	25
1. SINGLE DX	1345	4.5	6	1	2	4	5	7	9	13
2. MULTIPLE DX	561	6.1	26	2	3	5	7	11	13	25
A. NOT OPERATED	127	3.1	11	<1	1	2	4	7	9	20
B. OPERATED	1779	5.1	12	2	3	4	6	8	11	18
TOTAL 0-19 YRS	388	4.5	7	1	2	4	6	8	9	13
20-34	882	4.7	8	1	2	4	6	8	10	16
35-49	408	5.1	8	2	3	4	6	9	11	14
50-64	196	6.5	46	2	3	5	7	11	14	89
65+	32	7.3	26	2	3	6	8	15	19	25
GRAND TOTAL	**1906**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.9	18	<1	1	3	5	8	11	22
20-34	26	6.6	26	2	2	5	7	13	18	24
35-49	15	9.9	23	3	5	10	14	15	17	18
50-64	12	11.0	267	<1	<1	6	13	29	55	60
65+	6	4.3	11	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	168	3.5	21	<1	1	2	3	10	14	22
20-34	150	4.4	32	<1	1	2	6	10	14	28
35-49	58	5.9	71	<1	1	2	8	16	26	39
50-64	37	4.1	19	<1	1	3	5	12	15	17
65+	12	8.1	108	1	1	4	9	26	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	8	<1	1	2	4	7	10	11
20-34	23	10.1	182	<1	1	6	12	20	37	65
35-49	21	7.6	31	1	1	6	10	16	18	21
50-64	13	7.0	33	2	2	5	10	16	21	22
65+	10	11.5	69	<1	1	11	20	23	23	23
B. *Operated*										
0-19 YRS	93	10.4	207	1	1	5	13	26	33	82
20-34	98	9.6	114	1	1	6	12	24	34	49
35-49	70	7.8	79	1	1	5	10	19	27	47
50-64	35	12.1	186	1	1	7	17	41	53	99+
65+	25	16.4	377	1	1	8	20	42	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.7	59	1	1	5	9	15	17	46
B. *Operated*	425	4.3	35	<1	1	2	5	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	83	7.8	78	<1	1	5	11	19	22	51
B. *Operated*	321	10.2	164	1	1	6	13	26	41	69
1. SINGLE DX	513	4.7	39	<1	1	2	6	12	17	31
2. MULTIPLE DX	404	9.8	147	1	1	5	12	22	34	65
A. NOT OPERATED	171	7.3	68	1	1	5	10	15	21	52
B. OPERATED	746	6.9	99	1	1	3	8	17	26	50
TOTAL 0-19 YRS	306	5.6	86	<1	1	2	6	15	22	45
20-34	297	6.7	76	1	1	4	8	15	22	47
35-49	164	7.3	66	1	1	4	10	17	23	39
50-64	97	8.2	121	<1	1	4	10	18	39	81
65+	53	12.2	230	1	1	6	17	35	42	80
GRAND TOTAL	**917**	**6.9**	**93**	**1**	**1**	**3**	**8**	**17**	**24**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.9	5	1	1	2	4	5	8	11
20-34	111	2.3	3	<1	<1	2	3	4	6	9
35-49	34	3.4	11	1	1	2	5	7	11	15
50-64	16	4.3	10	1	1	3	6	10	11	11
65+	18	6.4	29	1	2	5	7	14	19	23
B. *Operated*										
0-19 YRS	127	4.7	12	1	2	4	6	8	10	24
20-34	235	4.3	6	1	2	4	5	7	8	11
35-49	50	4.8	16	1	1	4	5	8	13	22
50-64	25	5.2	9	1	2	4	7	9	11	13
65+	6	8.2	7	5	5	8	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.3	15	<1	1	3	5	9	11	22
20-34	34	3.8	17	1	1	2	4	10	15	17
35-49	24	3.5	7	1	1	3	5	8	9	10
50-64	23	8.8	110	1	2	6	11	27	64	99+
65+	32	10.8	63	1	3	9	19	25	27	99+
B. *Operated*										
0-19 YRS	93	5.7	14	1	2	5	7	10	11	22
20-34	176	6.2	21	2	3	5	7	9	13	27
35-49	67	6.2	16	2	2	5	8	11	15	19
50-64	33	10.0	85	2	3	7	11	22	29	45
65+	5	10.4	109	2	2	9	14	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	3.0	8	<1	1	2	4	6	9	14
B. *Operated*	443	4.6	9	1	2	4	5	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	156	6.1	46	1	1	4	8	15	22	96
B. *Operated*	374	6.5	26	2	3	5	7	11	15	29
1. SINGLE DX	721	4.0	9	1	1	4	5	7	9	14
2. MULTIPLE DX	530	6.4	32	1	2	5	7	11	17	31
A. NOT OPERATED	434	4.1	23	1	1	2	5	9	14	27
B. OPERATED	817	5.5	18	1	2	5	6	9	11	26
TOTAL 0-19 YRS	362	4.4	12	1	1	4	5	8	10	21
20-34	556	4.5	13	1	1	4	5	8	10	17
35-49	175	4.9	15	1	1	4	6	10	13	20
50-64	97	7.5	63	1	2	6	9	15	27	75
65+	61	9.2	52	1	2	7	13	22	27	91
GRAND TOTAL	**1251**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**26**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.1	9	1	1	3	7	8	10	10
20-34	170	5.8	62	1	2	4	7	11	15	24
35-49	106	5.5	13	1	2	5	7	10	13	18
50-64	60	6.8	17	2	3	6	9	12	15	20
65+	27	7.1	23	2	2	6	9	13	19	20
B. *Operated*										
0-19 YRS										
20-34	9	4.2	17	1	1	3	6	11	14	14
35-49	8	9.0	109	1	1	4	13	27	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	15	<1	1	3	4	7	13	18
20-34	79	5.6	13	1	1	5	7	11	13	17
35-49	78	6.9	22	1	2	5	9	14	16	23
50-64	71	8.8	56	2	2	8	11	15	20	48
65+	56	13.1	152	2	3	10	17	26	36	72
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	12.9	127	<1	1	10	24	30	32	32
35-49	11	12.4	27	6	6	11	16	20	21	21
50-64	8	9.6	174	1	1	5	10	32	41	41
65+	8	19.0	229	2	4	15	23	44	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.8	35	1	2	5	7	11	13	20
B. *Operated*	17	6.5	62	1	1	4	8	14	26	32
2. MULTIPLE DX										
A. *Not Operated*	304	8.0	58	1	2	6	10	15	20	41
B. *Operated*	39	13.1	127	1	2	10	18	27	37	52
1. SINGLE DX	416	5.9	36	1	2	5	7	11	14	21
2. MULTIPLE DX	343	8.5	68	1	2	6	11	17	21	45
A. NOT OPERATED	703	6.8	46	1	2	5	8	13	17	28
B. OPERATED	56	11.1	115	1	1	9	15	26	32	51
TOTAL 0-19 YRS	57	4.0	10	1	1	3	6	8	9	17
20-34	269	6.0	50	1	1	5	7	11	15	28
35-49	203	6.6	23	1	2	5	9	13	15	22
50-64	139	8.0	45	2	2	7	10	14	18	42
65+	91	11.8	130	2	3	9	15	22	33	65
GRAND TOTAL	**759**	**7.1**	**52**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.9	7	<1	1	2	4	6	9	12
20-34	401	4.2	10	1	1	4	5	8	10	14
35-49	230	5.7	28	1	1	4	7	11	15	32
50-64	118	6.9	46	1	2	5	9	14	19	37
65+	40	6.6	35	1	2	5	8	13	16	33
B. *Operated*										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	29	4.8	15	1	1	3	8	11	13	15
35-49	19	7.0	45	1	2	4	8	19	23	25
50-64	8	7.9	55	1	1	6	12	20	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.3	14	<1	1	2	4	7	13	44
20-34	269	5.2	25	1	1	4	7	10	14	22
35-49	186	7.1	64	1	1	5	9	15	21	65
50-64	144	7.2	45	1	1	6	9	14	20	41
65+	158	9.8	71	2	3	8	11	19	25	49
B. *Operated*										
0-19 YRS	14	6.6	38	1	1	5	8	14	22	24
20-34	20	7.5	74	<1	1	4	9	18	29	36
35-49	22	10.5	217	1	1	5	14	28	44	64
50-64	16	10.6	62	1	3	9	17	22	23	24
65+	9	12.0	28	2	5	11	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	997	4.7	20	1	1	4	6	9	12	24
B. *Operated*	60	5.8	29	1	1	4	8	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	879	6.5	47	1	1	5	8	13	19	40
B. *Operated*	81	9.2	99	1	1	6	13	21	25	55
1. SINGLE DX	1057	4.8	21	1	1	4	6	10	13	25
2. MULTIPLE DX	960	6.7	52	1	1	5	9	14	20	41
A. NOT OPERATED	1876	5.5	34	1	1	4	7	11	15	31
B. OPERATED	141	7.8	72	1	1	4	10	19	23	38
TOTAL 0-19 YRS	348	3.2	11	<1	1	2	4	7	10	22
20-34	719	4.7	18	1	1	4	6	9	12	20
35-49	457	6.6	53	1	1	5	8	13	19	35
50-64	286	7.3	47	1	2	5	9	15	22	38
65+	207	9.3	64	2	2	7	11	18	24	43
GRAND TOTAL	**2017**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.3	4	<1	1	1	3	5	7	9
20-34	118	2.5	5	<1	1	2	3	5	7	11
35-49	51	3.4	9	<1	1	2	5	8	10	12
50-64	44	4.2	14	<1	1	3	5	8	10	22
65+	39	6.2	38	1	1	4	8	12	20	31
B. *Operated*										
0-19 YRS	122	3.8	71	1	1	3	4	5	5	36
20-34	224	3.3	3	1	2	3	4	5	6	10
35-49	141	3.7	5	1	2	3	4	6	8	14
50-64	95	5.0	22	2	2	4	5	8	11	33
65+	17	5.6	11	1	2	6	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.7	20	<1	1	2	4	8	10	29
20-34	77	3.0	6	<1	<1	2	4	6	8	12
35-49	40	4.1	16	1	1	3	5	9	12	21
50-64	43	6.3	26	1	2	5	9	13	17	24
65+	87	9.4	58	2	2	7	13	20	24	39
B. *Operated*										
0-19 YRS	40	4.0	10	1	1	3	5	9	10	15
20-34	61	4.2	8	<1	1	3	5	8	11	13
35-49	43	5.1	30	1	2	4	6	10	13	34
50-64	54	6.0	56	1	2	5	7	9	12	54
65+	27	13.6	376	2	2	6	14	33	57	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.1	11	<1	1	2	4	7	9	14
B. *Operated*	599	3.8	21	1	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	306	5.6	34	1	1	4	7	13	18	28
B. *Operated*	225	5.9	75	1	1	4	6	10	13	52
1. SINGLE DX	999	3.5	17	1	1	3	4	6	8	14
2. MULTIPLE DX	531	5.7	52	1	1	4	7	12	16	35
A. NOT OPERATED	706	4.2	22	<1	1	2	5	9	13	24
B. OPERATED	824	4.4	37	1	2	3	5	7	10	30
TOTAL 0-19 YRS	369	3.2	30	1	1	2	4	5	8	14
20-34	480	3.2	5	1	1	3	4	6	7	12
35-49	275	3.9	11	1	1	3	5	7	10	15
50-64	236	5.3	29	1	2	4	6	10	12	30
65+	170	9.0	104	1	2	6	11	19	25	49
GRAND TOTAL	**1530**	**4.3**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
[illegible]19 YRS	1896	1.6	8	<1	1	1	2	2	3	7
20-34	403	1.7	2	<1	<1	1	2	3	4	10
35-49	91	2.3	12	<1	1	1	3	4	5	23
50-64	55	2.4	3	<1	1	2	3	5	7	9
65+	45	3.7	13	<1	1	2	4	10	12	16
B. *Operated*										
0-19 YRS	20	2.2	22	<1	1	1	1	2	12	22
20-34	11	2.1	1	1	1	2	3	4	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1192	2.4	15	1	1	2	3	4	6	12
20-34	543	2.7	8	<1	1	2	3	6	9	15
35-49	196	3.3	15	1	1	2	4	7	10	23
50-64	169	4.9	40	1	1	3	6	13	16	24
65+	150	9.1	155	1	1	4	14	24	34	99
B. *Operated*										
0-19 YRS	344	4.4	69	1	1	2	4	8	13	63
20-34	309	5.4	85	<1	1	2	5	14	25	99+
35-49	97	5.3	108	<1	1	3	5	10	16	64
50-64	70	6.6	131	1	1	3	7	32	58	99+
65+	62	12.8	253	1	2	7	17	35	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2490	1.7	7	<1	1	1	2	3	4	9
B. *Operated*	36	2.2	13	1	1	1	2	3	6	22
2. MULTIPLE DX										
A. *Not Operated*	2250	3.2	27	1	1	2	3	6	10	24
B. *Operated*	882	5.6	100	1	1	2	6	13	25	95
1. SINGLE DX	2526	1.7	7	<1	1	1	2	3	4	9
2. MULTIPLE DX	3132	3.8	49	1	1	2	4	8	14	46
A. NOT OPERATED	4740	2.4	17	<1	1	1	2	4	7	18
B. OPERATED	918	5.4	97	1	1	2	5	13	24	91
TOTAL 0-19 YRS	3452	2.1	17	1	1	1	2	4	5	13
20-34	1266	3.0	27	<1	1	1	3	6	10	35
35-49	387	3.6	38	1	1	2	4	7	10	29
50-64	295	4.8	56	1	1	2	5	12	16	81
65+	258	9.0	161	1	1	4	12	23	35	98
GRAND TOTAL	**5658**	**2.9**	**31**	**<1**	**1**	**1**	**3**	**5**	**9**	**30**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	836	1.6	3	<1	1	1	2	3	4	8
20-34	194	2.1	5	<1	1	1	2	4	7	61
35-49	63	3.6	72	<1	<1	1	2	8	12	59
50-64	29	5.0	43	<1	1	3	6	15	31	99+
65+	19	5.8	46	<1	1	2	11	14	20	25
B. *Operated*										
0-19 YRS	24	7.1	76	1	1	3	13	22	52	99+
20-34	19	10.0	185	<1	<1	5	12	21	41	58
35-49	14	12.2	89	<1	2	11	18	25	30	32
50-64	10	10.7	22	2	4	11	15	17	18	18
65+	13	11.4	77	2	3	9	11	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	547	2.8	28	<1	1	1	3	6	9	28
20-34	253	3.4	38	<1	<1	2	3	6	11	38
35-49	117	4.1	17	<1	1	2	5	9	12	21
50-64	79	4.5	45	1	1	2	5	7	17	42
65+	91	9.8	213	1	1	5	11	29	63	99+
B. *Operated*										
0-19 YRS	167	9.1	228	<1	1	3	12	40	94	99+
20-34	166	9.5	265	<1	1	3	12	43	99+	99+
35-49	75	12.4	280	1	1	7	19	75	99+	99+
50-64	51	18.7	597	1	1	10	44	99+	99+	99+
65+	60	18.2	553	1	1	12	33	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1141	2.0	9	<1	1	1	2	3	6	14
B. *Operated*	80	9.8	97	1	1	8	14	22	31	87
2. MULTIPLE DX										
A. *Not Operated*	1087	3.8	49	<1	1	2	4	8	14	62
B. *Operated*	519	11.7	332	1	1	5	19	72	99+	99+
1. SINGLE DX	1221	2.5	19	<1	1	1	2	5	9	25
2. MULTIPLE DX	1606	6.4	154	<1	1	2	6	21	49	99+
A. NOT OPERATED	2228	2.9	30	<1	1	1	3	6	10	33
B. OPERATED	599	11.5	300	1	1	5	18	57	99+	99+
TOTAL 0-19 YRS	1574	2.9	42	<1	1	1	2	6	11	76
20-34	632	4.8	101	<1	1	2	4	12	33	99+
35-49	269	6.7	122	<1	1	3	8	18	33	99+
50-64	169	9.3	248	1	1	4	11	40	96	99+
65+	183	12.3	313	1	1	7	15	50	98	99+
GRAND TOTAL	**2827**	**4.7**	**99**	**<1**	**1**	**2**	**4**	**12**	**28**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	1	1	1	2	3	4	4	4
20-34	31	2.7	5	1	1	2	3	6	9	9
35-49	9	3.9	4	<1	1	4	6	6	6	6
50-64	17	6.9	55	1	1	5	9	18	25	29
65+	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	10	4.5	5	<1	1	5	5	7	9	9
20-34	22	4.6	4	2	2	4	5	8	9	10
35-49	6	8.8	91	2	2	6	7	26	28	28
50-64	5	6.2	2	5	5	6	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	13	1	1	3	6	10	13	16
20-34	31	5.9	18	1	1	5	8	11	14	20
35-49	32	6.8	51	1	2	5	7	14	24	35
50-64	30	7.0	41	1	1	6	9	12	14	35
65+	22	10.3	45	2	3	9	14	21	24	26
B. *Operated*										
0-19 YRS	55	13.6	270	3	4	8	13	32	50	91
20-34	86	13.3	183	2	4	9	15	25	45	72
35-49	47	10.3	112	2	3	7	13	24	30	99+
50-64	31	17.9	233	4	5	13	23	38	60	62
65+	23	15.9	136	3	4	14	23	31	41	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.8	19	1	1	2	5	9	10	27
B. *Operated*	43	5.3	16	2	3	5	6	8	10	28
2. MULTIPLE DX										
A. *Not Operated*	151	6.6	35	1	1	5	8	13	18	35
B. *Operated*	242	13.6	193	3	4	9	16	28	46	74
1. SINGLE DX	115	4.4	19	1	1	3	6	9	10	28
2. MULTIPLE DX	393	10.9	144	1	2	7	13	24	34	68
A. NOT OPERATED	223	5.7	31	1	1	4	7	11	17	31
B. OPERATED	285	12.4	175	3	3	8	14	26	43	72
TOTAL 0-19 YRS	114	8.6	158	1	1	5	9	17	31	73
20-34	170	8.9	118	1	1	6	10	18	25	67
35-49	94	8.4	82	1	2	6	9	19	26	85
50-64	83	11.0	140	1	2	8	13	26	33	62
65+	47	12.8	97	2	3	10	18	25	31	50
GRAND TOTAL	**508**	**9.4**	**123**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.1	13	1	1	3	5	8	12	19
20-34	93	3.9	11	1	1	3	5	8	10	18
35-49	9	2.8	2	1	1	2	3	5	6	6
50-64	8	4.3	16	1	1	2	7	11	11	11
65+	5	7.4	23	2	2	7	10	15	15	15
B. *Operated*										
0-19 YRS	92	8.4	18	3	5	7	10	15	19	21
20-34	46	8.5	24	1	2	8	11	14	17	25
35-49	15	6.8	13	1	1	7	9	10	13	14
50-64	10	7.4	46	<1	<1	6	11	18	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	5.3	20	1	1	4	7	11	15	21
20-34	115	4.1	10	1	1	3	6	8	10	16
35-49	27	4.7	9	1	1	4	7	9	10	12
50-64	18	6.5	16	<1	1	7	10	12	13	14
65+	14	7.8	64	1	1	6	17	93	99+	99+
B. *Operated*										
0-19 YRS	139	15.0	174	4	5	10	19	36	47	99+
20-34	197	15.1	181	3	5	11	18	33	49	99+
35-49	67	18.3	194	4	5	13	26	42	52	92
50-64	47	20.6	313	5	6	16	29	81	99+	99+
65+	27	24.7	595	1	5	16	32	79	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.1	12	1	1	3	5	8	11	18
B. *Operated*	163	8.2	21	1	3	7	10	14	19	22
2. MULTIPLE DX										
A. *Not Operated*	306	5.0	18	1	1	4	7	10	13	28
B. *Operated*	477	16.6	222	4	5	11	22	40	59	99+
1. SINGLE DX	437	5.6	19	1	1	5	7	11	15	21
2. MULTIPLE DX	783	12.1	175	1	2	8	15	30	46	99+
A. NOT OPERATED	580	4.5	15	1	1	3	6	9	12	20
B. OPERATED	640	14.5	184	3	5	10	17	33	50	99+
TOTAL 0-19 YRS	522	8.1	78	1	2	6	10	17	23	57
20-34	451	9.3	114	1	2	7	11	21	31	67
35-49	118	12.5	158	1	2	9	15	34	44	71
50-64	83	14.4	237	1	2	10	22	39	96	99+
65+	46	17.7	436	1	2	11	26	78	99+	99+
GRAND TOTAL	**1220**	**9.8**	**128**	**1**	**2**	**7**	**11**	**22**	**36**	**99+**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	8	<1	1	4	6	8	9	11
20-34	10	3.6	7	1	1	3	5	7	9	9
35-49	10	4.9	15	<1	1	4	8	11	13	13
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	119	5.8	16	1	1	5	8	11	13	19
20-34	82	4.6	9	1	1	4	7	9	10	12
35-49	35	6.7	16	1	1	6	10	12	14	16
50-64	23	6.5	23	1	2	6	8	15	16	17
65+	13	5.8	16	1	2	5	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	12	1	1	3	5	9	10	16
20-34	15	2.7	4	<1	1	2	3	7	7	7
35-49	9	4.4	10	1	1	4	6	9	11	11
50-64	7	8.7	94	1	2	5	11	26	29	29
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	99	5.8	24	1	1	5	8	13	16	23
20-34	101	6.9	100	<1	1	5	9	13	14	59
35-49	41	7.6	29	1	2	7	10	15	18	25
50-64	18	13.7	281	2	3	9	19	54	89	99+
65+	18	9.7	47	1	2	9	11	26	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.9	8	1	1	3	6	8	9	13
B. *Operated*	272	5.6	15	1	1	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	60	4.1	21	<1	1	3	5	8	12	28
B. *Operated*	277	7.2	73	1	1	6	9	14	19	88
1. SINGLE DX	326	5.3	14	1	1	5	8	11	13	17
2. MULTIPLE DX	337	6.7	65	1	1	5	9	14	19	78
A. NOT OPERATED	114	4.0	15	1	1	3	5	8	10	21
B. OPERATED	549	6.4	45	1	1	5	8	13	16	26
TOTAL 0-19 YRS	272	5.4	18	1	1	4	7	11	14	20
20-34	208	5.5	54	1	1	4	7	11	13	25
35-49	95	6.7	22	1	1	6	9	13	16	22
50-64	54	8.7	126	1	1	6	11	20	27	99
65+	34	7.6	36	1	2	7	9	18	27	99+
GRAND TOTAL	**663**	**6.0**	**40**	**1**	**1**	**5**	**8**	**12**	**15**	**26**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.7	13	<1	1	2	3	5	9	20
20-34	45	1.8	2	<1	<1	1	2	4	5	6
35-49	19	2.2	3	1	1	1	3	5	6	7
50-64	12	2.9	11	<1	<1	2	3	7	12	13
65+	11	4.7	15	<1	<1	4	8	10	12	12
B. *Operated*										
0-19 YRS	271	2.2	7	<1	<1	1	2	5	7	13
20-34	119	2.9	46	<1	<1	1	3	5	8	32
35-49	54	3.0	9	<1	<1	2	3	7	8	18
50-64	29	2.9	9	<1	<1	1	4	8	9	12
65+	33	3.2	8	<1	1	2	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.1	10	<1	1	2	4	6	9	18
20-34	117	3.1	16	<1	<1	2	4	7	10	21
35-49	58	4.1	18	<1	1	3	5	9	11	25
50-64	53	5.1	26	<1	1	3	6	12	16	24
65+	59	8.5	105	1	1	4	13	25	37	94
B. *Operated*										
0-19 YRS	441	3.3	23	<1	1	2	4	7	9	20
20-34	479	3.5	22	<1	1	2	4	8	11	21
35-49	191	4.2	28	<1	1	2	5	10	13	36
50-64	157	4.9	28	<1	1	3	6	11	16	26
65+	148	8.3	114	1	1	5	9	20	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.6	10	<1	<1	1	3	5	8	13
B. *Operated*	506	2.6	17	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	420	4.2	31	<1	1	2	5	10	15	35
B. *Operated*	1416	4.2	35	<1	1	2	5	9	13	34
1. SINGLE DX	703	2.6	15	<1	<1	1	3	6	8	13
2. MULTIPLE DX	1836	4.2	34	<1	1	2	5	9	14	34
A. NOT OPERATED	617	3.7	25	<1	1	2	4	9	13	32
B. OPERATED	1922	3.8	31	<1	1	2	4	8	12	29
TOTAL 0-19 YRS	955	2.9	15	<1	1	2	3	6	8	17
20-34	760	3.3	24	<1	<1	2	4	7	10	20
35-49	322	3.9	22	<1	1	2	5	9	12	27
50-64	251	4.6	25	<1	1	3	6	11	15	25
65+	251	7.5	96	1	1	4	9	18	33	61
GRAND TOTAL	**2539**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	6	<1	<1	2	3	6	9	12
20-34	30	3.1	9	<1	1	2	4	7	8	14
35-49	10	3.2	11	<1	<1	2	3	9	11	11
50-64	6	2.7	4	<1	<1	2	4	6	6	6
65+	3	20.0	871	1	1	5	42	54	54	54
B. *Operated*										
0-19 YRS	76	2.8	5	<1	<1	2	4	6	8	11
20-34	76	4.2	30	<1	1	2	5	9	11	35
35-49	19	5.5	39	<1	1	3	8	12	20	26
50-64	8	5.0	7	2	2	5	7	9	10	10
65+	4	6.5	42	2	2	4	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.3	22	<1	1	3	5	9	16	23
20-34	42	3.8	28	<1	1	2	4	10	18	99+
35-49	17	4.4	12	<1	<1	3	6	10	12	12
50-64	6	2.8	7	1	1	2	7	82	99+	99+
65+	4	5.3	22	<1	<1	7	33	99+	99+	99+
B. *Operated*										
0-19 YRS	65	7.2	74	1	1	4	9	23	37	99+
20-34	91	7.1	48	1	1	5	9	18	22	72
35-49	26	5.5	24	1	1	5	8	9	14	25
50-64	20	14.0	132	<1	1	12	22	31	35	35
65+	5	28.0	1189	2	2	11	46	86	86	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.3	34	<1	1	2	3	7	10	35
B. *Operated*	183	3.9	20	<1	1	2	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	102	4.0	21	<1	1	3	5	11	18	99+
B. *Operated*	207	8.1	97	1	1	5	10	22	33	99+
1. SINGLE DX	280	3.7	25	<1	1	2	4	8	11	26
2. MULTIPLE DX	309	6.8	75	<1	1	4	9	19	31	99+
A. NOT OPERATED	199	3.7	28	<1	1	2	4	9	12	99+
B. OPERATED	390	6.1	65	<1	1	3	8	13	25	66
TOTAL 0-19 YRS	222	4.3	32	<1	1	2	5	9	15	55
20-34	239	5.1	36	<1	1	3	6	11	19	43
35-49	72	4.9	23	<1	1	3	7	11	12	26
50-64	40	8.8	95	<1	1	5	14	26	35	99+
65+	16	15.4	551	<1	1	7	20	80	95	99+
GRAND TOTAL	**589**	**5.3**	**54**	**<1**	**1**	**3**	**6**	**12**	**22**	**93**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	5	<1	<1	2	4	5	6	12
20-34	85	3.2	6	<1	1	3	4	7	8	12
35-49	26	4.1	23	<1	1	3	4	9	13	25
50-64	9	7.9	79	<1	<1	4	15	22	25	25
65+	5	8.8	74	2	2	4	15	22	22	22
B. *Operated*										
0-19 YRS	492	2.7	9	<1	1	2	3	6	9	18
20-34	594	2.8	12	<1	1	2	3	6	9	20
35-49	233	3.1	19	<1	1	2	3	7	12	23
50-64	146	3.9	34	<1	1	2	4	9	16	32
65+	58	3.3	13	1	1	2	4	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	14	<1	<1	3	5	9	9	23
20-34	108	5.2	63	<1	1	3	5	12	21	45
35-49	39	5.1	11	1	1	4	7	11	12	13
50-64	13	5.5	21	<1	<1	4	7	11	16	17
65+	13	10.0	51	2	3	7	14	22	23	23
B. *Operated*										
0-19 YRS	372	4.1	33	1	1	2	4	8	13	35
20-34	511	4.6	42	1	1	3	5	9	15	37
35-49	200	4.6	45	1	1	2	4	11	19	37
50-64	152	6.3	77	1	1	3	7	15	25	49
65+	71	8.0	103	1	1	4	10	24	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.5	14	<1	1	2	4	7	10	24
B. *Operated*	1523	2.9	14	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*	230	5.1	40	<1	1	3	6	10	17	36
B. *Operated*	1306	4.8	48	1	1	2	5	10	19	39
1. SINGLE DX	1717	3.0	14	<1	1	2	3	6	10	21
2. MULTIPLE DX	1536	4.9	47	1	1	3	5	10	18	38
A. NOT OPERATED	424	4.4	29	<1	1	3	5	9	13	25
B. OPERATED	2829	3.8	31	<1	1	2	4	8	13	31
TOTAL 0-19 YRS	990	3.3	19	<1	1	2	4	7	9	23
20-34	1298	3.7	29	<1	1	2	4	7	11	29
35-49	498	3.9	30	1	1	2	4	9	14	31
50-64	320	5.3	56	1	1	2	6	14	21	43
65+	147	6.4	67	1	1	3	7	17	24	40
GRAND TOTAL	**3253**	**3.9**	**31**	**<1**	**1**	**2**	**4**	**8**	**13**	**31**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.8	12	<1	1	3	5	8	10	18
20-34	60	4.0	17	1	1	3	4	6	8	28
35-49	25	3.8	8	<1	1	3	6	8	9	11
50-64	10	3.3	3	1	1	3	4	6	6	6
65+	6	3.5	2	2	2	4	5	81	99+	99+
B. *Operated*										
0-19 YRS	308	4.6	34	1	1	2	5	11	17	27
20-34	261	5.6	49	1	1	3	7	12	17	36
35-49	98	4.7	23	1	1	3	6	11	15	25
50-64	45	8.5	99	1	1	3	12	22	33	39
65+	20	10.1	104	1	1	7	13	27	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	5.6	29	1	1	4	7	13	14	31
20-34	39	4.7	25	1	1	3	6	11	18	22
35-49	36	6.5	23	1	1	5	9	13	17	20
50-64	15	9.9	53	1	2	8	17	21	22	23
65+	27	14.0	158	3	4	10	16	29	42	59
B. *Operated*										
0-19 YRS	130	9.4	117	1	2	5	12	24	36	69
20-34	147	8.7	160	1	1	4	9	28	44	99+
35-49	68	12.2	301	1	2	5	13	37	51	92
50-64	36	9.6	125	1	2	5	14	28	47	99+
65+	34	24.2	349	2	4	20	37	65	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	3.8	12	<1	1	3	5	7	9	24
B. *Operated*	732	5.3	45	1	1	3	6	12	18	35
2. MULTIPLE DX										
A. *Not Operated*	178	7.2	57	1	1	5	10	15	21	37
B. *Operated*	415	10.8	197	1	1	5	14	30	48	99+
1. SINGLE DX	938	5.0	38	1	1	3	6	12	17	34
2. MULTIPLE DX	593	9.8	158	1	1	5	12	26	40	99
A. NOT OPERATED	384	5.4	36	1	1	4	6	13	16	32
B. OPERATED	1147	7.3	107	1	1	4	8	19	30	65
TOTAL 0-19 YRS	604	5.6	51	1	1	3	7	13	20	39
20-34	507	6.2	78	1	1	3	7	14	25	58
35-49	227	7.1	115	1	1	4	8	15	25	56
50-64	106	8.6	94	1	1	5	12	22	31	75
65+	87	16.4	252	2	2	12	23	41	66	99+
GRAND TOTAL	**1531**	**6.9**	**90**	**1**	**1**	**4**	**8**	**17**	**27**	**59**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	3	1	1	1	3	5	6	6
20-34	5	3.4	23	1	1	1	4	12	12	12
35-49	5	2.2	1	<1	<1	3	3	3	3	3
50-64										
65+	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-19 YRS	10	3.6	7	1	1	3	4	8	9	9
20-34	10	4.3	13	<1	<1	4	5	9	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	4	4	4
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	5	1.8	2	<1	<1	<1	2	4	4	4
50-64	4	8.8	8	6	6	8	11	12	12	12
65+	5	13.2	90	3	3	17	25	92	99+	99+
B. *Operated*										
0-19 YRS	20	14.7	484	1	1	4	18	51	73	76
20-34	35	11.7	194	<1	1	9	14	29	63	99+
35-49	15	7.2	33	<1	<1	8	10	12	20	23
50-64	5	5.6	7	3	3	5	7	10	10	10
65+	3	28.3	530	6	6	27	46	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	8	<1	1	1	3	6	10	12
B. *Operated*	25	3.6	8	<1	1	3	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	25	5.0	41	<1	<1	2	7	18	40	99+
B. *Operated*	78	11.9	245	<1	1	8	13	29	61	93
1. SINGLE DX	49	3.1	8	<1	1	2	4	7	9	13
2. MULTIPLE DX	103	10.2	203	<1	<1	6	12	27	58	99+
A. NOT OPERATED	49	3.9	26	<1	<1	2	4	12	18	99+
B. OPERATED	103	9.9	200	<1	1	5	11	23	53	87
TOTAL 0-19 YRS	48	7.5	236	<1	1	2	5	20	37	76
20-34	54	8.8	145	<1	1	5	12	19	49	98
35-49	26	5.0	26	<1	<1	3	8	11	14	23
50-64	12	5.9	11	<1	1	5	8	11	12	12
65+	12	13.9	225	2	2	9	25	62	93	99+
GRAND TOTAL	**152**	**7.9**	**151**	**<1**	**1**	**4**	**9**	**19**	**32**	**99**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	7.6	123	1	1	4	8	20	37	50
20-34	42	4.9	14	1	1	4	6	12	13	14
35-49	25	8.1	41	1	1	7	10	24	41	99+
50-64	9	4.3	13	1	1	3	7	56	99+	99+
65+	9	10.3	110	<1	<1	7	16	27	32	32
B. *Operated*										
0-19 YRS	214	5.5	37	1	1	3	6	12	19	32
20-34	308	4.4	19	1	2	3	5	9	12	21
35-49	126	5.5	29	1	2	4	6	12	18	26
50-64	86	5.7	41	1	2	4	6	13	17	38
65+	22	12.2	122	1	2	9	14	30	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	9.5	259	1	1	5	10	23	59	99+
20-34	100	7.1	78	1	1	4	10	16	32	99+
35-49	56	6.1	24	1	1	5	9	14	15	22
50-64	45	13.7	187	3	4	10	16	29	66	99+
65+	38	19.5	435	3	5	13	40	99+	99+	99+
B. *Operated*										
0-19 YRS	180	8.2	130	1	1	4	10	18	26	97
20-34	353	8.0	115	1	2	5	9	17	31	84
35-49	158	8.6	98	1	2	5	11	24	33	96
50-64	123	14.1	317	1	2	7	19	37	57	93
65+	69	17.9	378	2	2	13	21	43	77	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	6.7	61	1	1	4	9	14	26	99+
B. *Operated*	756	5.3	33	1	2	3	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	294	10.0	181	1	2	6	12	23	69	99+
B. *Operated*	883	9.8	172	1	2	5	11	26	37	96
1. SINGLE DX	879	5.5	37	1	1	3	6	12	17	36
2. MULTIPLE DX	1177	9.8	175	1	2	5	11	26	40	99+
A. NOT OPERATED	417	9.0	148	1	1	5	11	22	50	99+
B. OPERATED	1639	7.7	113	1	2	4	9	18	29	77
TOTAL 0-19 YRS	487	7.1	104	1	1	4	8	17	24	83
20-34	803	6.3	71	1	2	4	7	13	20	72
35-49	365	7.1	61	1	2	4	9	17	26	59
50-64	263	10.9	209	1	2	5	13	29	46	98
65+	138	16.9	339	1	3	11	22	52	86	99+
GRAND TOTAL	**2056**	**8.0**	**120**	**1**	**2**	**4**	**9**	**19**	**31**	**99**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	4.8	8	1	2	4	6	7	9	16
20-34	165	3.9	6	1	1	4	5	6	7	14
35-49	55	4.5	6	1	1	4	6	7	9	13
50-64	13	4.3	6	<1	1	4	6	8	9	9
65+	6	5.8	19	2	2	4	7	13	14	14
B. *Operated*										
0-19 YRS	15	11.9	55	3	4	10	17	23	25	26
20-34	7	6.4	64	1	1	5	6	20	24	24
35-49	3	7.7	16	4	4	7	11	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.6	49	1	1	4	7	11	13	31
20-34	117	4.4	8	1	1	4	6	8	10	16
35-49	48	4.2	7	1	1	4	5	8	10	14
50-64	26	4.7	7	1	1	4	7	9	9	10
65+	20	9.5	102	1	1	5	12	25	33	38
B. *Operated*										
0-19 YRS	26	8.0	68	<1	1	5	9	22	27	33
20-34	30	4.8	12	<1	1	4	6	11	12	13
35-49	11	10.7	364	1	1	5	9	35	64	67
50-64	6	4.8	7	2	2	4	6	9	9	9
65+	6	16.2	395	2	2	6	25	50	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	4.5	7	1	2	4	6	7	9	14
B. *Operated*	27	9.5	54	1	3	6	15	22	24	26
2. MULTIPLE DX										
A. *Not Operated*	333	5.2	30	1	1	4	6	9	12	22
B. *Operated*	79	7.5	109	1	1	5	8	14	25	63
1. SINGLE DX	575	4.7	10	1	2	4	6	7	10	20
2. MULTIPLE DX	412	5.6	46	1	1	4	6	10	14	35
A. NOT OPERATED	881	4.7	16	1	1	4	6	8	10	17
B. OPERATED	106	8.0	95	1	1	5	9	19	25	59
TOTAL 0-19 YRS	472	5.4	25	1	2	4	6	9	12	25
20-34	319	4.2	9	1	1	4	5	7	9	16
35-49	117	5.1	41	1	1	4	6	9	11	32
50-64	46	4.6	7	1	2	4	7	9	9	10
65+	33	9.9	137	1	2	5	12	26	36	53
GRAND TOTAL	**987**	**5.1**	**25**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	958	2.3	7	<1	1	1	3	4	6	13
20-34	661	2.4	6	<1	<1	2	3	5	7	11
35-49	199	3.3	16	<1	1	2	4	6	9	20
50-64	159	4.5	18	1	1	3	6	11	14	20
65+	192	7.0	59	1	1	5	9	14	18	54
B. *Operated*										
0-19 YRS	83	4.0	26	<1	1	3	4	9	11	32
20-34	53	4.7	16	1	1	4	7	9	15	17
35-49	38	5.8	30	1	1	4	7	12	19	25
50-64	24	7.4	58	1	1	5	10	17	22	33
65+	17	8.5	93	<1	1	7	9	26	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	895	2.8	11	<1	1	2	3	6	8	17
20-34	800	2.8	8	<1	<1	2	3	5	7	13
35-49	427	4.4	20	<1	1	3	5	9	12	24
50-64	365	6.2	39	1	1	4	8	13	18	37
65+	762	11.8	188	1	2	7	15	27	44	99
B. *Operated*										
0-19 YRS	101	3.8	15	1	1	2	5	9	12	19
20-34	123	5.5	32	1	1	3	7	13	17	29
35-49	61	7.0	127	1	1	4	9	13	17	77
50-64	52	9.4	96	1	1	6	13	25	31	47
65+	67	18.7	318	2	3	13	27	59	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2169	3.0	15	<1	1	2	3	6	10	20
B. *Operated*	215	5.2	34	1	1	4	7	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	3249	5.5	70	<1	1	3	6	12	19	51
B. *Operated*	404	8.0	122	1	1	4	10	19	31	80
1. SINGLE DX	2384	3.2	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	3653	5.8	76	<1	1	3	6	13	21	56
A. NOT OPERATED	5418	4.5	49	<1	1	2	5	10	15	40
B. OPERATED	619	7.0	93	1	1	4	8	16	26	68
TOTAL 0-19 YRS	2037	2.7	10	<1	1	2	3	6	8	17
20-34	1637	2.9	10	<1	<1	2	4	6	8	16
35-49	725	4.4	29	1	1	3	5	9	13	25
50-64	600	6.1	41	1	1	4	8	13	18	34
65+	1038	11.3	178	1	2	7	14	26	44	99+
GRAND TOTAL	**6037**	**4.8**	**54**	**<1**	**1**	**2**	**5**	**10**	**17**	**42**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.7	16	1	1	2	5	8	13	19
20-34	36	3.6	20	<1	<1	2	5	7	13	23
35-49	13	3.2	7	<1	1	2	4	8	9	9
50-64	6	3.3	5	2	2	2	5	7	7	7
65+	2	13.5	13	11	11	13	16	16	16	16
B. *Operated*										
0-19 YRS	31	5.5	77	<1	1	3	7	10	29	42
20-34	38	5.1	31	1	1	3	7	11	20	23
35-49	14	4.6	33	<1	1	2	4	16	18	19
50-64	12	4.8	22	<1	1	3	5	14	15	15
65+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.1	104	<1	1	3	9	24	34	37
20-34	34	3.6	17	<1	1	2	4	8	15	18
35-49	15	9.0	79	<1	1	6	13	23	30	33
50-64	8	3.8	4	<1	1	4	5	6	7	7
65+	7	13.1	114	2	3	11	15	31	35	35
B. *Operated*										
0-19 YRS	43	13.2	194	1	2	8	19	37	47	99+
20-34	41	9.6	108	1	1	7	11	20	30	52
35-49	26	14.0	278	1	2	6	25	38	53	55
50-64	17	13.6	382	1	1	5	22	40	63	74
65+	4	8.0	12	5	5	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.8	17	<1	1	2	5	9	14	21
B. *Operated*	98	5.1	43	1	1	3	6	11	19	36
2. MULTIPLE DX										
A. *Not Operated*	79	6.4	59	<1	1	3	7	16	24	36
B. *Operated*	131	12.1	200	1	1	7	15	35	43	79
1. SINGLE DX	195	4.4	30	<1	1	2	5	10	16	27
2. MULTIPLE DX	210	10.0	155	1	1	6	12	28	38	70
A. NOT OPERATED	176	4.9	37	<1	1	3	6	12	16	34
B. OPERATED	229	9.1	145	1	1	5	10	25	38	68
TOTAL 0-19 YRS	129	7.8	114	1	1	4	9	24	37	74
20-34	149	5.7	52	<1	1	3	7	14	19	41
35-49	68	8.9	148	1	1	4	9	30	36	55
50-64	43	7.9	175	<1	1	4	7	22	32	74
65+	16	9.9	67	2	2	11	12	16	29	35
GRAND TOTAL	**405**	**7.3**	**102**	**1**	**1**	**4**	**8**	**19**	**31**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	1	2	4	5
20-34	9	1.9	3	<1	<1	1	2	5	6	6
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	4	4	4
20-34	8	3.4	5	1	1	3	5	6	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	7	2.9	5	<1	<1	2	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	3	3.3	16	1	1	1	6	8	8	8
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.8	12	<1	<1	1	3	7	8	17
B. *Operated*	22	2.7	4	<1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.8	3	<1	<1	3	4	5	7	7
B. *Operated*	7	3.9	7	1	1	4	6	8	8	8
1. SINGLE DX	53	2.8	8	<1	<1	1	4	6	8	17
2. MULTIPLE DX	20	3.2	5	<1	<1	3	5	6	7	8
A. NOT OPERATED	44	2.8	9	<1	<1	2	4	7	8	17
B. OPERATED	29	3.0	5	1	1	2	5	6	6	8
TOTAL 0-19 YRS	28	1.9	2	<1	<1	1	2	5	5	5
20-34	27	2.7	5	<1	<1	2	4	6	7	8
35-49	9	3.4	6	1	1	3	4	8	8	8
50-64	5	5.0	6	2	2	6	7	8	8	8
65+	4	7.0	49	1	1	5	11	17	17	17
GRAND TOTAL	**73**	**2.9**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	1.6	4	<1	<1	1	2	3	4	8
20-34	74	1.3	1	<1	1	1	1	2	3	5
35-49	79	1.4	1	<1	<1	1	2	3	3	4
50-64	103	1.8	3	<1	1	1	2	3	4	12
65+	70	3.2	113	<1	1	1	3	4	5	74
B. *Operated*										
0-19 YRS	90	3.3	10	1	1	2	5	7	10	15
20-34	19	3.6	13	<1	<1	2	5	11	12	12
35-49	18	6.0	49	<1	1	3	7	18	24	25
50-64	8	5.8	19	1	1	4	9	12	13	13
65+	13	3.5	10	1	1	2	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.6	31	<1	<1	1	4	10	13	33
20-34	25	1.7	1	<1	<1	1	2	4	4	5
35-49	28	2.7	14	<1	<1	1	3	6	12	18
50-64	38	2.4	10	1	1	1	2	5	10	16
65+	66	4.6	80	1	1	3	5	10	36	99+
B. *Operated*										
0-19 YRS	44	5.5	63	<1	1	4	8	11	12	52
20-34	12	6.6	41	1	1	6	7	14	23	25
35-49	20	10.4	133	1	2	7	12	21	39	52
50-64	26	12.7	380	1	1	8	11	28	46	97
65+	34	9.0	128	1	1	4	12	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	1.7	14	<1	<1	1	2	3	4	8
B. *Operated*	148	3.8	16	<1	1	2	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	233	3.4	37	<1	1	1	4	8	12	71
B. *Operated*	136	8.6	151	1	1	5	10	23	32	97
1. SINGLE DX	869	2.1	15	<1	<1	1	2	4	6	13
2. MULTIPLE DX	369	5.3	85	<1	1	2	6	12	23	90
A. NOT OPERATED	954	2.1	20	<1	<1	1	2	4	6	17
B. OPERATED	284	6.1	86	1	1	3	7	12	23	52
TOTAL 0-19 YRS	605	2.4	14	<1	<1	1	2	5	8	15
20-34	130	2.2	9	<1	<1	1	2	5	7	15
35-49	145	3.5	36	<1	1	1	3	9	13	27
50-64	175	3.7	74	<1	1	1	3	9	13	32
65+	183	4.8	100	1	1	2	4	11	25	99+
GRAND TOTAL	**1238**	**3.1**	**38**	**<1**	**<1**	**1**	**3**	**7**	**11**	**32**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.8	25	1	2	6	11	14	18	21
20-34	9	4.6	8	<1	<1	4	6	9	10	10
35-49	4	7.5	3	6	6	7	9	10	10	10
50-64	2	28.0	288	16	16	28	40	40	40	40
65+	2	12.5	145	4	4	12	21	21	21	21
B. *Operated*										
0-19 YRS	38	16.8	297	2	4	12	19	31	61	82
20-34	34	16.4	232	2	2	13	26	42	45	54
35-49	13	15.5	161	5	6	10	19	35	47	50
50-64	9	19.1	176	5	6	17	24	39	49	49
65+	2	34.0	2048	2	2	34	66	66	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	10.4	114	1	1	8	13	19	29	59
20-34	24	10.6	102	<1	1	7	15	28	31	39
35-49	18	10.5	77	<1	2	8	16	25	29	31
50-64	10	14.8	139	2	3	11	21	34	36	36
65+	10	35.3	975	1	1	31	49	87	93	93
B. *Operated*										
0-19 YRS	76	29.0	369	7	8	29	43	88	99+	99+
20-34	54	25.2	502	2	3	25	46	99+	99+	99+
35-49	37	31.1	528	4	5	29	45	80	94	99+
50-64	30	39.6	398	16	17	36	60	95	99+	99+
65+	24	34.5	566	9	11	32	60	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.3	53	1	2	6	11	16	21	40
B. *Operated*	96	17.0	260	2	2	13	22	42	50	78
2. MULTIPLE DX										
A. *Not Operated*	98	13.4	239	1	1	9	16	32	38	87
B. *Operated*	221	30.5	465	4	7	29	48	92	99+	99+
1. SINGLE DX	134	14.6	216	2	2	10	18	33	45	75
2. MULTIPLE DX	319	25.2	457	2	3	21	41	79	99+	99+
A. NOT OPERATED	136	12.0	191	1	1	8	14	28	36	83
B. OPERATED	317	26.4	440	2	5	23	43	77	99+	99+
TOTAL 0-19 YRS	171	19.8	331	2	3	15	30	49	85	99+
20-34	121	18.3	354	2	2	14	29	62	99+	99+
35-49	72	21.8	410	3	4	16	31	58	83	99+
50-64	51	30.6	412	5	8	28	47	66	99	99+
65+	38	33.6	673	2	3	30	59	93	99+	99+
GRAND TOTAL	**453**	**22.1**	**409**	**2**	**3**	**17**	**34**	**65**	**93**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	5.6	29	1	1	4	7	13	16	27
20-34	189	4.3	19	1	1	2	6	10	13	20
35-49	64	6.3	45	1	1	4	8	15	24	29
50-64	34	8.2	68	1	1	5	9	24	28	29
65+	23	9.4	71	1	2	7	11	22	30	35
B. *Operated*										
0-19 YRS	57	13.6	144	2	2	9	24	29	38	46
20-34	23	11.0	82	<1	1	9	18	25	28	30
35-49	9	14.4	57	2	5	14	17	26	27	27
50-64	5	19.0	202	3	3	15	27	41	41	41
65+	5	30.8	655	5	5	28	41	73	73	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	7.4	53	1	1	5	10	16	21	37
20-34	296	6.2	35	1	1	4	9	14	19	31
35-49	138	8.4	69	1	1	6	11	20	25	42
50-64	103	9.7	81	1	1	7	12	24	29	37
65+	74	17.6	287	2	3	13	22	45	64	94
B. *Operated*										
0-19 YRS	98	18.1	285	1	2	10	28	43	53	96
20-34	76	16.4	280	2	2	10	24	36	57	96
35-49	41	20.6	338	2	4	15	28	53	71	99+
50-64	28	26.8	417	2	4	24	35	76	99+	99+
65+	20	29.4	432	5	6	35	49	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	5.6	32	1	1	4	8	12	17	28
B. *Operated*	99	14.2	158	1	2	10	23	29	38	60
2. MULTIPLE DX										
A. *Not Operated*	1156	8.1	75	1	1	6	11	19	24	45
B. *Operated*	263	19.8	328	2	3	14	31	50	71	99+
1. SINGLE DX	758	6.7	57	1	1	4	8	16	23	36
2. MULTIPLE DX	1419	10.3	142	1	1	6	13	25	36	75
A. NOT OPERATED	1815	7.2	61	1	1	5	9	16	21	38
B. OPERATED	362	18.3	287	2	2	13	27	45	62	99+
TOTAL 0-19 YRS	1049	8.2	84	1	1	5	10	19	27	46
20-34	584	7.1	78	1	1	4	9	17	24	49
35-49	252	10.1	129	1	1	6	14	25	31	62
50-64	170	12.5	177	1	1	9	17	30	38	96
65+	122	18.5	317	2	3	13	28	50	67	99+
GRAND TOTAL	**2177**	**9.0**	**115**	**1**	**1**	**6**	**11**	**21**	**31**	**62**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	15	<1	1	2	4	5	11	20
20-34	27	5.3	47	<1	1	4	6	9	17	36
35-49	18	4.3	12	1	1	3	6	9	12	14
50-64	5	3.2	11	1	1	2	4	9	9	9
65+	7	8.4	34	1	1	8	11	17	18	18
B. *Operated*										
0-19 YRS	45	3.3	23	<1	1	2	3	5	10	31
20-34	60	2.6	3	1	1	2	3	6	6	9
35-49	18	4.5	22	<1	1	2	7	11	16	18
50-64	16	7.0	85	1	1	2	11	21	28	31
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.3	133	1	1	3	5	11	19	62
20-34	33	7.6	219	<1	<1	3	8	15	23	84
35-49	17	8.7	127	<1	1	4	10	20	37	46
50-64	19	10.5	78	2	3	7	13	26	28	30
65+	16	17.6	214	1	2	14	29	48	82	99+
B. *Operated*										
0-19 YRS	40	4.5	48	<1	1	2	6	15	63	99+
20-34	89	5.3	83	1	1	3	5	11	21	55
35-49	24	4.8	32	1	1	2	4	14	17	24
50-64	13	8.6	118	<1	<1	3	16	38	86	99+
65+	9	27.0	639	2	2	27	39	67	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.6	28	1	1	3	6	9	14	31
B. *Operated*	141	3.5	22	1	1	2	3	7	11	31
2. MULTIPLE DX										
A. *Not Operated*	112	9.3	167	1	1	5	10	24	44	90
B. *Operated*	175	6.4	119	1	1	3	6	20	31	99+
1. SINGLE DX	221	3.9	24	1	1	2	4	9	13	31
2. MULTIPLE DX	287	7.6	139	1	1	3	8	22	31	99+
A. NOT OPERATED	192	7.4	114	1	1	4	8	19	28	75
B. OPERATED	316	5.1	77	1	1	2	5	13	24	82
TOTAL 0-19 YRS	135	4.2	51	1	1	2	4	10	17	99+
20-34	209	4.9	78	<1	1	2	5	9	18	52
35-49	77	5.5	47	1	1	3	6	14	17	40
50-64	53	8.3	84	1	1	4	11	26	31	97
65+	34	17.3	314	1	2	11	28	48	68	99+
GRAND TOTAL	**508**	**6.0**	**92**	**1**	**1**	**3**	**6**	**15**	**25**	**78**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.9	19	<1	1	2	4	5	7	12
20-34	225	3.2	12	<1	1	2	4	7	9	14
35-49	99	3.9	15	1	1	2	5	9	11	21
50-64	57	5.4	34	1	1	3	7	13	19	31
65+	64	8.3	70	1	1	5	11	18	28	38
B. *Operated*										
0-19 YRS	41	3.6	10	<1	<1	2	5	8	10	14
20-34	45	5.7	27	1	1	4	9	12	14	26
35-49	31	7.7	124	1	1	4	9	18	21	59
50-64	23	5.3	46	1	1	2	7	18	22	25
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	3.3	8	<1	1	2	4	7	9	13
20-34	188	4.3	18	1	1	3	6	8	10	26
35-49	83	5.3	25	<1	1	4	7	12	16	25
50-64	93	7.8	119	1	1	5	9	16	22	67
65+	197	13.3	217	2	3	9	16	29	51	98
B. *Operated*										
0-19 YRS	57	9.1	239	<1	1	5	9	16	28	96
20-34	92	10.0	177	<1	1	5	12	22	36	74
35-49	31	11.1	124	<1	1	9	15	25	42	44
50-64	22	16.2	269	2	3	12	19	34	56	75
65+	19	14.7	141	<1	1	17	21	28	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.8	24	<1	1	2	4	8	11	26
B. *Operated*	142	5.5	47	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	778	6.8	94	1	1	4	8	14	22	58
B. *Operated*	221	10.9	193	<1	1	6	14	24	39	74
1. SINGLE DX	854	4.1	28	<1	1	2	5	9	12	26
2. MULTIPLE DX	999	7.7	119	<1	1	4	9	17	25	68
A. NOT OPERATED	1490	5.4	63	<1	1	3	6	11	17	43
B. OPERATED	363	8.8	143	<1	1	5	11	19	28	72
TOTAL 0-19 YRS	582	3.7	39	<1	1	2	4	7	10	25
20-34	550	4.9	48	<1	1	3	6	10	14	36
35-49	244	5.8	51	<1	1	3	7	12	18	42
50-64	195	7.8	111	1	1	5	9	17	23	61
65+	282	12.2	181	1	2	8	15	27	43	93
GRAND TOTAL	**1853**	**6.1**	**80**	**<1**	**1**	**3**	**7**	**13**	**20**	**49**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1144	1.7	3	<1	1	1	2	3	4	7
20-34	525	2.2	10	<1	<1	1	3	4	6	9
35-49	205	2.6	8	<1	1	2	3	5	8	15
50-64	107	3.8	17	<1	1	2	4	9	12	22
65+	88	5.4	19	1	1	4	8	10	13	24
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	20.3	800	4	4	4	41	53	53	53
50-64	3	7.3	37	2	2	6	12	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1080	4.6	55	<1	1	2	5	10	17	38
20-34	1654	5.7	80	<1	1	2	6	14	23	55
35-49	934	6.5	89	1	1	4	8	15	24	55
50-64	587	9.0	132	1	1	5	10	21	35	60
65+	692	10.1	104	2	2	7	13	21	29	73
B. *Operated*										
0-19 YRS	23	9.7	255	<1	1	5	8	21	54	70
20-34	78	13.0	206	1	2	8	16	35	56	99+
35-49	57	18.2	372	<1	1	11	27	51	71	98
50-64	45	17.9	188	1	2	16	25	41	54	99+
65+	70	19.9	243	2	6	16	24	40	54	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2069	2.2	8	<1	1	1	2	4	6	13
B. *Operated*	11	8.5	230	1	1	4	6	30	51	53
2. MULTIPLE DX										
A. *Not Operated*	4947	6.6	89	1	1	3	8	16	24	56
B. *Operated*	273	16.4	259	1	2	11	23	42	57	99+
1. SINGLE DX	2080	2.2	9	<1	1	1	2	4	6	13
2. MULTIPLE DX	5220	7.1	103	1	1	4	8	18	27	60
A. NOT OPERATED	7016	5.3	69	<1	1	2	6	13	20	48
B. OPERATED	284	16.1	259	1	2	11	22	42	55	99+
TOTAL 0-19 YRS	2250	3.2	33	<1	1	1	3	6	11	29
20-34	2259	5.1	72	<1	1	2	5	12	20	54
35-49	1199	6.4	99	<1	1	3	7	15	25	56
50-64	742	8.8	127	1	1	5	10	21	33	61
65+	850	10.4	116	1	2	7	13	23	30	69
GRAND TOTAL	**7300**	**5.7**	**81**	**<1**	**1**	**3**	**6**	**14**	**22**	**54**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.6	5	<1	1	1	2	3	3	10
20-34	157	1.6	3	<1	<1	1	2	3	4	12
35-49	76	1.9	3	<1	<1	1	2	5	7	75
50-64	64	2.6	13	1	1	1	3	5	11	20
65+	28	3.8	18	1	1	2	4	11	15	15
B. *Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	5.7	17	1	1	7	8	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.0	25	1	1	2	3	7	12	24
20-34	174	3.7	53	<1	<1	2	3	6	11	44
35-49	118	4.7	58	<1	1	2	4	9	24	43
50-64	94	8.6	166	1	1	3	11	22	39	64
65+	66	8.0	163	1	1	4	8	15	28	77
B. *Operated*										
0-19 YRS	9	4.3	42	1	1	2	4	15	21	21
20-34	9	11.2	60	1	2	10	18	21	23	23
35-49	6	9.3	113	2	2	5	11	28	30	30
50-64	8	10.8	224	2	2	4	12	37	46	46
65+	1	90.0		90	90	90	90	90	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	1.7	5	<1	1	1	2	3	4	15
B. *Operated*	9	5.6	17	<1	<1	4	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	672	4.8	75	<1	1	2	4	10	20	49
B. *Operated*	33	11.3	300	1	1	4	14	24	44	90
1. SINGLE DX	1013	1.8	5	<1	1	1	2	3	5	15
2. MULTIPLE DX	705	5.1	87	<1	1	2	4	12	21	49
A. NOT OPERATED	1676	2.9	35	<1	1	1	2	5	10	33
B. OPERATED	42	10.0	243	1	1	4	11	22	36	90
TOTAL 0-19 YRS	911	2.0	10	<1	1	1	2	3	5	17
20-34	341	2.9	33	<1	<1	1	3	5	10	25
35-49	203	3.8	40	<1	1	2	4	7	13	45
50-64	167	6.4	116	1	1	2	6	16	28	49
65+	96	7.6	193	1	1	3	8	15	23	86
GRAND TOTAL	**1718**	**3.1**	**41**	**<1**	**1**	**1**	**3**	**6**	**12**	**38**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.4	24	<1	1	2	4	8	10	21
20-34	141	3.5	21	<1	1	2	3	9	13	24
35-49	82	4.3	37	<1	1	2	5	10	13	38
50-64	51	4.0	25	1	1	2	4	10	17	25
65+	42	4.6	28	<1	1	3	6	10	15	28
B. *Operated*										
0-19 YRS	7	15.6	299	3	3	4	30	42	44	44
20-34	8	11.1	184	1	1	6	12	34	43	43
35-49										
50-64	7	28.4	874	1	1	31	37	76	85	85
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	5.3	73	1	1	3	6	11	21	70
20-34	156	3.8	17	<1	1	2	4	9	14	21
35-49	119	6.4	73	1	1	4	8	14	28	69
50-64	165	7.0	54	1	1	5	9	15	20	39
65+	184	12.7	258	2	2	7	14	33	61	98
B. *Operated*										
0-19 YRS	10	21.2	196	1	7	22	44	99+	99+	99+
20-34	21	13.3	188	1	2	7	17	38	41	42
35-49	28	18.4	247	2	2	12	33	46	54	99+
50-64	26	25.6	727	2	3	28	84	99+	99+	99+
65+	33	24.4	369	2	4	23	36	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	601	3.7	25	<1	1	2	4	9	12	24
B. *Operated*	24	16.8	431	1	2	6	33	43	56	85
2. MULTIPLE DX										
A. *Not Operated*	876	7.1	108	1	1	4	8	16	26	71
B. *Operated*	118	21.0	380	2	3	19	37	85	99+	99+
1. SINGLE DX	625	4.2	47	<1	1	2	4	9	13	36
2. MULTIPLE DX	994	8.7	160	1	1	4	10	24	41	99+
A. NOT OPERATED	1477	5.7	77	1	1	3	7	13	19	59
B. OPERATED	142	20.3	389	2	3	15	36	78	99+	99+
TOTAL 0-19 YRS	554	4.7	59	<1	1	2	5	10	20	60
20-34	326	4.4	40	<1	1	2	5	11	15	37
35-49	229	7.1	98	1	1	3	8	19	34	64
50-64	249	8.9	183	1	1	4	9	26	45	99+
65+	261	12.8	260	1	2	7	15	35	61	99+
GRAND TOTAL	**1619**	**7.0**	**121**	**1**	**1**	**3**	**8**	**17**	**33**	**95**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.1	53	1	1	4	7	10	22	37
20-34	64	2.9	8	<1	<1	2	4	7	9	14
35-49	22	10.7	105	<1	1	7	17	27	32	37
50-64	40	6.3	37	<1	1	4	8	13	15	34
65+	55	9.8	150	1	2	6	13	21	33	73
B. *Operated*										
0-19 YRS	111	6.2	50	1	2	4	8	12	16	40
20-34	274	4.7	39	<1	1	3	5	11	18	32
35-49	146	6.7	84	<1	1	4	7	16	25	55
50-64	227	10.0	99	1	2	7	14	21	26	51
65+	399	9.6	132	1	2	6	12	22	29	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.8	17	1	1	4	6	9	11	21
20-34	91	5.7	73	1	1	3	7	11	16	55
35-49	48	8.0	55	1	2	6	9	19	25	35
50-64	97	13.0	237	1	2	8	16	31	47	76
65+	138	12.6	268	1	1	7	15	28	42	97
B. *Operated*										
0-19 YRS	191	11.9	136	1	2	8	15	25	34	68
20-34	353	8.6	135	<1	1	4	10	21	37	68
35-49	215	11.1	180	1	2	7	14	27	47	95
50-64	551	13.4	183	1	2	10	18	30	41	75
65+	755	15.2	229	2	3	10	21	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	6.6	75	<1	1	4	7	16	21	37
B. *Operated*	1157	7.8	94	1	1	4	10	18	25	54
2. MULTIPLE DX										
A. *Not Operated*	425	9.7	176	1	1	6	11	21	32	84
B. *Operated*	2065	12.9	192	1	2	8	17	31	44	94
1. SINGLE DX	1365	7.6	91	1	1	4	10	17	25	51
2. MULTIPLE DX	2490	12.3	191	1	2	8	16	30	42	90
A. NOT OPERATED	633	8.7	145	1	1	5	10	19	30	75
B. OPERATED	3222	11.1	163	1	2	7	14	26	38	77
TOTAL 0-19 YRS	380	8.9	98	1	2	6	11	20	27	57
20-34	782	6.4	88	<1	1	3	7	15	23	54
35-49	431	9.3	133	1	2	5	12	22	32	65
50-64	915	12.2	165	1	2	9	16	26	40	72
65+	1347	13.0	208	1	2	8	18	31	46	99+
GRAND TOTAL	**3855**	**10.7**	**161**	**1**	**2**	**6**	**14**	**25**	**37**	**77**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	2.2	3	<1	1	2	3	4	5	8
20-34	311	2.8	4	1	1	2	4	5	7	9
35-49	158	3.4	6	1	1	3	5	6	9	12
50-64	110	4.3	11	1	1	4	5	8	12	17
65+	84	4.8	22	1	2	4	6	7	10	32
B. *Operated*										
0-19 YRS	96	2.9	8	1	1	2	4	6	7	18
20-34	189	3.5	11	1	1	3	5	7	8	14
35-49	57	3.9	12	<1	1	2	5	7	12	17
50-64	36	5.6	26	1	1	4	7	9	16	27
65+	33	7.0	21	1	3	6	8	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	3	1	1	3	4	6	6	8
20-34	134	3.3	7	1	1	3	4	6	8	16
35-49	68	4.4	13	1	1	4	6	10	12	17
50-64	83	4.7	12	1	1	4	7	8	10	21
65+	106	6.9	33	1	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	38	4.7	35	1	1	2	6	12	20	27
20-34	102	5.4	19	1	1	4	8	12	14	20
35-49	52	6.2	42	1	1	4	8	15	20	36
50-64	43	7.9	68	1	2	5	9	17	24	42
65+	45	8.4	47	1	3	6	11	19	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	3.1	7	1	1	2	4	6	7	13
B. *Operated*	411	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	437	4.6	17	1	1	4	6	9	12	18
B. *Operated*	280	6.3	38	1	1	4	9	13	19	32
1. SINGLE DX	1312	3.4	9	1	1	3	4	6	8	16
2. MULTIPLE DX	717	5.3	26	1	1	4	7	11	15	25
A. NOT OPERATED	1338	3.6	11	1	1	3	5	7	9	16
B. OPERATED	691	4.9	25	1	1	3	6	10	14	27
TOTAL 0-19 YRS	418	2.7	8	1	1	2	3	5	7	16
20-34	736	3.5	9	1	1	3	4	7	9	15
35-49	335	4.1	15	1	1	3	5	8	12	18
50-64	272	5.2	23	1	1	4	6	9	14	26
65+	268	6.5	32	1	2	5	8	13	16	30
GRAND TOTAL	**2029**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	6.7	33	2	2	6	7	12	15	36
20-34	166	6.3	17	2	2	5	8	13	15	21
35-49	104	6.7	12	2	3	6	8	11	13	18
50-64	85	9.6	32	3	4	8	13	19	21	28
65+	62	9.2	39	3	4	7	11	19	23	31
B. *Operated*										
0-19 YRS	46	9.2	55	2	2	7	13	19	25	32
20-34	72	7.8	35	1	2	6	10	17	18	27
35-49	41	10.6	76	2	3	8	14	21	26	45
50-64	33	13.9	171	2	2	11	18	27	63	99+
65+	21	18.3	283	3	4	13	24	30	54	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.6	29	2	3	5	8	13	16	32
20-34	125	7.4	39	2	3	6	9	13	17	39
35-49	117	9.8	64	2	3	7	13	21	27	43
50-64	90	10.4	81	2	3	8	13	19	23	56
65+	89	12.5	112	3	4	9	15	25	29	58
B. *Operated*										
0-19 YRS	35	12.9	174	1	3	8	14	29	43	61
20-34	68	12.8	144	1	2	9	18	30	48	92
35-49	62	14.3	173	1	2	9	22	31	44	60
50-64	90	16.0	159	3	4	12	21	32	39	64
65+	50	16.8	378	2	4	9	21	46	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	7.4	26	2	3	6	9	14	17	25
B. *Operated*	213	10.6	101	2	2	8	14	22	27	72
2. MULTIPLE DX										
A. *Not Operated*	486	9.4	68	2	3	7	11	19	24	46
B. *Operated*	305	14.7	196	2	3	10	20	32	47	87
1. SINGLE DX	728	8.3	50	2	3	7	10	16	21	32
2. MULTIPLE DX	791	11.4	124	2	3	8	14	25	32	61
A. NOT OPERATED	1001	8.3	47	2	3	6	10	15	21	33
B. OPERATED	518	13.0	161	2	3	9	17	28	39	79
TOTAL 0-19 YRS	244	8.0	60	2	3	6	9	14	24	46
20-34	431	7.9	51	2	2	6	9	16	21	47
35-49	324	9.8	76	2	3	7	11	21	28	45
50-64	298	12.3	107	3	3	9	15	24	31	69
65+	222	13.1	175	3	4	9	16	26	34	85
GRAND TOTAL	**1519**	**9.9**	**91**	**2**	**3**	**7**	**12**	**21**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.6	24	1	1	4	8	12	16	19
20-34	46	6.3	70	1	1	4	6	14	19	52
35-49	33	6.2	26	1	2	5	8	14	18	21
50-64	47	6.2	25	1	1	5	8	12	16	24
65+	53	8.9	55	1	2	7	11	21	24	37
B. *Operated*										
0-19 YRS	39	5.2	27	1	1	3	6	13	18	22
20-34	87	6.7	96	1	1	4	7	13	22	54
35-49	71	6.5	36	<1	1	5	9	13	19	29
50-64	61	8.5	61	1	1	6	12	18	26	37
65+	53	6.9	42	1	1	5	9	14	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.6	47	1	1	4	6	13	18	41
20-34	131	5.9	50	1	1	4	8	12	17	30
35-49	151	8.1	59	1	2	6	11	17	23	32
50-64	157	9.8	100	1	2	7	12	21	29	61
65+	172	11.4	147	2	2	8	14	23	37	89
B. *Operated*										
0-19 YRS	76	8.7	119	1	1	6	10	22	25	66
20-34	143	8.7	66	1	1	6	13	20	27	44
35-49	141	14.1	219	1	2	9	19	35	47	94
50-64	204	13.9	198	2	2	10	18	37	51	99+
65+	211	16.9	327	2	2	10	22	46	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	6.8	43	1	1	5	8	15	21	31
B. *Operated*	311	6.9	58	1	1	4	9	15	20	41
2. MULTIPLE DX										
A. *Not Operated*	684	8.6	92	1	2	6	11	18	25	57
B. *Operated*	775	13.3	214	1	2	8	18	33	48	99+
1. SINGLE DX	522	6.9	52	1	1	5	9	15	20	37
2. MULTIPLE DX	1459	11.1	162	1	2	7	14	26	40	81
A. NOT OPERATED	895	8.2	81	1	2	6	10	17	24	47
B. OPERATED	1086	11.4	177	1	2	7	15	28	44	86
TOTAL 0-19 YRS	220	6.6	66	1	1	4	8	15	21	38
20-34	407	7.1	68	1	1	4	9	16	21	50
35-49	396	9.8	119	1	2	6	12	23	32	59
50-64	469	11.0	137	1	2	7	14	25	37	71
65+	489	13.0	216	1	2	8	16	31	46	97
GRAND TOTAL	**1981**	**10.0**	**136**	**1**	**2**	**6**	**12**	**23**	**35**	**76**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	24	<1	1	2	4	7	11	29
20-34	10	4.7	8	2	2	4	7	9	11	11
35-49	4	5.5	6	4	4	5	7	9	9	9
50-64	4	4.0	7	1	1	4	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	7.2	13	3	3	8	10	11	11	11
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.3	24	1	1	3	5	8	13	27
20-34	24	7.5	104	<1	1	5	9	13	36	44
35-49	14	7.6	52	1	2	5	11	21	23	24
50-64	12	7.5	52	1	1	5	13	19	21	21
65+	21	11.5	420	<1	1	3	12	40	62	85
B. *Operated*										
0-19 YRS										
20-34	8	11.1	56	3	4	8	15	23	26	26
35-49	3	12.7	112	3	3	11	21	24	24	24
50-64	7	6.0	29	1	1	5	11	14	14	14
65+	6	18.8	623	2	3	8	56	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.0	18	1	1	3	5	7	10	28
B. *Operated*	8	6.0	12	1	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	104	7.3	131	1	1	4	7	18	29	63
B. *Operated*	24	11.8	193	1	2	8	15	26	75	99+
1. SINGLE DX	67	4.2	18	1	1	3	5	8	11	26
2. MULTIPLE DX	128	8.1	144	1	1	4	8	21	33	88
A. NOT OPERATED	163	6.1	92	1	1	3	6	13	22	44
B. OPERATED	32	10.3	152	1	2	7	13	25	61	99+
TOTAL 0-19 YRS	72	3.9	24	1	1	2	4	7	13	29
20-34	47	7.5	67	1	1	5	9	14	27	44
35-49	23	7.7	46	1	2	5	10	22	24	24
50-64	24	6.2	36	1	1	5	7	18	19	21
65+	29	12.4	426	1	1	4	13	55	85	99+
GRAND TOTAL	**195**	**6.8**	**104**	**1**	**1**	**4**	**7**	**14**	**26**	**77**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	2.2	2	<1	<1	2	3	4	4	6
35-49	12	3.7	28	<1	1	2	4	36	88	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.4	2	<1	<1	2	3	4	5	6
20-34	4758	2.4	3	<1	<1	2	3	4	5	7
35-49	1837	2.4	2	<1	<1	2	3	4	5	7
50-64	21	3.0	17	<1	<1	2	3	5	12	20
65+	9	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	60	1.8	2	<1	<1	1	2	4	5	8
35-49	27	1.9	2	<1	<1	1	2	4	5	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	51	4.3	9	<1	1	3	7	8	9	13
20-34	3020	2.9	4	<1	1	2	4	5	6	9
35-49	1501	2.8	5	<1	1	2	3	5	6	8
50-64	16	3.6	10	<1	<1	2	4	8	11	13
65+	6	3.5	4	2	2	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	8	<1	<1	2	3	4	7	99+
B. *Operated*	6666	2.4	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	89	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	4594	2.9	5	<1	1	2	4	5	6	9
1. SINGLE DX	6713	2.4	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	4683	2.9	5	<1	1	2	4	5	6	9
A. NOT OPERATED	136	2.1	4	<1	<1	1	3	4	5	30
B. OPERATED	11260	2.6	4	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	93	3.5	6	<1	<1	3	4	7	8	13
20-34	7873	2.6	4	<1	<1	2	3	4	5	8
35-49	3377	2.6	4	<1	<1	2	3	4	5	8
50-64	37	3.2	14	<1	<1	2	3	6	11	20
65+	16	2.7	3	<1	<1	2	3	5	6	7
GRAND TOTAL	**11396**	**2.6**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	63	5.5	3	3	4	5	7	7	8	13
1000-1499	5	6.0	2	4	4	6	7	8	8	8
1500-1749	5	5.6	6	3	3	5	7	9	9	9
1750-2499	455	6.0	12	3	3	5	7	10	14	20
2500+	54504	4.6	3	3	3	4	5	7	7	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+	12	4.7	2	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	38	25.6	874	<1	3	10	66	95	99+	99+
1000-1499	113	47.3	482	<1	17	50	61	77	83	99+
1500-1749	170	30.1	135	5	17	31	37	44	50	58
1750-2499	2941	11.8	61	4	4	9	16	22	28	36
2500+	45320	5.5	7	3	4	5	6	8	9	15
B. *Operated*										
1-999 G	12	83.3	120	67	74	98	99+	99+	99+	99+
1000-1499	52	61.2	252	37	41	64	82	99+	99+	99+
1500-1749	32	45.0	375	17	25	44	51	82	87	90
1750-2499	140	24.8	168	7	10	24	31	43	55	99+
2500+	487	11.0	164	4	4	7	11	24	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55032	4.7	3	3	3	4	5	7	7	11
B. *Operated*	13	4.7	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	48582	6.1	21	3	4	5	7	9	12	25
B. *Operated*	723	20.0	454	4	4	10	30	63	87	99+
1. SINGLE DX	55045	4.7	3	3	3	4	5	7	7	11
2. MULTIPLE DX	49305	6.3	30	3	4	5	7	9	13	31
A. NOT OPERATED	103614	5.3	12	3	3	5	6	7	9	19
B. OPERATED	736	19.7	450	4	4	10	30	62	87	99+
TOTAL 1-999 G	113	20.5	859	3	4	7	67	99+	99+	99+
1000-1499	170	50.3	496	2	21	53	70	85	99+	99+
1500-1749	207	31.8	213	4	16	32	39	49	53	85
1750-2499	3537	11.6	70	4	4	9	16	23	28	40
2500+	100323	5.1	6	3	3	5	6	7	8	13
GRAND TOTAL	**104350**	**5.4**	**17**	**3**	**3**	**5**	**6**	**7**	**9**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	1.0		<1	<1	<1	<1	<1	<1	<1
1750-2499	72	8.8	17	5	5	7	12	15	18	20
2500+	422	6.4	7	4	4	6	8	9	10	16
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	34.5	1002	6	6	33	84	99+	99+	99+
1000-1499	25	48.1	272	14	31	49	58	66	73	84
1500-1749	59	32.1	119	15	17	32	39	46	50	62
1750-2499	491	14.9	58	6	7	14	19	25	27	37
2500+	548	7.4	10	4	5	7	8	10	12	19
B. *Operated*										
1-999 G										
1000-1499	10	73.8	271	44	45	82	93	99+	99+	99+
1500-1749	5	43.6	413	27	27	39	56	76	76	76
1750-2499	17	30.5	359	7	11	24	42	63	70	73
2500+	11	11.5	36	6	6	10	13	22	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	6.8	9	4	4	6	8	10	14	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1127	13.0	110	5	5	9	16	25	34	57
B. *Operated*	43	37.2	757	6	8	28	75	89	99+	99+
1. SINGLE DX	496	6.8	9	4	4	6	8	10	14	19
2. MULTIPLE DX	1170	13.8	154	5	5	9	17	27	41	76
A. NOT OPERATED	1623	11.1	87	4	5	8	13	21	29	51
B. OPERATED	43	37.2	757	6	8	28	75	89	99+	99+
TOTAL 1-999 G	4	34.5	1002	6	6	33	84	99+	99+	99+
1000-1499	35	55.5	402	24	35	56	76	91	99+	99+
1500-1749	66	32.0	171	14	15	31	39	48	51	74
1750-2499	580	14.6	73	5	6	13	19	24	28	44
2500+	981	7.0	9	4	4	7	8	10	12	19
GRAND TOTAL	**1666**	**11.7**	**121**	**4**	**5**	**8**	**14**	**23**	**33**	**72**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	10.3	146	<1	<1	6	17	28	28	28
2500+	157	4.4	3	2	3	4	5	7	8	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	86.0		86	86	93	99+	99+	99+	99+
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749	4	37.3	119	23	23	39	45	48	48	48
1750-2499	19	21.4	290	4	4	18	43	50	77	99+
2500+	74	5.8	9	3	3	5	6	9	13	18
B. *Operated*										
1-999 G										
1000-1499	1	78.0		78	78	78	78	78	78	78
1500-1749										
1750-2499	1	21.0		21	21	60	99+	99+	99+	99+
2500+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.6	6	2	3	4	5	7	8	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	99	11.3	203	3	4	6	10	42	47	99+
B. *Operated*	3	42.7	952	21	21	53	89	99+	99+	99+
1. SINGLE DX	161	4.6	6	2	3	4	5	7	8	11
2. MULTIPLE DX	102	12.2	244	3	4	6	14	44	61	99+
A. NOT OPERATED	260	7.1	91	2	3	5	6	10	28	82
B. OPERATED	3	42.7	952	21	21	53	89	99+	99+	99+
TOTAL 1-999 G	1	86.0		86	86	93	99+	99+	99+	99+
1000-1499	2	62.0	512	46	46	62	78	78	78	78
1500-1749	4	37.3	119	23	23	39	45	48	48	48
1750-2499	24	19.5	264	3	4	18	42	54	99+	99+
2500+	232	5.0	8	2	3	4	6	7	9	16
GRAND TOTAL	**263**	**7.5**	**112**	**2**	**3**	**5**	**6**	**14**	**36**	**97**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	6	6
20-34	17	2.2	2	<1	<1	2	3	5	6	6
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	4	2.5		2	2	2	3	3	3	3
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	264	2.9	6	<1	1	2	3	5	8	13
20-34	406	3.1	5	<1	1	3	4	6	7	12
35-49	156	3.2	17	<1	<1	2	3	5	7	28
50-64	124	3.6	8	1	2	3	4	6	8	19
65+	86	4.8	17	<1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	3	6.7	14	4	4	5	9	11	11	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	16.5	145	8	8	16	25	25	25	25
B. *Operated*										
0-19 YRS	83	5.5	30	1	2	3	6	14	17	29
20-34	111	4.3	11	1	2	3	5	7	13	18
35-49	47	4.9	19	1	1	3	6	12	19	99+
50-64	56	5.4	21	2	2	4	7	12	14	26
65+	53	11.9	243	2	2	7	13	28	38	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.4	2	<1	<1	2	3	5	6	7
B. *Operated*	1036	3.3	9	<1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	15	4.7	40	<1	1	3	5	11	21	25
B. *Operated*	350	6.0	59	1	2	4	6	13	18	38
1. SINGLE DX	1075	3.2	8	<1	1	2	4	6	8	18
2. MULTIPLE DX	365	5.9	58	1	2	4	6	13	18	38
A. NOT OPERATED	54	3.1	13	<1	1	2	3	6	8	24
B. OPERATED	1386	4.0	23	<1	1	3	4	7	11	22
TOTAL 0-19 YRS	364	3.5	12	<1	1	3	4	7	9	20
20-34	537	3.3	7	<1	1	3	4	6	8	16
35-49	209	3.5	18	<1	1	2	4	7	11	30
50-64	186	4.1	12	1	2	3	5	7	12	20
65+	144	7.6	112	1	2	4	8	14	25	73
GRAND TOTAL	**1440**	**3.9**	**22**	**<1**	**1**	**3**	**4**	**7**	**11**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	56	9.5	26	1	1	13	13	14	14	14
35-49	143	11.6	8	5	8	13	13	14	14	14
50-64	117	10.2	15	2	3	12	13	14	14	15
65+	19	9.2	22	1	1	11	13	13	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	24	1	1	2	10	12	13	13
35-49	73	2.6	14	<1	<1	1	2	9	13	16
50-64	34	4.4	31	1	2	2	2	13	16	25
65+	154	1.8	3	1	1	1	2	2	3	11
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	7.4	38	1	1	10	11	15	15	15
65+	4	27.8	1796	1	1	9	51	91	91	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	10.6	15	1	3	12	13	14	14	14
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	272	2.5	11	<1	1	1	2	5	11	16
B. *Operated*	15	13.1	525	1	1	7	11	31	76	91
1. SINGLE DX	337	10.6	15	1	3	12	13	14	14	14
2. MULTIPLE DX	287	3.0	42	<1	1	2	2	8	12	22
A. NOT OPERATED	608	7.0	29	1	1	7	13	13	14	14
B. OPERATED	16	12.9	491	1	1	7	11	29	73	91
TOTAL 0-19 YRS	2	16.5	421	2	2	16	31	31	31	31
20-34	71	8.4	28	1	1	12	13	14	14	14
35-49	217	8.5	28	1	1	12	13	14	14	14
50-64	157	8.8	24	1	2	11	13	14	14	17
65+	177	3.2	55	1	1	2	2	9	12	14
GRAND TOTAL	**624**	**7.1**	**41**	**1**	**1**	**7**	**13**	**13**	**14**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1649	3.9	31	<1	1	2	4	8	12	29
20-34	1325	2.8	17	<1	<1	2	3	6	8	18
35-49	2[illegible]3	4.5	43	<1	1	2	5	9	15	39
50-64	2[illegible]9	6.3	111	<1	1	3	6	14	28	77
65+	313	10.8	243	<1	1	4	14	38	65	99+
B. *Operated*										
0-19 YRS	333	3.2	14	<1	<1	2	3	6	11	19
20-34	1101	3.7	16	<1	<1	3	5	7	10	21
35-49	454	4.2	18	<1	1	3	5	9	12	18
50-64	497	4.5	28	1	1	3	5	10	15	23
65+	471	4.1	16	1	1	2	4	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1310	6.2	89	<1	1	3	6	16	28	60
20-34	1171	6.0	82	<1	<1	3	6	18	27	55
35-49	715	6.0	92	<1	1	3	6	14	24	62
50-64	1279	6.5	68	1	1	4	7	17	26	59
65+	1308	11.8	234	1	1	6	17	40	90	99+
B. *Operated*										
0-19 YRS	261	7.0	114	<1	1	3	9	18	30	99+
20-34	914	5.2	41	<1	1	4	7	10	14	90
35-49	686	6.3	60	<1	1	4	8	13	21	45
50-64	1044	6.1	69	<1	1	3	8	14	20	53
65+	1212	5.8	75	<1	1	3	8	14	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3819	4.3	54	<1	<1	2	4	9	14	46
B. *Operated*	2856	3.9	18	<1	1	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	5783	7.5	121	<1	1	4	8	21	33	99+
B. *Operated*	4117	5.9	66	<1	1	3	8	14	20	90
1. SINGLE DX	6675	4.1	39	<1	<1	2	4	9	13	35
2. MULTIPLE DX	9900	6.8	99	<1	1	3	8	18	29	99+
A. NOT OPERATED	9602	6.2	97	<1	1	3	6	16	28	99+
B. OPERATED	6973	5.1	47	<1	1	3	6	12	17	48
TOTAL 0-19 YRS	3553	4.9	58	<1	1	2	5	11	18	46
20-34	4511	4.4	40	<1	<1	2	5	9	15	38
35-49	2138	5.5	60	<1	1	3	7	12	18	43
50-64	3069	6.0	66	1	1	3	7	15	22	53
65+	3304	8.4	156	1	1	4	11	24	48	99+
GRAND TOTAL	**16575**	**5.7**	**76**	**<1**	**1**	**3**	**6**	**14**	**23**	**81**

Distribution Tables

Table 1 displays total Canadian patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 separations and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal Infectious disease	6,123	70.2	35	50.9
2	Respiratory tuberculosis	434	5.0	11	15.6
3	Nonrespiratory tuberculosis	160	1.8	2	3.1
4	Streptococcal sore throat and scarlet fever	719	8.2	3	4.8
5	Septicemia	463	5.3	7	10.5
6	Miscellaneous bacterial diseases	986	11.3	9	13.4
7	Poliomyelitis and other enteroviral diseases of central nervous system	631	7.2	3	4.7
8	Viral diseases with exanthem	3,631	41.6	23	33.6
9	Viral hepatitis	387	4.4	4	5.9
10	Infectious mononucleosis	785	9.0	4	6.5
11	Viral warts	830	9.5	2	3.4
12	Miscellaneous viral diseases	2,011	23.1	10	14.0
13	Rickettsioses and other arthropod-borne diseases	148	1.7	1	1.0
14	Syphilis and other venereal diseases	517	5.9	4	5.8
15	Mycoses	369	4.2	3	4.8
16	Helminthiases	113	1.3	1	1.3
17	Miscellaneous infective and parasitic diseases	564	6.5	5	7.8
18	Late effects of infectious and parasitic diseases	85	1.0	1	1.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	736	8.4	11	15.4
20	Malignant neoplasm of esophagus	210	2.4	4	6.4
21	Malignant neoplasm of stomach	908	10.4	18	26.1
22	Malignant neoplasm of small intestine	53	0.6	1	2.0
23	Malignant neoplasm of colon	1,925	22.1	38	56.5
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	1,439	16.5	30	43.7
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	356	4.1	7	10.1
26	Malignant neoplasm of pancreas	517	5.9	10	14.9
27	Malignant neoplasm of bronchus, lung, and trachea	3,184	36.5	49	72.3
28	Other malignant neoplasm of respiratory system and thoracic cavity	466	5.3	7	9.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	478	5.5	6	8.6
30	Malignant melanoma of skin, excluding genital organs	342	3.9	4	6.0
31	Other malignant neoplasm of skin, excluding genital organs	789	9.0	6	8.6
32	Malignant neoplasm of breast (female) (male)	3,583	41.1	40	58.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	740	8.5	7	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	941	10.8	10	14.0
35 Malignant neoplasm of ovary	666	7.6	8	11.9
36 Malignant neoplasm of other female genital organs	155	1.8	2	3.6
37 Malignant neoplasm of prostate	2,944	33.7	40	59.2
38 Malignant neoplasm of male genitalia, except prostate	306	3.5	3	4.1
39 Malignant neoplasm of bladder	2,853	32.7	26	38.8
40 Malignant neoplasm of kidney and other urinary organs	544	6.2	10	14.2
41 Malignant neoplasm of eye	69	0.8	1	0.9
42 Malignant neoplasm of brain	385	4.4	9	12.7
43 Malignant neoplasm of other parts of nervous system	28	0.3	1	1.0
44 Malignant neoplasm of endocrine glands	394	4.5	4	5.5
45 Malignant neoplasm of ill-defined and secondary sites	3,701	42.4	56	82.5
46 Hodgkin's disease	469	5.4	5	6.7
47 Lymphoid leukemia	438	5.0	5	7.5
48 Leukemia, except lymphoid	629	7.2	9	12.9
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	1,883	21.6	23	34.2
50 Benign neoplasm of lip, oral cavity, and pharynx	373	4.3	2	3.1
51 Benign neoplasm of other parts of digestive system	821	9.4	8	11.8
52 Benign neoplasm of respiratory system and intrathoracic organs	235	2.7	1	2.0
53 Benign neoplasm of bone, muscle, and connective tissue	1,822	20.9	8	11.8

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	886	10.2	4	5.5
55	Benign neoplasm of breast	828	9.5	2	3.2
56	Uterine leiomyoma	4,087	46.9	34	49.2
57	Benign neoplasm of uterus, except leiomyoma	161	1.8	1	1.5
58	Benign neoplasm of ovary	848	9.7	7	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	55	0.6	<1	0.4
60	Benign neoplasm of male genital organ	50	0.6	<1	0.3
61	Benign neoplasm of urinary organ	94	1.1	1	0.8
62	Benign neoplasm of eye	50	0.6	<1	0.3
63	Benign neoplasm of central nervous system	178	2.0	4	5.3
64	Benign neoplasm of thyroid glands	635	7.3	4	5.4
65	Benign neoplasm of endocrine glands, except thyroid	254	2.9	3	4.6
66	Carcinoma in situ of cervix	2,452	28.1	13	19.6
67	Carcinoma in situ, except cervix uteri	373	4.3	3	5.1
68	Neoplasms of uncertain behavior and unspecified nature	1,235	14.2	13	18.4
69	Simple and non-toxic nodular goiter	544	6.2	4	5.4
70	Other diseases of thyroid gland	1,066	12.2	10	15.4
71	Diabetes mellitus without complication	5,066	58.1	57	83.5
72	Diabetic Acidosis or coma	1,152	13.2	12	17.7
73	Other complicated diabetes mellitus	3,511	40.2	48	69.9
74	Ovarian dysfunction	248	2.8	1	1.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,249	14.3	11	16.1
76	Nutritional deficiencies	269	3.1	5	6.7
77	Cystic fibrosis	226	2.6	3	4.4
78	Obesity of nonendocrine origin	629	7.2	8	11.3
79	Miscellaneous metabolic disorders	1,006	11.5	9	13.8
80	Gout	363	4.2	3	4.6
81	Disorders of fluid, electrolyte, and acid-base balance	974	11.2	11	16.7
82	Iron deficiency anemia	1,357	15.6	16	22.8
83	Sickle-cell anemia and trait	15	0.2	<1	0.2
84	Anemia except iron deficiency and sickle-cell	1,903	21.8	22	32.9
85	Hemophilia (congenital factor VIII disorder)	96	1.1	1	0.9
86	Disease of hematopoietic system, except anemia and hemophilia	1,111	12.7	11	15.9
87	Nonspecific mesenteric lymphadenitis	1,762	20.2	5	8.0
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	342	3.9	2	2.5
89	Transient organic psychotic conditions	165	1.9	2	3.4
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,330	15.2	30	43.7
91	Arteriosclerotic dementia	125	1.4	3	5.0
92	Alcoholic psychoses	1,613	18.5	16	23.5
93	Drug psychoses	206	2.4	2	3.4
94	Paranoid schizophrenia	1,082	12.4	25	36.2
95	Acute schizophrenic episode	92	1.1	2	2.5
96	Miscellaneous schizophrenia	2,524	28.9	53	78.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	7	0.1	<1	0.2
98	Major depressive psychoses	3,123	35.8	59	86.2
99	Other affective psychoses	1,765	20.2	39	56.5
100	Miscellaneous psychoses	1,241	14.2	22	32.5
101	Anxiety states	3,015	34.6	22	32.0
102	Neurotic depression	4,202	48.2	59	86.7
103	Miscellaneous neuroses and personality disorders	2,664	30.5	31	45.5
104	Alcoholic dependence syndrome	4,814	55.2	39	57.3
105	Opioid dependence	40	0.5	<1	0.6
106	Drug dependence except opioid	164	1.9	2	3.3
107	Nondependent abuse of alcohol	601	6.9	2	2.4
108	Nondependent abuse of drugs, except alcohol	144	1.7	1	1.4
109	Psychophysiologic disorder	644	7.4	4	6.4
110	Adjustment reactions and acute reactions to stress	1,461	16.7	15	22.3
111	Miscellaneous mental disorders	4,338	49.7	54	78.8
112	Mental retardation	172	2.0	3	4.2
113	Inflammatory diseases of central nervous system	577	6.6	8	12.5
114	Parkinson's disease	496	5.7	9	13.2
115	Multiple sclerosis	824	9.4	12	17.7
116	Epilepsy	3,100	35.5	21	30.6
117	Miscellaneous disease of central nervous system	2,778	31.8	38	55.9
118	Migraine	1,400	16.0	6	8.6
119	Carpal tunnel syndrome and other lesions of median nerve	1,282	14.7	4	5.7
120	Peripheral nervous system disorder, except sciatica	2,614	30.0	21	31.0
121	Retinal detachment and defects	836	9.6	7	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	648	7.4	5	6.7
123	Other glaucoma	292	3.3	2	3.2
124	Senile cataract	8,140	93.3	53	77.5
125	Cataract, except senile	466	5.3	3	3.9
126	Strabismus	2,841	32.6	7	9.8
127	Miscellaneous disorders of superficial structures of eye	2,477	28.4	11	16.1
128	Miscellaneous disorders of deep structures of eye	1,347	15.4	10	14.0
129	Other disorders of eye	206	2.4	1	1.9
130	Otitis media, chronic and unspecified	7,223	82.8	27	39.1
131	Other inflammation of ear and mastoid	1,419	16.3	7	10.6
132	Vertiginous syndromes	1,248	14.3	7	10.3
133	Otosclerosis	672	7.7	2	3.6
134	Miscellaneous diseases of ear	2,009	23.0	7	10.5
135	Rheumatic fever, acute	192	2.2	2	3.4
136	Chronic rheumatic heart disease	989	11.3	10	14.5
137	Essential hypertension	3,494	40.1	31	44.8
138	Hypertensive heart disease	798	9.1	9	13.9
139	Miscellaneous hypertensive disease	387	4.4	5	7.8
140	Acute myocardial infarction	9,020	103.4	149	219.0
141	Angina pectoris	4,398	50.4	34	50.4
142	Other acute and subacute forms of ischemic heart disease	4,511	51.7	46	68.1
143	Miscellaneous ischemic heart disease	9,068	104.0	90	132.2
144	Pulmonary embolism and infarction	1,123	12.9	17	24.7
145	Acute and subacute endocarditis	81	0.9	2	3.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	758	8.7	4	5.4
147 Atrial fibrillation and flutter	2,661	30.5	20	30.0
148 Other arrhythmia and conduction disorders	3,633	41.6	31	45.6
149 Heart failure	9,113	104.5	122	178.8
150 Miscellaneous diseases of heart	2,389	27.4	24	34.5
151 Cardiovascular disease, unspecified	174	2.0	3	4.3
152 Subarachnoid hemorrhage without paralysis	175	2.0	4	6.6
153 Subarachnoid hemorrhage with paralysis	11	0.1	1	0.9
154 Intracerebral hemorrhage without paralysis	179	2.1	4	6.2
155 Intracerebral hemorrhage with paralysis	25	0.3	1	1.0
156 Precerebral artery occlusion without paralysis	854	9.8	10	14.8
157 Precerebral occlusion with paralysis	60	0.7	1	2.0
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	911	10.4	17	25.4
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	206	2.4	7	9.9
160 Transient cerebral ischemia without paralysis	2,657	30.5	23	34.1
161 Acute, but ill-defined, cerebrovascular disease without paralysis	2,831	32.5	60	87.9
162 Acute, but ill-defined, cerebrovascular disease with paralysis	590	6.8	19	27.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	1,920	22.0	31	45.8
164	Atherosclerosis	2,026	23.2	31	45.0
165	Aortic aneurysm	726	8.3	12	18.1
166	Aneurysm except aortic	200	2.3	3	4.4
167	Arterial embolism and thrombosis	1,730	19.8	24	35.4
168	Miscellaneous diseases of arteries	1,909	21.9	26	38.6
169	Phlebitis and thrombophlebitis	2,347	26.9	28	41.1
170	Varicose veins of lower extremities	4,875	55.9	45	65.6
171	Hemorrhoids	4,907	56.3	31	45.2
172	Miscellaneous diseases of veins and circulatory system	2,359	27.0	25	36.7
173	Acute URI except streptococcal	17,177	196.9	80	116.7
174	Bronchitis and bronchiolitis, acute	9,010	103.3	59	87.2
175	Deviated nasal septum	5,522	63.3	18	25.8
176	Nasal Polyp	799	9.2	3	3.7
177	Chronic disease of tonsils and adenoids	23,262	266.7	54	79.8
178	Miscellaneous diseases of upper respiratory system	3,881	44.5	15	21.4
179	Pneumonia	19,040	218.3	177	260.1
180	Influenza	3,259	37.4	17	25.4
181	Bronchitis, chronic and unspecified	6,641	76.1	54	79.7
182	Emphysema	1,161	13.3	16	23.8
183	Asthma	12,941	148.4	80	117.2
184	Miscellaneous obstructive lung diseases	4,046	46.4	52	76.3
185	Spontaneous pneumothorax	817	9.4	7	10.2
186	Miscellaneous lung and pleural diseases	3,785	43.4	39	57.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	8,353	95.8	21	30.5
188	Disease of mouth, except dental	1,197	13.7	7	9.7
189	Diseases of esophagus	2,745	31.5	24	35.0
190	Gastric ulcer without complication	1,105	12.7	12	18.1
191	Gastric ulcer with hemorrhage or perforation	978	11.2	12	17.3
192	Nongastric peptic ulcer without complication	3,069	35.2	26	38.7
193	Nongastric peptic ulcer with hemorrhage or perforation	2,306	26.4	24	35.3
194	Peptic ulcer with obstruction	325	3.7	5	7.6
195	Gastritis and duodenitis	6,293	72.1	38	55.3
196	Disease of stomach and duodenum, except ulcer and inflammation	1,648	18.9	12	17.8
197	Acute appendicitis without peritonitis	6,740	77.3	34	49.5
198	Acute appendicitis with peritonitis	2,042	23.4	20	28.7
199	Disease of appendix, except acute appendicitis	1,707	19.6	8	12.4
200	Inguinal hernia without complication	13,110	150.3	68	100.4
201	Inguinal hernia, complicated	1,082	12.4	8	11.0
202	Umbilical hernia without complication	1,016	11.6	5	7.0
203	Ventral hernia without complication	2,421	27.8	19	28.4
204	Diaphragmatic hernia without complication	2,193	25.1	21	30.8
205	Other hernia of abdominal cavity without complication	444	5.1	3	4.1
206	Complicated hernia of abdominal cavity, except inguinal	829	9.5	8	11.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207 Intestinal obstruction without mention of hernia	3,705	42.5	40	58.1
208 Noninfectious gastroenteritis and colitis	13,613	156.1	74	108.4
209 Diverticula of intestine	3,235	37.1	38	55.1
210 Anal fissure, fistula, and abscess	3,556	40.8	19	27.9
211 Miscellaneous diseases of intestine and peritoneum	9,223	105.7	93	136.3
212 Alcoholic liver disease	1,263	14.5	22	32.6
213 Other cirrhosis and chronic liver disease	703	8.1	9	13.2
214 Miscellaneous diseases of liver	493	5.7	7	10.6
215 Gallbladder disease with calculus	14,916	171.0	145	212.2
216 Gallbladder disease without mention of calculus	4,004	45.9	33	48.7
217 Diseases of bile ducts with calculus	1,019	11.7	14	19.9
218 Diseases of bile ducts without mention of calculus	546	6.3	7	10.8
219 Diseases of pancreas	2,870	32.9	31	46.0
220 Gastrointestinal hemorrhage	2,058	23.6	19	27.9
221 Intestinal malabsorption	540	6.2	6	9.5
222 Chronic glomerulonephritis and nephrotic syndrome	714	8.2	9	12.7
223 Miscellaneous nephritis and functional disorders	199	2.3	2	3.2
224 Chronic renal failure	924	10.6	11	16.8
225 Other renal failure	274	3.1	5	7.8
226 Acute Pyelonephritis	1,137	13.0	8	11.0
227 Miscellaneous kidney infections	1,653	18.9	12	17.9
228 Calculus of kidney	2,056	23.6	16	23.1
229 Calculus of ureter	4,658	53.4	29	43.2
230 Miscellaneous diseases of kidney and ureter	1,787	20.5	18	26.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	563	6.5	4	6.0
232	Cystitis	2,552	29.3	15	22.5
233	Urethral stricture	1,969	22.6	11	16.3
234	Miscellaneous urinary diseases	7,330	84.0	49	72.0
235	Hyperplasia of prostate	8,487	97.3	92	135.1
236	Diseases of prostate, except hypertrophy	821	9.4	5	6.8
237	Hydrocele	1,205	13.8	6	8.3
238	Orchitis and epididymitis	836	9.6	6	8.1
239	Redundant prepuce and phimosis	1,779	20.4	5	6.6
240	Miscellaneous diseases of male genital organs	1,798	20.6	8	11.1
241	Benign mammary dysplasia	3,539	40.6	11	15.7
242	Miscellaneous diseases of breast	2,158	24.7	9	12.6
243	Ovarian cyst	3,030	34.7	17	25.6
244	Pelvic inflammatory disease	5,766	66.1	35	50.8
245	Endometriosis	3,287	37.7	24	35.8
246	Inflammatory disease of cervix uteri	892	10.2	5	6.7
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	1,467	16.8	6	8.2
248	Genital prolapse	6,221	71.3	62	91.6
249	Metrorrhagia	800	9.2	3	3.8
250	Other disorders of menstruation	11,293	129.5	53	78.0
251	Menopausal and postmenopausal disorders	2,513	28.8	8	12.0
252	Miscellaneous diseases of female genitalia	5,567	63.8	28	40.8
253	Signs and symptoms referable to female genital organs	6,123	70.2	36	52.2
254	Ectopic pregnancy	1,253	14.4	8	11.4
255	Legally induced abortion	7,807	89.5	15	22.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	4	0.0	<1	0.0
257	Spontaneous and unspecified abortion	9,169	105.1	21	30.1
258	Other pregnancy with abortive outcome	1,420	16.3	4	6.4
259	Threatened abortion	2,655	30.4	10	15.3
260	Other early pregnancy hemorrhage	143	1.6	1	1.0
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,646	18.9	8	12.2
262	Excessive vomiting in pregnancy	1,139	13.1	5	7.5
263	False labor	7,638	87.6	13	18.5
264	Placenta previa without delivery	324	3.7	2	3.2
265	Other antepartum hemorrhage without delivery	1,197	13.7	5	6.7
266	Infections of pregnancy without delivery	1,118	12,8	5	6.7
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	968	11.1	5	7.6
268	Miscellaneous complications of pregnancy without delivery	4,366	50.1	20	29.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	797	9.1	7	10.5
288	Major puerperal infections	287	3.3	2	2.3
289	Puerperal hemorrhage (after 24 hrs.)	1,073	12.3	3	3.8
290	Other puerperal complications	378	4.3	2	2.8

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	3,733	42.8	31	45.6
292	Miscellaneous infections of skin and subcutaneous tissue	1,839	21.1	14	20.8
293	Pilonidal cyst	2,375	27.2	13	18.7
294	Sebaceous cyst	438	5.0	1	1.7
295	Miscellaneous diseases of skin and subcutaneous tissue	7,455	85.5	74	108.4
296	Diffuse diseases of connective tissue	544	6.2	8	11.8
297	Rheumatoid arthritis, except spine	2,504	28.7	42	61.4
298	Osteoarthrosis (osteoarthritis, except spine	4,265	48.9	65	95.1
299	Other arthropathies	1,477	16.9	16	24.2
300	Internal derangement of knee joint	5,915	67.8	28	40.4
301	Other disorders of joint	3,975	45.6	23	33.8
302	Ankylosing spondylitis	146	1.7	2	3.0
303	Spondylosis and allied disorders	1,686	19.3	20	28.8
304	Derangement and displacement of lumbar disc	8,223	94.3	94	138.0
305	Derangement and displacement of intervertebral disc, except lumbar	1,541	17.7	15	22.5
306	Sacroiliac joint disorder	464	5.3	4	6.6
307	Sciatica	590	6.8	6	8.5
308	Other dorsopathies	4,163	47.7	36	53.4
309	Bursitis and synovitis, except spine	3,085	35.4	15	22.3
310	Bunion and deformities of toe	3,364	38.6	19	27.3
311	Ganglion and cyst	1,469	16.8	4	5.6
312	Osteomyelitis	824	9.4	14	20.5
313	Localized disorders of bone and cartilage	4,076	46.7	45	66.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314 Acquired deformities of limbs, except toe	669	7.7	4	6.4
315 Neuralgia, neuritis, and radiculitis, unspecified	116	1.3	1	1.5
316 Miscellaneous disorders of musculoskeletal system	4,841	55.5	29	42.9
317 Somatic dysfunction	10	0.1	<1	0.1
318 Congenital anomaly of nervous system	231	2.6	3	4.5
319 Congenital anomaly of eye, ear, face, and neck	1,135	13.0	4	5.3
320 Congenital anomaly of heart and circulatory system	1,020	11.7	8	11.3
321 Cleft palate and lip	367	4.2	3	4.4
322 Congenital hypertrophic pyloric stenosis	292	3.3	2	3.3
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	647	7.4	5	6.8
324 Undescended testicle	1,163	13.3	5	7.5
325 Miscellaneous congenital anomalies of genitourinary system	1,153	13.2	9	12.7
326 Clubfoot	560	6.4	3	4.4
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	2,613	30.0	20	29.1
328 Perinatal conditions causing morbidity and mortality	901	10.3	8	11.2
329 Convulsions	3,292	37.7	17	24.6
330 Pyrexia of unknown origin	2,014	23.1	10	15.4
331 Headache	1,139	13.1	6	9.1
332 Epistaxis	1,758	20.2	8	12.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	644	7.4	4	5.2
334	Gangrene	420	4.8	11	15.5
335	Chest pain	5,489	62.9	29	42.4
336	Other signs and symptoms referable to respiratory system and chest	1,164	13.3	8	11.4
337	Signs and symptoms referable to urinary system	3,246	37.2	17	24.7
338	Abdominal pain	14,943	171.3	68	100.3
339	Other signs and symptoms referable to upper GI tract and abdomen	1,791	20.5	13	18.5
340	Miscellaneous signs, symptoms, and ill-defined conditions	8,179	93.8	61	89.5
341	Fracture of vault of skull	752	8.6	6	8.1
342	Fracture of base of skull	590	6.8	5	6.7
343	Fracture of face bones	3,309	37.9	13	18.8
344	Fracture of vertebral column without mention of spinal cord injury	1,896	21.7	24	34.6
345	Fracture of vertebral column with cord injury	168	1.9	3	3.7
346	Fracture of ribs, sternum, larynx and trachea	1,637	18.8	15	22.3
347	Fracture of pelvis	1,033	11.8	21	31.0
348	Fracture of humerus	2,146	24.6	18	26.9
349	Fracture of radius and ulna	5,458	62.6	19	27.2
350	Miscellaneous fractures of upper extremity	1,632	18.7	5	7.5
351	Fracture of neck of femur	3,657	41.9	97	141.9
352	Other femoral fracture	1,344	15.4	39	57.2
353	Fracture of tibia and fibula	3,149	36.1	31	45.4
354	Miscellaneous fractures of lower extremity	4,783	54.8	34	49.3
355	Fracture of other bones	730	8.4	4	5.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	FRacture of multiple bones	30	0.3	<1	0.5
357	Dislocation of shoulder	1,110	12.7	4	5.5
358	Dislocation of knee	1,906	21.8	10	13.9
359	Other dislocation	917	10.5	6	9.3
360	Sprains and strains of knee and leg	1,251	14.3	6	9.2
361	Sprains and strains of sacroiliac region	759	8.7	5	7.9
362	Sprains and strains of other and unspecified part of back	2,017	23.1	11	16.9
363	Other sprains and strains	1,530	17.5	7	9.6
364	Concussion	5,658	64.9	16	23.9
365	Intracranial injury, except concussion	2,827	32.4	13	19.4
366	Internal injury to thoracic region	508	5.8	5	7.0
367	Internal injury, except chest	1,220	14.0	12	17.5
368	Laceration or enucleation of eye	663	7.6	4	5.8
369	Other laceration of head and neck	2,539	29.1	10	14.0
370	Other laceration of trunk and multiple and unspecified sites	589	6.8	3	4.6
371	Open wound of upper limb	3,253	37.3	13	18.6
372	Open wound of lower limb	1,531	17.6	10	15.4
373	Injury to blood vessels	152	1.7	1	1.8
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	2,056	23.6	16	24.0
375	Contusion of eye and adnexa	987	11.3	5	7.4
376	Other superficial injuries	6,037	69.2	29	42.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	405	4.6	3	4.3
378	Foreign body on external eye	73	0.8	<1	0.3
379	Foreign body entering through other body orifice	1,238	14.2	4	5.5
380	Third degree burns	453	5.2	10	14.7
381	Other burns	2,177	25.0	20	28.8
382	Injury to nerve and spinal cord	508	5.8	3	4.5
383	Certain traumatic complications and unspecified injuries	1,853	21.2	11	16.5
384	Poisoning by drugs, medicinal, and biological substances	7,300	83.7	42	61.4
385	Toxic effects of substances chiefly nonmedicinal as to source	1,718	19.7	5	7.9
386	Miscellaneous adverse effects	1,619	18.6	11	16.5
387	Complications peculiar to certain specified procedures	3,855	44.2	41	60.4
388	Hemorrhage or hematoma Complicating a procedure	2,029	23.3	8	12.1
389	Postoperative wound infection	1,519	17.4	15	22.2
390	Other complications of surgical procedures	1,981	22.7	20	29.0
391	Other complications of medical care, except drugs	195	2.2	1	1.9
392	Admission for prophylactic sterilization	11,396	130.6	30	43.4
396	Aftercare for removal of internal fixation device	1,440	16.5	6	8.3
397	Aftercare involving intermittent dialysis	624	7.2	4	6.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	16,575	190.0	95	139.6
All patients except deliveries and newborn	872,325	10,000.0	6,813	10,000.0

Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. Delivery and newborn groups are excluded, as are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Separations
Canadian PAS Hospitals, 1979
(Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
177	Chronic disease of tonsils and adenoids	23,262	1
179	Pneumonia	19,040	2
173	Acute URI except streptococcal	17,177	3
398	Admission for special examinations and miscellaneous reasons	16,575	4
338	Abdominal pain	14,943	5
215	Gallbladder disease with calculus	14,916	6
208	Noninfectious gastroenteritis and colitis	13,613	7
200	Inguinal hernia without complication	13,110	8
183	Asthma	12,941	9
392	Admission for prophylactic sterilization	11,396	10
250	Other disorders of menstruation	11,293	11
211	Miscellaneous diseases of intestine and peritoneum	9.223	12
257	Spontaneous and unspecified abortion	9,169	13
149	Heart failure	9,113	14
143	Miscellaneous ischemic heart disease	9,068	15
140	Acute myocardial infarction	9,020	16
174	Bronchitis and bronchiolitis, acute	9,010	17
235	Hyperplasia of prostate	8,487	18
187	Disease of teeth and jaws	8,353	19
304	Derangement and displacement of lumbar disc	8,223	20
340	Miscellaneous signs, symptoms, and ill-defined conditions	8,179	21
124	Senile cataract	8,140	22
255	Legally induced abortion	7,807	23
263	False labor	7,638	24

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
295	Miscellaneous diseases of skin and subcutaneous tissue	7,455	25
234	Miscellaneous urinary diseases	7,330	26
384	Poisoning by drugs, medicinal, and biological substances	7,300	27
130	Otitis media, chronic and unspecified	7,223	28
197	Acute appendicitis without peritonitis	6,740	29
181	Bronchitis, chronic and unspecified	6,641	30
195	Gastritis and Duodenitis	6,293	31
248	Genital prolapse	6,221	32
1	Intestinal infectious disease	6,123	33
253	Signs and symptoms referable to female genital organs	6,123	34
376	Other superficial injuries	6,037	35
300	Internal derangement of knee joint	5,915	36
244	Pelvic inflammatory disease	5,766	37
364	Concussion	5,658	38
252	Miscellaneous diseases of female genitalia	5,567	39
175	Deviated nasal septum	5,522	40
335	Chest Pain	5,489	41
349	Fracture of radius and ulna	5,458	42
71	Diabetes mellitus without complication	5,066	43
171	Hemorrhoids	4,907	44
170	Varicose veins of lower extremities	4,875	45
316	Miscellaneous disorders of musculoskeletal system	4,841	46
104	Alcoholic dependence syndrome	4,814	47
354	Miscellaneous fractures of lower extremity	4,783	48
229	Calculus of ureter	4,658	49
142	Other acute and subacute forms of ischemic heart disease	4,511	50
141	Angina pectoris	4,398	51
268	Miscellaneous complications of pregnancy without delivery	4,366	52
111	Miscellaneous mental disorders	4,338	53
298	Osteoarthrosis (osteoarthritis), except spine	4,265	54
102	Neurotic depression	4,202	55
308	Other dorsopathies	4,163	56
56	Uterine leiomyoma	4,087	57

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
313	Localized disorders of bone and cartilage	4,076	58
184	Miscellaneous obstructive lung diseases	4,046	59
216	Gallbladder disease without mention of calculus	4,004	60
301	Other disorders of joint	3,975	61
178	Miscellaneous diseases of upper respiratory system	3,881	62
387	Complications peculiar to certain specified procedures	3,855	63
186	Miscellaneous lung and pleural diseases	3,785	64
291	Cellulitis and abscess, except digit	3,733	65
207	Intestinal obstruction without mention of hernia	3,705	66
45	Malignant neoplasm of ill-defined and secondary sites	3,701	67
351	Fracture of neck of femur	3,657	68
148	Other arrhythmia and conduction disorders	3,633	69
8	Viral diseases with exanthem	3,631	70
32	Malignant neoplasm of breast (female) (male)	3,583	71
210	Anal fissure, fistula, and abscess	3,556	72
241	Benign mammary dysplasia	3,539	73
73	Other complicated diabetes mellitus	3,511	74
137	Essential hypertension	3,494	75
310	Bunion and deformities of toe	3,364	76
343	Fracture of face bones	3,309	77
329	Convulsions	3,292	78
245	Endometriosis	3,287	79
180	Influenza	3,259	80
371	Open wound of upper limb	3,253	81
337	Signs and symptoms referable to urinary system	3,246	82
209	Diverticula of intestine	3,235	83
27	Malignant neoplasm of bronchus, lung, and trachea	3,184	84
353	Fracture of tibia and fibula	3,149	85
98	Major depressive psychoses	3,123	86
116	Epilepsy	3,100	87

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
309	Bursitis and synovitis, except spine	3,085	88
192	Nongastric peptic ulcer without complication	3,069	89
243	Ovarian cyst	3,030	90
101	Anxiety states	3,015	91
37	Malignant neoplasm of prostate	2,944	92
219	Diseases of pancreas	2,870	93
39	Malignant neoplasm of bladder	2,853	94
126	Strabismus	2,841	95
161	Acute, but ill-defined, cerebrovascular disease without paralysis	2,831	96
365	Intracranial injury, except concussion	2,827	97
117	Miscellaneous disease of central nervous system	2,778	98
189	Diseases of esophagus	2,745	99
103	Miscellaneous neuroses and personality disorders	2,664	100
147	Atrial fibrillation and flutter	2,661	101
160	Transient cerebral ischemia without paralysis	2,657	102
259	Threatened abortion	2,655	103
120	Peripheral nervous system disorder, except sciatica	2,614	104
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	2,613	105
232	Cystitis	2,552	106
369	Other laceration of head and neck	2,539	107
96	Miscellaneous schizophrenia	2,524	108
251	Menopausal and postmenopausal disorders	2,513	109
297	Rheumatoid arthritis, except spine	2,504	110
127	Miscellaneous disorders of superficial structures of eye	2,477	111
66	Carcinoma in situ of cervix	2,452	112
203	Ventral hernia without complication	2,421	113
150	Miscellaneous diseases of heart	2,389	114
293	Pilonidal cyst	2,375	115
172	Miscellaneous diseases of veins and circulatory system	2,359	116
169	Phlebitis and thrombophlebitis	2,347	117

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
193	Nongastric peptic ulcer with hemorrhage or perforation	2,306	118
204	Diaphragmatic hernia without complication	2,193	119
381	Other burns	2,177	120
242	Miscellaneous diseases of breast	2,158	121
348	Fracture of humerus	2,146	122
220	Gastrointestinal hemorrhage	2,058	123
228	Calculus of kidney	2,056	124
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	2,056	125
198	Acute appendicitis with peritonitis	2,042	126
388	Hemorrhage or hematoma complicating a procedure	2,029	127
164	Atherosclerosis	2,026	128
362	Sprains and strains of other and unspecified parts of back	2,017	129
330	Pyrexia of unknown origin	2,014	130
12	Miscellaneous viral diseases	2,011	131
134	Miscellaneous diseases of ear	2,009	132
390	Other complications of surgical procedures	1,981	133
233	Urethral stricture	1,969	134
23	Malignant neoplasm of colon	1,925	135
163	Other and ill-defined cerebrovascular disease	1,920	136
168	Miscellaneous diseases of arteries	1,909	137
358	Dislocation of knee	1,906	138
84	Anemia except iron deficiency and sickle-cell	1,903	139
344	Fracture of vertebral column without mention of spinal cord injury	1,896	140
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	1,883	141
383	Certain traumatic complications and unspecified injuries	1,853	142

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
292	Miscellaneous infections of skin and subcutaneous tissue	1,839	143
53	Benign neoplasm of bone, muscle, and connective tissue	1,822	144
240	Miscellaneous diseases of male genital organs	1,798	145
339	Other signs and symptoms referable to upper GI tract and abdomen	1,791	146
230	Miscellaneous diseases of kidney and ureter	1,787	147
239	Redundant prepuce and phimosis	1,779	148
99	Other affective psychoses	1,765	149
87	Nonspecific mesenteric lymphadenitis	1,762	150
332	Epistaxis	1,758	151
167	Arterial embolism and thrombosis	1,730	152
385	Toxic effects of substances chiefly nonmedicinal as to source	1,718	153
199	Disease of appendix, except acute appendicitis	1,707	154
303	Spondylosis and allied disorders	1,686	155
227	Miscellaneous kidney infections	1,653	156
196	Disease of stomach and duodenum, except ulcer and inflammation	1,648	157
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,646	158
346	Fracture of ribs, sternum, larynx and trachea	1,637	159
350	Miscellaneous fractures of upper extremity	1,632	160
386	Miscellaneous adverse effects	1,619	161
92	Alcoholic psychoses	1,613	162
305	Derangement and displacement of intervertebral disc, except lumbar	1,541	163
372	Open wound of lower limb	1,531	164
363	Other sprains and strains	1,530	165
389	Postoperative wound infection	1,519	166
299	Other arthropathies	1,477	167
311	Ganglion and cyst	1,469	168

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	1,467	169
110	Adjustment reactions and acute reactions to stress	1,461	170
396	Aftercare for removal of internal fixation device	1,440	171
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	1,439	172
258	Other pregnancy with abortive outcome	1,420	173
131	Other inflammation of ear and mastoid	1,419	174
118	Migraine	1,400	175
82	Iron deficiency anemia	1,357	176
128	Miscellaneous disorders of deep structures of eye	1,347	177
352	Other femoral fracture	1,344	178
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,330	179
119	Carpal tunnel syndrome and other lesions of median nerve	1,282	180
212	Alcoholic liver disease	1,263	181
254	Ectopic pregnancy	1,253	182
360	Sprains and strains of knee and leg	1,251	183
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,249	184
132	Vertiginous syndromes	1,248	185
100	Miscellaneous psychoses	1,241	186
379	Foreign body entering through other body orifice	1,238	187
68	Neoplasms of uncertain behavior and unspecified nature	1,235	188
367	Internal injury, except chest	1,220	189
237	Hydrocele	1,205	190
188	Disease of mouth, except dental	1,197	191
265	Other antepartum hemorrhage without delivery	1,197	192
336	Other signs and symptoms referable to respiratory system and chest	1,164	193
324	Undescended testicle	1,163	194
182	Emphysema	1,161	195

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
325 Miscellaneous congenital anomalies of genitourinary system	1,153	196
72 Diabetic acidosis or coma	1,152	197
262 Excessive vomiting in pregnancy	1,139	198
331 Headache	1,139	199
226 Acute pyelonephritis	1,137	200
319 Congenital anomaly of eye, ear, face, and neck	1,135	201
144 Pulmonary embolism and infarction	1,123	202
266 Infections of pregnancy without delivery	1,118	203
86 Disease of hematopoietic system, except anemia and hemophilia	1,111	204
357 Dislocation of shoulder	1,110	205
190 Gastric ulcer without complication	1,105	206
94 Paranoid schizophrenia	1,082	207
201 Inguinal hernia, complicated	1,082	208
289 Puerperal hemorrhage (after 24 hrs.)	1,073	209
70 Other diseases of thyroid gland	1,066	210
347 Fracture of pelvis	1,033	211
320 Congenital anomaly of heart and circulatory system	1,020	212
217 Diseases of bile ducts with calculus	1,019	213
202 Umbilical hernia without complication	1,016	214
79 Miscellaneous metabolic disorders	1,006	215
136 Chronic rheumatic heart disease	989	216
375 Contusion of eye and adnexa	987	217
6 Miscellaneous bacterial diseases	986	218
191 Gastric ulcer with hemorrhage or perforation	978	219
81 Disorders of fluid, electrolyte, and acid-base balance	974	220
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	968	221
34 Malignant neoplasm of corpus uteri	941	222
224 Chronic renal failure	924	223
359 Other dislocation	917	224
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	911	225

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
21	Malignant neoplasm of stomach	908	226
328	Perinatal conditions causing morbidity and mortality	901	227
246	Inflammatory disease of cervix uteri	892	228
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	886	229
156	Precerebral artery occlusion without paralysis	854	230
58	Benign neoplasm of ovary	848	231
121	Retinal detachment and defects	836	232
238	Orchitis and epididymitis	836	233
11	Viral warts	830	234
206	Complicated hernia of abdominal cavity, except inguinal	829	235
55	Benign neoplasm of breast	828	236
115	Multiple sclerosis	824	237
312	Osteomyelitis	824	238
51	Benign neoplasm of other parts of digestive system	821	239
236	Diseases of prostate, except hypertrophy	821	240
185	Spontaneous pneumothorax	817	241
249	Metrorrhagia	800	242
176	Nasal polyp	799	243
138	Hypertensive heart disease	798	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	797	245
31	Other malignant neoplasm of skin, excluding genital organs	789	246
10	Infectious mononucleosis	785	247
361	Sprains and strains of sacroiliac region	759	248
146	Paroxysmal supraventricular tachycardia	758	249
341	Fracture of vault of skull	752	250
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	740	251
19	Malignant neoplasm of lip, oral cavity, and pharynx	736	252
355	Fracture of other bones	730	253

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
165	Aortic aneurysm	726	254
4	Streptococcal sore throat and scarlet fever	719	255
222	Chronic glomerulonephritis and nephrotic syndrome	714	256
213	Other cirrhosis and chronic liver disease	703	257
133	Otosclerosis	672	258
314	Acquired deformities of limbs, except toe	669	259
35	Malignant neoplasm of ovary	666	260
368	Laceration or enucleation of eye	663	261
122	Open angle and primary closure glaucoma	648	262
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	647	263
109	Psychophysiologic disorder	644	264
333	Signs and symptoms referable to the cardiovascular system, except gangrene	644	265
64	Benign neoplasm of thyroid glands	635	266
7	Poliomyelitis and other enteroviral diseases of central nervous system	631	267
48	Leukemia, except lymphoid	629	268
78	Obesity of nonendocrine origin	629	269
397	Aftercare involving intermittent dialysis	624	270
107	Nondependent abuse of alcohol	601	271
162	Acute, but ill-defined, cerebrovascular disease with paralysis	590	272
307	Sciatica	590	273
342	Fracture of base of skull	590	274
370	Other laceration of trunk and multiple and unspecified sites	589	275
113	Inflammatory diseases of central nervous system	577	276

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	564	277
231	Urinary calculus, except kidney and ureter	563	278
326	Clubfoot	560	279
218	Diseases of bile ducts without mention of calculus	546	280
40	Malignant neoplasm of kidney and other urinary organs	544	281
69	Simple and non-toxic nodular goiter	544	282
296	Diffuse diseases of connective tissue	544	283
221	Intestinal malabsorption	540	284
14	Syphilis and other venereal diseases	517	285
26	Malignant neoplasm of pancreas	517	286
366	Internal injury to thoracic region	508	287
382	Injury to nerve and spinal cord	508	288
114	Parkinson's disease	496	289
214	Miscellaneous diseases of liver	493	290
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	478	291
46	Hodgkin's disease	469	292
28	Other malignant neoplasm of respiratory system and thoracic cavity	466	293
125	Cataract, except senile	466	294
306	Sacroiliac joint disorder	464	295
5	Septicemia	463	296
380	Third degree burns	453	297
205	Other hernia of abdominal cavity without complication	444	298
47	Lymphoid leukemia	438	299
294	Sebaceous cyst	438	300
2	Respiratory tuberculosis	434	301
334	Gangrene	420	302
377	Miscellaneous crushing injury	405	303
44	Malignant neoplasm of endocrine glands	394	304
9	Viral hepatitis	387	305
139	Miscellaneous hypertensive disease	387	306
42	Malignant neoplasm of brain	385	307

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
290	Other puerperal complications	378	308
50	Benign neoplasm of lip, oral cavity, and pharynx	373	309
67	Carcinoma in situ, except cervix uteri	373	310
15	Mycoses	369	311
321	Cleft palate and lip	367	312
80	Gout	363	313
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	356	314
30	Malignant melanoma of skin, excluding genital organs	342	315
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	342	316
194	Peptic ulcer with obstruction	325	317
264	Placenta previa without delivery	324	318
38	Malignant neoplasm of male genitalia, except prostate	306	319
123	Other glaucoma	292	320
322	Congenital hypertrophic pyloric stenosis	292	321
288	Major puerperal infections	287	322
225	Other renal failure	274	323
76	Nutritional deficiencies	269	324
65	Benign neoplasm of endocrine glands, except thyroid	254	325
74	Ovarian dysfunction	248	326
52	Benign neoplasm of respiratory system and intrathoracic organs	235	327
318	Congenital anomaly of nervous system	231	328
77	Cystic fibrosis	226	329
20	Malignant neoplasm of esophagus	210	330
93	Drug psychoses	206	331
129	Other disorders of eye	206	332
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	206	333
166	Aneurysm except aortic	200	334

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
223	Miscellaneous nephritis and functional disorders	199	335
391	Other complications of medical care, except drugs	195	336
135	Rheumatic fever, acute	192	337
154	Intracerebral hemorrhage without paralysis	179	338
63	Benign neoplasm of central nervous system	178	339
152	Subarachnoid hemorrhage without paralysis	175	340
151	Cardiovascular disease, unspecified	174	341
112	Mental retardation	172	342
345	Fracture of vertebral column with cord injury	168	343
89	Transient organic psychotic conditions	165	344
106	Drug dependence except opioid	164	345
57	Benign neoplasm of uterus, except leiomyoma	161	346
3	Nonrespiratory tuberculosis	160	347
36	Malignant neoplasm of other female genital organs	155	348
373	Injury to blood vessels	152	349
13	Rickettsioses and other arthropod-borne diseases	148	350
302	Ankylosing spondylitis	146	351
108	Nondependent abuse of drugs, except alcohol	144	352
260	Other early pregnancy hemorrhage	143	353
91	Arteriosclerotic dementia	125	354
315	Neuralgia, neuritis, and radiculitis, unspecified	116	355
16	Helminthiases	113	356
85	Hemophilia (congenital factor VIII disorder)	96	357
61	Benign neoplasm of urinary organ	94	358
95	Acute schizophrenic episode	92	359
18	Late effects of infectious and parasitic diseases	85	360
145	Acute and subacute endocarditis	81	361
378	Foreign body on external eye	73	362

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
41	Malignant neoplasm of eye	69	363
157	Precerebral occlusion with paralysis	60	364
59	Benign neoplasm of female genitalia, except uterus and ovary	55	365
22	Malignant neoplasm of small intestine	53	366
60	Benign neoplasm of male genital organ	50	367
62	Benign neoplasm of eye	50	368
105	Opioid dependence	40	369
356	Fracture of multiple bones	30	370
43	Malignant neoplasm of other parts of nervous system	28	371
155	Intracerebral hemorrhage with paralysis	25	372
83	Sickle-cell anemia and trait	15	373
153	Subarachnoid hemorrhage with paralysis	11	374
317	Somatic dysfunction	10	375
97	Childhood psychosis	7	376
256	Other induced abortion	4	377
	All patients except deliveries and newborn	872,325	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Canadian PAS Hospitals, 1979
(Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
179	Pneumonia	177	1
140	Acute Myocardial infarction	149	2
215	Gallbladder disease with calculus	145	3
149	Heart failure	122	4
351	Fracture of neck of femur	97	5
398	Admission for special examinations and miscellaneous reasons	95	6
304	Derangement and displacement of lumbar disc	94	7
211	Miscellaneous diseases of intestine and peritoneum	93	8
235	Hyperplasia of prostate	92	9
143	Miscellaneous ischemic heart disease	90	10
183	Asthma	80	11
173	Acute URI except streptococcal	80	12
208	Noninfectious gastroenteritis and colitis	74	13
295	Miscellaneous diseases of skin and subcutaneous tissue	74	14
200	Inguinal hernia without complication	68	15
338	Abdominal pain	68	16
298	Osteoarthrosis (osteoarthritis), except spine	65	17
248	Genital prolapse	62	18
340	Miscellaneous signs, symptoms, and ill-defined conditions	61	19
161	Acute, but ill-defined, cerebrovascular disease without paralysis	60	20
174	Bronchitis and bronchiolitis, acute	59	21
102	Neurotic depression	59	22
98	Major depressive psychoses	59	23
71	Diabetes mellitus without complication	57	24
45	Malignant neoplasm of ill-defined and secondary sites	56	25
177	Chronic disease of tonsils and adenoids	54	26
181	Bronchitis, chronic and unspecified	54	27

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
111	Miscellaneous mental disorders	54	28
96	Miscellaneous schizophrenia	53	29
250	Other disorders of menstruation	53	30
124	Senile cataract	53	31
184	Miscellaneous obstructive lung diseases	52	32
27	Malignant neoplasm of bronchus, lung, and trachea	49	33
234	Miscellaneous urinary diseases	49	34
73	Other complicated diabetes mellitus	48	35
142	Other acute and subacute forms of ischemic heart disease	46	36
313	Localized disorders of bone and cartilage	45	37
170	Varicose veins of lower extremities	45	38
384	Poisoning by drugs, medicinal, and biological substances	42	39
297	Rheumatoid arthritis, except spine	42	40
387	Complications peculiar to certain specified procedures	41	41
37	Malignant neoplasm of prostate	40	42
207	Intestinal obstruction without mention of hernia	40	43
32	Malignant neoplasm of breast (female) (male)	40	44
186	Miscellaneous lung and pleural diseases	39	45
104	Alcoholic dependence syndrome	39	46
352	Other femoral fracture	39	47
99	Other affective psychoses	39	48
23	Malignant neoplasm of colon	38	49
117	Miscellaneous disease of central nervous system	38	50
195	Gastritis and duodenitis	38	51
209	Diverticula of intestine	38	52
308	Other dorsopathies	36	53
253	Signs and symptoms referable to female genital organs	36	54
1	Intestinal infectious disease	35	55
244	Pelvic inflammatory disease	35	56
141	Angina pectoris	34	57

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
197	Acute appendicitis without peritonitis	34	58
354	Miscellaneous fractures of lower extremity	34	59
56	Uterine Leiomyoma	34	60
216	Gallbladder disease without mention of calculus	33	61
219	Diseases of pancreas	31	62
163	Other and ill-defined cerebrovascular disease	31	63
291	Cellulitis and abscess, except digit	31	64
148	Other arrhythmia and conduction disorders	31	65
103	Miscellaneous neuroses and personality disorders	31	66
353	Fracture of tibia and fibula	31	67
171	Hemorrhoids	31	68
164	Atherosclerosis	31	69
137	Essential hypertension	31	70
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	30	71
90	Chronic organic brain syndrome, except arteriosclerotic dementia	30	72
392	Admission for prophylactic sterilization	30	73
229	Calculus of ureter	29	74
316	Miscellaneous disorders of musculoskeletal system	29	75
335	Chest pain	29	76
376	Other superficial injuries	29	77
169	Phlebitis and thrombophlebitis	28	78
252	Miscellaneous diseases of female genitalia	28	79
300	Internal derangement of knee joint	28	80
130	Otitis media, chronic and unspecified	27	81
39	Malignant neoplasm of bladder	26	82
192	Nongastric peptic ulcer without complication	26	83
168	Miscellaneous diseases of arteries	26	84
172	Miscellaneous diseases of veins and circulatory system	25	85

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
94	Paranoid schizophrenia	25	86
245	Endometriosis	24	87
167	Arterial embolism and thrombosis	24	88
193	Nongastric peptic ulcer with hemorrhage or perforation	24	89
189	Diseases of esophagus	24	90
344	Fracture of vertebral column without mention of spinal cord injury	24	91
150	Miscellaneous diseases of heart	24	92
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	23	93
160	Transient cerebral ischemia without paralysis	23	94
301	Other disorders of joint	23	95
8	Viral diseases with exanthem	23	96
84	Anemia except iron deficiency and sickle-cell	22	97
212	Alcoholic liver disease	22	98
100	Miscellaneous psychoses	22	99
101	Anxiety states	22	100
347	Fracture of pelvis	21	101
120	Peripheral nervous system disorder, except sciatica	21	102
204	Diaphragmatic hernia without complication	21	103
116	Epilepsy	21	104
187	Disease of teeth and jaws	21	105
257	Spontaneous and unspecified abortion	21	106
147	Atrial fibrillation and flutter	20	107
268	Miscellaneous complications of pregnancy without delivery	20	108
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	20	109
390	Other complications of surgical procedures	20	110
303	Spondylosis and allied disorders	20	111
381	Other burns	20	112

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
198	Acute appendicitis with peritonitis	20	113
203	Ventral hernia without complication	19	114
162	Acute, but ill-defined, cerebrovascular disease with paralysis	19	115
220	Gastrointestinal hemorrhage	19	116
210	Anal fissure, fistula, and abscess	19	117
310	Bunion and deformities of toe	19	118
349	Fracture of radius and ulna	19	119
348	Fracture of humerus	18	120
230	Miscellaneous diseases of kidney and ureter	18	121
21	Malignant neoplasm of stomach	18	122
175	Deviated nasal septum	18	123
243	Ovarian cyst	17	124
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17	125
180	Influenza	17	126
144	Pulmonary embolism and infarction	17	127
337	Signs and symptoms referable to urinary system	17	128
329	Convulsions	17	129
299	Other arthropathies	16	130
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	16	131
364	Concussion	16	132
182	Emphysema	16	133
92	Alcoholic psychoses	16	134
228	Calculus of kidney	16	135
82	Iron deficiency anemia	16	136
232	Cystitis	15	137
305	Derangement and displacement of intervertebral disc, except lumbar	15	138
110	Adjustment reactions and acute reactions to stress	15	139
309	Bursitis and synovitis, except spine	15	140
346	Fracture of ribs, sternum, larynx and trachea	15	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
389	Postoperative wound infection	15	142
255	Legally induced abortion	15	143
178	Miscellaneous diseases of upper respiratory system	15	144
292	Miscellaneous infections of skin and subcutaneous tissue	14	145
312	Osteomyelitis	14	146
217	Diseases of bile ducts with calculus	14	147
66	Carcinoma in situ of cervix	13	148
365	Intracranial injury, except concussion	13	149
343	Fracture of face bones	13	150
293	Pilonidal cyst	13	151
371	Open wound of upper limb	13	152
263	False labor	13	153
339	Other signs and symptoms referable to upper GI tract and abdomen	13	154
68	Neoplasms of uncertain behavior and unspecified nature	13	155
165	Aortic aneurysm	12	156
190	Gastric ulcer without complication	12	157
227	Miscellaneous kidney infections	12	158
196	Disease of stomach and duodenum, except ulcer and inflammation	12	159
115	Multiple sclerosis	12	160
72	Diabetic acidosis or coma	12	161
367	Internal injury, except chest	12	162
191	Gastric ulcer with hemorrhage or perforation	12	163
362	Sprains and strains of other and unspecified parts of back	11	164
224	Chronic renal failure	11	165
81	Disorders of fluid, electrolyte, and acid-base balance	11	166
386	Miscellaneous adverse effects	11	167
383	Certain traumatic complications and unspecified injuries	11	168
233	Urethral stricture	11	169
127	Miscellaneous disorders of superficial structures of eye	11	170

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	11	171
86	Disease of hematopoietic system, except anemia and hemophilia	11	172
241	Benign mammary dysplasia	11	173
2	Respiratory tuberculosis	11	174
334	Gangrene	11	175
19	Malignant neoplasm of lip, oral cavity, and pharynx	11	176
70	Other diseases of thyroid gland	10	177
372	Open wound of lower limb	10	178
330	Pyrexia of unknown origin	10	179
259	Threatened abortion	10	180
26	Malignant neoplasm of pancreas	10	181
156	Precerebral artery occlusion without paralysis	10	182
380	Third degree burns	10	183
136	Chronic rheumatic heart disease	10	184
40	Malignant neoplasm of kidney and other urinary organs	10	185
12	Miscellaneous viral diseases	10	186
128	Miscellaneous disorders of deep structures of eye	10	187
34	Malignant neoplasm of corpus uteri	10	188
369	Other laceration of head and neck	10	189
358	Dislocation of knee	10	190
138	Hypertensive heart disease	9	191
79	Miscellaneous metabolic disorders	9	192
6	Miscellaneous bacterial diseases	9	193
114	Parkinson's disease	9	194
213	Other cirrhosis and chronic liver disease	9	195
48	Leukemia, except lymphoid	9	196
42	Malignant neoplasm of brain	9	197
222	Chronic glomerulonephritis and nephrotic syndrome	9	198
325	Miscellaneous congenital anomalies of genitourinary system	9	199
242	Miscellaneous diseases of breast	9	200

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
113	Inflammatory diseases of central nervous system	8	201
199	Disease of appendix, except acute appendicitis	8	202
332	Epistaxis	8	203
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8	204
388	Hemorrhage or hematoma complicating a procedure	8	205
251	Menopausal and postmenopausal disorders	8	206
35	Malignant neoplasm of ovary	8	207
53	Benign neoplasm of bone, muscle, and connective tissue	8	208
51	Benign neoplasm of other parts of digestive system	8	209
296	Diffuse diseases of connective tissue	8	210
206	Complicated hernia of abdominal cavity, except inguinal	8	211
254	Ectopic pregnancy	8	212
336	Other signs and symptoms referable to respiratory system and chest	8	213
320	Congenital anomaly of heart and circulatory system	8	214
78	Obesity of nonendocrine origin	8	215
328	Perinatal conditions causing morbidity and mortality	8	216
240	Miscellaneous diseases of male genital organs	8	217
201	Inguinal hernia, complicated	8	218
226	Acute pyelonephritis	8	219
218	Diseases of bile ducts without mention of calculus	7	220
131	Other inflammation of ear and mastoid	7	221
214	Miscellaneous diseases of liver	7	222
134	Miscellaneous diseases of ear	7	223
5	Septicemia	7	224
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7	225
132	Vertiginous syndromes	7	226
185	Spontaneous pneumothorax	7	227

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
121	Retinal detachment and defects	7	228
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	7	229
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	7	230
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	7	231
58	Benign neoplasm of ovary	7	232
126	Strabismus	7	233
28	Other malignant neoplasm of respiratory system and thoracic cavity	7	234
188	Disease of mouth, except dental	7	235
363	Other sprains and strains	7	236
221	Intestinal malabsorption	6	237
359	Other dislocation	6	238
360	Sprains and strains of knee and leg	6	239
331	Headache	6	240
31	Other malignant neoplasm of skin, excluding genital organs	6	241
118	Migraine	6	242
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	6	243
307	Sciatica	6	244
237	Hydrocele	6	245
396	Aftercare for removal of internal fixation device	6	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	6	247
238	Orchitis and epididymitis	6	248
341	Fracture of vault of skull	6	249
87	Nonspecific mesenteric lymphadenitis	5	250
361	Sprains and strains of sacroiliac region	5	251
385	Toxic effects of substances chiefly nonmedicinal as to source	5	252
139	Miscellaneous hypertensive disease	5	253
225	Other renal failure	5	254

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	5	255
194	Peptic ulcer with obstruction	5	256
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	5	257
262	Excessive vomiting in pregnancy	5	258
350	Miscellaneous fractures of upper extremity	5	259
47	Lymphoid leukemia	5	260
324	Undescended testicle	5	261
375	Contusion of eye and adnexa	5	262
366	Internal injury to thoracic region	5	263
202	Umbilical hernia without complication	5	264
236	Diseases of prostate, except hypertrophy	5	265
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	5	266
46	Hodgkin's disease	5	267
266	Infections of pregnancy without delivery	5	268
342	Fracture of base of skull	5	269
246	Inflammatory disease of cervix uteri	5	270
265	Other antepartum hemorrhage without delivery	5	271
122	Open angle and primary closure glaucoma	5	272
76	Nutritional deficiencies	5	273
239	Redundant prepuce and phimosis	5	274
306	Sacroiliac joint disorder	4	275
152	Subarachnoid hemorrhage without paralysis	4	276
10	Infectious mononucleosis	4	277
397	Aftercare involving intermittent dialysis	4	278
258	Other pregnancy with abortive outcome	4	279
20	Malignant neoplasm of esophagus	4	280

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
314	Acquired deformities of limbs, except toe	4	281
109	Psychophysiologic disorder	4	282
154	Intracerebral hemorrhage without paralysis	4	283
231	Urinary calculus, except kidney and ureter	4	284
30	Malignant melanoma of skin, excluding genital organs	4	285
9	Viral hepatitis	4	286
368	Laceration or enucleation of eye	4	287
14	Syphilis and other venereal diseases	4	288
119	Carpal tunnel syndrome and other lesions of median nerve	4	289
355	Fracture of other bones	4	290
311	Ganglion and cyst	4	291
379	Foreign body entering through other body orifice	4	292
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	4	293
44	Malignant neoplasm of endocrine glands	4	294
357	Dislocation of shoulder	4	295
64	Benign neoplasm of thyroid glands	4	296
69	Simple and non-toxic nodular goiter	4	297
146	Paroxysmal supraventricular tachycardia	4	298
63	Benign neoplasm of central nervous system	4	299
319	Congenital anomaly of eye, ear, face, and neck	4	300
333	Signs and symptoms referable to the cardiovascular system, except gangrene	4	301
67	Carcinoma in situ, except cervix uteri	3	302
91	Arteriosclerotic dementia	3	303
15	Mycoses	3	304
4	Streptococcal sore throat and scarlet fever	3	305
7	Poliomyelitis and other enteroviral diseases of central nervous system	3	306

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
65	Benign neoplasm of endocrine glands, except thyroid	3	307
370	Other laceration of trunk and multiple and unspecified sites	3	308
80	Gout	3	309
318	Congenital anomaly of nervous system	3	310
382	Injury to nerve and spinal cord	3	311
321	Cleft palate and lip	3	312
166	Aneurysm except aortic	3	313
77	Cystic fibrosis	3	314
326	Clubfoot	3	315
377	Miscellaneous crushing injury	3	316
151	Cardiovascular disease, unspecified	3	317
112	Mental retardation	3	318
38	Malignant neoplasm of male genitalia, except prostate	3	319
205	Other hernia of abdominal cavity without complication	3	320
125	Cataract, except senile	3	321
289	Puerperal hemorrhage (after 24 hrs.)	3	322
249	Metrorrhagia	3	323
345	Fracture of vertebral column with cord injury	3	324
176	Nasal polyp	3	325
133	Otosclerosis	2	326
36	Malignant neoplasm of other female genital organs	2	327
135	Rheumatic fever, acute	2	328
89	Transient organic psychotic conditions	2	329
145	Acute and subacute endocarditis	2	330
93	Drug psychoses	2	331
11	Viral warts	2	332
106	Drug dependence except opioid	2	333
322	Congenital hypertrophic pyloric stenosis	2	334
123	Other glaucoma	2	335
55	Benign neoplasm of breast	2	336
264	Placenta previa without delivery	2	337

Table 3 (Continued)

Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
223 Miscellaneous nephritis and functional disorders	2	338
50 Benign neoplasm of lip, oral cavity, and pharynx	2	339
3 Nonrespiratory tuberculosis	2	340
302 Ankylosing spondylitis	2	341
290 Other puerperal complications	2	342
95 Acute schizophrenic episode	2	343
88 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	2	344
107 Nondependent abuse of alcohol	2	345
288 Major puerperal infections	2	346
157 Precerebral occlusion with paralysis	1	347
22 Malignant neoplasm of small intestine	1	348
52 Benign neoplasm of respiratory system and intrathoracic organs	1	349
391 Other complications of medical care, except drugs	1	350
74 Ovarian dysfunction	1	351
129 Other disorders of eye	1	352
373 Injury to blood vessels	1	353
294 Sebaceous cyst	1	354
315 Neuralgia, neuritis, and radiculitis, unspecified	1	355
18 Late effects of infectious and parasitic diseases	1	356
57 Benign neoplasm of uterus, except leiomyoma	1	357
108 Nondependent abuse of drugs, except alcohol	1	358
16 Helminthiases	1	359
155 Intracerebral hemorrhage with paralysis	1	360
13 Rickettsioses and other arthropod-borne diseases	1	361
260 Other early pregnancy hemorrhage	1	362
43 Malignant neoplasm of other parts of nervous system	1	363
41 Malignant neoplasm of eye	1	364

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
85	Hemophilia (congenital factor VIII disorder)	1	365
153	Subarachnoid hemorrhage with paralysis	1	366
61	Benign neoplasm of urinary organ	1	367
59	Benign neoplasm of female genitalia, except uterus and ovary	<1	368
60	Benign neoplasm of male genital organ	<1	369
62	Benign neoplasm of eye	<1	370
83	Sickle-cell anemia and trait	<1	371
97	Childhood psychosis	<1	372
105	Opioid dependence	<1	373
256	Other induced abortion	<1	374
317	Somatic dysfunction	<1	375
356	Fracture of multiple bones	<1	376
378	Foreign body on external eye	<1	377
	All diagnosis groups	6,813	

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria

Group Number	Title
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott’s disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever